DIN EN 1457-1:2012-04 (E)

Chimneys - Clay/ceramic flue liners - Part 1: Flue liners operating under dry conditions - Requirements and test methods

Contents

Page

Foreword 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 6

4 Flue liners and openings 8
4.1 Flue liner cross-sections 8
4.2 Inspection openings and chimney junctions and inspection doors 8

5 Types of flue liner 9

6 Materials 10

7 Tolerances on dimensions 10
7.1 Transverse dimension 10
7.2 Height 10
7.3 Angle of curvature 10
7.4 Straightness 11
7.5 Squareness of ends 11
7.6 Deviation from shape of cross section 11
7.7 Geometry of joints 11

8 Proof load 11
8.1 Straight flue liners 11
8.2 Curved flue liners 11
8.3 Minimum load for inspection opening sections 11

9 Gas tightness /leakage, thermal resistance and soot fire resistance for straight flue liners 12
9.1 Initial test 12
9.2 Final gas tightness after testing 12
9.2.1 General 12
9.2.2 Final gas tightness after sootfire testing 12
9.2.3 Final gas tightness after thermal shock testing 12

10 Durability 13
10.1 Corrosion resistance 13
10.2 Freeze/Thaw resistance 13

11 Water absorption and bulk density 13
11.1 General 13
11.2 Water absorption 13
11.3 Bulk density 14

12 Abrasion resistance 14

13 Flow resistance 14

14 Thermal resistance 14

15 Evaluation of conformity 14
15.1 General 14
15.2 Initial type testing 14
15.3 Further type tests 14
15.4 Factory production control 15

16 Test methods 15
16.1 Size 15
16.2 Height 15
16.3 Angle of curvature 16
16.4 Straightness 16
16.5 Squareness of ends 16
16.6 Deviation from shape of cross-section 17
16.7 Proof load 19
16.7.1 Test specimen 19
16.7.2 Testing equipment 19
16.7.3 Test procedure 19
16.8 Thermal testing 20
16.8.1 Test flue 20
16.8.2 Test equipment 20
16.8.3 Assembly of test flue 22
16.8.4 Thermal conditioning 22
16.8.5 Measurement of leakage rate 23
16.8.6 Expression of results 23
16.9 Corrosion resistance 23
16.9.1 Test specimens 23
16.9.2 Test equipment 24
16.9.3 Test procedure 24
16.9.4 Expression of results 25
16.10 Water absorption 25
16.10.1 Test specimen 25
16.10.2 Test equipment 25
16.10.3 Test procedure 25
16.10.4 Expression of results 25
16.11 Bulk density 26
16.11.1 Test specimen 26
16.11.2 Test equipment 26
16.11.3 Test procedure 26
16.11.4 Expression of results 26
16.12 Abrasion resistance 26
16.12.1 Test flue 26
16.12.2 Test equipment 27
16.12.3 Test procedure 27
16.12.4 Expression of results 27

17 Designation 28

18 Marking 29

Annex A (normative) Sampling procedures for an AQL of 10 % and inspection level S2 30

A.1 Acceptability determination 30
A.1.1 Single sampling 30
A.1.2 Double sampling 30
A.2 Normal inspection 30
A.3 Normal to reduced inspection 31
A.4 Reduced to normal inspection 32
A.5 Tightened inspection 32
A.6 Tightened to normal inspection 32
A.7 Discontinuation of inspection 32

Annex B (normative) Thermal resistance 33

B.1 Method 1: simplified calculation for flue liners without cavities 33
B.2 Method 2: thermal resistance of flue liners with or without cavities 33
B.2.1 General 33
B.2.2 Data 34
B.2.3 Specific conditions for the cavities 35
B.2.4 Calculations 38
B.3 Method Approximate thermal resistance values 38

Annex C (normative) Measurement of the coefficient of friction of chimneys 40

Annex D (informative) Comparison with designation given in EN 1443:2003 42

Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive 43

ZA.1 Scope and relevant characteristics 43

ZA.2 Procedure of attestation of conformity of clay/ceramic flue liners and fittings 44

ZA.2.1 System of attestation of conformity 44

ZA.2.2 EC Certificate and Declaration of conformity 45

ZA.3 CE Marking and labelling 46

Bibliography 49