

DIN EN 1090-1:2012-02 (E)

Execution of steel structures and aluminium structures - Part 1: Requirements for conformity assessment of structural components (includes Amendment A1:2011)

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | 4 |
| Introduction | | 5 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms, definitions and abbreviations | 7 |
| 3.1 | Terms and definitions | 7 |
| 3.2 | Abbreviations | 8 |
| 4 | Requirements | 9 |
| 4.1 | Constituent products | 9 |
| 4.1.1 | General | 9 |
| 4.1.2 | Constituent products for steel components | 9 |
| 4.1.3 | Constituent products for aluminium components | 9 |
| 4.2 | Tolerances on dimensions and shape | 9 |
| 4.3 | Weldability | 9 |
| 4.4 | Fracture toughness | 10 |
| 4.5 | Structural characteristics | 10 |
| 4.5.1 | General | 10 |
| 4.5.2 | Load bearing capacity | 10 |
| 4.5.3 | Fatigue strength | 10 |
| 4.5.4 | Resistance to fire | 10 |
| 4.5.5 | Deformation at serviceability limit state | 11 |
| 4.6 | Reaction to fire | 11 |
| 4.7 | Dangerous substances | 11 |
| 4.8 | Impact resistance | 11 |
| 4.9 | Durability | 11 |
| 5 | Evaluation methods | 12 |
| 5.1 | General | 12 |
| 5.2 | Constituent products | 12 |
| 5.3 | Tolerances on dimensions and shape | 12 |
| 5.4 | Weldability | 12 |
| 5.5 | Fracture toughness | 12 |
| 5.6 | Structural characteristics | 13 |
| 5.6.1 | General | 13 |
| 5.6.2 | Structural design | 13 |
| 5.6.3 | Manufacturing characteristics | 14 |
| 5.7 | Resistance to fire | 14 |
| 5.8 | Reaction to fire | 14 |
| 5.9 | Dangerous substances | 14 |
| 5.10 | Impact resistance | 14 |
| 5.11 | Durability | 14 |
| 6 | Evaluation of conformity | 15 |
| 6.1 | General | 15 |
| 6.2 | Initial type testing | 15 |
| 6.2.1 | General | 15 |

| | | |
|---|---|----|
| 6.2.2 | Characteristics | 16 |
| 6.2.3 | Use of historical data | 16 |
| 6.2.4 | Use of structural calculations for conformity assessment | 16 |
| 6.2.5 | Initial type calculation | 16 |
| 6.2.6 | Sampling, evaluation and conformity criteria | 16 |
| 6.2.7 | Declaration of performance characteristics | 16 |
| 6.2.8 | Recording of results from evaluations | 17 |
| 6.2.9 | Corrective actions | 17 |
| 6.3 | Factory production control | 19 |
| 6.3.1 | General | 19 |
| 6.3.2 | Personnel | 19 |
| 6.3.3 | Equipment | 19 |
| 6.3.4 | Structural design process | 19 |
| 6.3.5 | Constituent products used in manufacture | 20 |
| 6.3.6 | Component specification | 20 |
| 6.3.7 | Product evaluation | 20 |
| 6.3.8 | Non-conforming products | 20 |
| 7 | Classification and designation | 21 |
| 8 | Marking | 22 |
| Annex A (informative) Guidelines for preparation of the component specification | | 23 |
| A.1 | General | 23 |
| A.2 | Purchaser provided component specification (PPCS) | 23 |
| A.3 | Manufacturer provided component specification (MPCS) | 23 |
| Annex B (normative) Assessment of factory production control | | 25 |
| B.1 | General | 25 |
| B.2 | Initial inspection | 25 |
| B.3 | Continuous surveillance | 26 |
| B.4 | Frequency of inspection | 27 |
| B.4.1 | General | 27 |
| B.4.2 | Surveillance intervals | 27 |
| B.4.3 | Declaration by manufacturer | 28 |
| B.4.4 | Action in case of non-compliance | 28 |
| B.5 | Reports | 28 |
| Annex ZA (informative) Clauses of this European Standard Addressing the provisions of EU Construction Products Directive (CPD) | | 29 |
| ZA.1 | Scope and relevant characteristics | 29 |
| ZA.2 | Procedures for the attestation of conformity of structural steel and aluminium components ... | 31 |
| ZA.2.1 | System of attestation of conformity | 31 |
| ZA.2.2 | Assignment of tasks | 31 |
| ZA.2.3 | Declaration of conformity | 32 |
| ZA.3 | CE marking and labelling | 33 |
| ZA.3.1 | General | 33 |
| ZA.3.2 | Declaration of product properties by material properties and geometrical data | 33 |
| ZA.3.3 | Declaration of the strength value(s) of the component | 37 |
| ZA.3.4 | Declaration of compliance with a given component specification | 39 |

ZA.3.5 Declaration of the strength value(s) of the component from purchaser`s order41
Bibliography43