DIN EN 1423:2013-03 (E)

Road marking materials - Drop on materials - Glass beads, antiskid aggregates and mixtures of the two

Contents

Page

Foreword 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 6

4 Requirements 7
4.1 Glass beads 7
4.1.1 Surface treatments of glass beads 7
4.1.2 Visibility characteristics 7
4.1.3 Granulometry 8
4.1.4 Dangerous substances 10
4.1.5 Durability aspects Resistance to chemicals: water, hydrochloric acid, calcium chloride and sodium sulphide 10
4.2 Transparent antiskid aggregates 10
4.2.1 pH value 10
4.2.2 Granulometry 10
4.2.3 Dangerous substances 12
4.2.4 Durability aspects Resistance to fragmentation (friability) 12
4.3 Non transparent antiskid aggregates 12
4.3.1 pH value 12
4.3.2 Visibility characteristics 12
4.3.3 Granulometry 13
4.3.4 Durability aspects Resistance to fragmentation (friability) 14
4.4 Mixtures of glass beads and antiskid aggregates 14
4.4.1 General 14
4.4.2 Durability aspects 15

5 Testing, assessment and sampling methods 15
5.1 General 15
5.2 Sampling 15
5.3 Glass beads 16
5.3.1 Surface treatments of glass beads 16
5.3.2 Visibility characteristics 16
5.3.3 Granulometry 16
5.3.4 Dangerous substances 16
5.3.5 Durability Resistance to chemicals: water, hydrochloric acid, calcium chloride and sodium sulphide 16
5.4 Transparent antiskid aggregates 16
5.4.1 pH value 16
5.4.2 Granulometry 17
5.4.3 Dangerous substances 17
5.4.4 Durability Resistance to fragmentation (friability) 17
5.5 Non transparent antiskid aggregates 17
5.5.1 pH value 17
5.5.2 Visibility Characteristics 17
5.5.3 Granulometry 17
5.5.4 Durability Resistance to fragmentation (friability) 17
5.6 Mixture of glass beads and antiskid aggregates 17

6 Evaluation of conformity 18
6.1 General 18
6.2 Initial type testing and type testing 18
6.2.1 General 18

03 EN ISO 15027-1:2012 (E) 6.2.2 Test samples, testing and compliance criteria 19

6.2.3 Test reports 21
6.3 Factory Production control (FPC) 21
6.3.1 General 21
6.3.2 Requirements 21
6.3.3 Product specific requirements 25
6.3.4 Initial inspection of factory and FPC 26
6.3.5 Continuous surveillance of FPC 26
6.3.6 Procedure for modifications 26

7 Marking 27

Annex A (normative) Test method to determine the refractive index of the glass beads 28

A.1 General 28
A.2 Principle 28
A.3 Equipment and materials 29
A.4 Procedure 30
A.5 Expression of the results 30

Annex B (normative) Test methods to determine the resistance of the glass beads to the effects of water, hydrochloric acid, calcium chloride and sodium sulphide 31

B.1 Resistance to the effects of water 31
B.2 Resistance to the effects of hydrochloric acid 31
B.3 Resistance to the effects of calcium chloride 31
B.4 Resistance to the effects of sodium Sulphide 31

Annex C (normative) Glass bead defects 33

C.1 Oval glass beads (see Figure C.1) 33
C.2 Satellites (see Figure C.2) 33
C.3 Tear shaped glass beads (see Figure C.3) 33
C.4 Glass beads fused together (see Figure C.4) 34
C.5 Roundish glass beads (see Figure C.5) 34
C.6 Opaque glass beads (see Figure C.6) 34
C.7 Milky glass beads (see Figure C.7) 35
C.8 Gas inclusions (see Figure C.8) 35
C.9 Grains (see Figure C.9) 35
C.10 Foreign particles 36

Annex D (normative) Test method to determine maximum weighted percentage of defective glass beads Procedure 37

D.1 General 37
D.2 Results of counting 38

Annex E (normative) Test method to determine the presence of the moisture proof coating 40

E.1 Procedure A 40
E.2 Procedure B 41

Annex F (normative) Test method to determine the presence of floatation coating 42

F.1 General 42

F.2 Principle 42
F.3 Apparatus and reagents 42
F.4 Procedure 42
F.5 Results 42

Annex G (normative) Test method to determine the friability index of the antiskid aggregates 43

G.1 General 43
G.2 Apparatus 43
G.3 Material to be tested 43
G.4 Procedure 44
G.5 Expression of results 44
G.6 Precision 45

Annex H (informative) Alternative test methods to determine maximum weighted percentage of defective glass beads 46

H.1 General 46
H.2 Visual test method 46
H.3 Automatic test method 47

Annex I (normative) Test method to determine the presence of dangerous substances 53

I.1 Reference method 53
I.2 Quick alternative method 54

Annex J (normative) Test method to determine glass beads and antiskid aggregates ratio in mixtures of the two 55

J.1 General 55
J.2 Equipment and material 55
J.3 Procedure 55
J.4 Alternative methods 55

Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive 57

Bibliography 70