DIN 18008-3:2013-07 (E)

Glass in Building - Design and construction rules - Part 3:Point fixed glazing

Contents

Page

Foreword 3

1 Scope 4

2 Normative references 4

3 Terms and definitions, symbols and units 5
3.1 Terms and definitions 5
3.2 Symbols and units 5

4 Construction products 5

5 Conditions of application and design 5

6 Additional stipulations for horizontal glazing 8
6.1 Support by plate-type fastening 8
6.2 Combination of support types 9
6.3 Linear supports with point-fixed clamping 9

7 Additional stipulations for vertical glazing 9

8 Exposure to stress and proofs of resistance 10

Annex A (informative) Materials 11

A.1 General 11
A.2 Material-related calculation parameters 11

Annex B (informative) Verifications carried out in the drill hole area using Finite Element models 12

B.1 General 12
B.2 Discretization in the drill hole area 12

Annex C (informative) Simplified procedure for proof of load-bearing capacity and serviceability of point-supported glazing 14

C.1 General 14
C.2 Formula Symbols 14
C.3 Verification of load-bearing capacity in ultimate limit state (ULS) 15
C.3.1 Verification in point-fastening area 15
C.3.2 Verification at span centre 17
C.3.3 Calculation for laminated safety glass 17
C.4 Verification of serviceability in serviceability limit state (SLS) 17

Annex D (normative) Testing and verification for glass holders and intermediate materials ("Test specifications for point fastenings") 18

D.1 General 18
D.2 Formula symbols 18
D.3 Determination of load-bearing capacity 19
D.4 Determining the serviceability limit state 20
D.5 Determining stiffness values 20
D.6 Documentation 21

Bibliography 23