DIN EN 1364-3:2014-05 (E)

Fire resistance tests for non-loadbearing elements - Part 3: Curtain walling - Full configuration (complete assembly)

Contents

Page

Foreword 5

Introduction 6

1 Scope 7

2 Normative references 7

3 Terms and definitions 8

4 Test equipment 9

5 Test conditions 9

6 Test specimen 9
6.1 Size 9
6.1.1 General 9
6.1.2 Internal fire exposure 9
6.1.3 External fire exposure 10
6.2 Number of specimens 10
6.3 Design 10
6.3.1 General 10
6.3.2 Standard configuration 10
6.3.3 Restraint 11
6.3.4 Surfaces 11
6.3.5 Perimeter seal 11
6.4 Construction 11
6.5 Verification 11

7 Installation of the test specimen 12
7.1 General 12
7.2 Supporting floors 12
7.2.1 Standard supporting floor 12
7.2.2 Non-standard supporting floor 12
7.3 Simulated wall construction 12
7.3.1 Standard construction 12
7.3.2 Non-standard construction 12
7.4 Furnace closure 12

8 Conditioning 13

9 Application of instrumentation 13
9.1 Thermocouples 13
9.1.1 Furnace thermocouples (plate thermometers) 13
9.1.2 Unexposed face thermocouples 13
9.2 Pressure 16
9.3 Deflection 17
9.4 Radiation 17

10 Test procedure 17

11 Performance criteria ... 17

12 Test report ... 18

13 Field of direct application of test results ... 18
13.1 General rules ... 18
13.1.1 General ... 18
13.1.2 Exposure conditions ... 19
13.1.3 Overrun time ... 19
13.2 Rules for the complete construction ... 19
13.2.1 Width of the curtain walling ... 19
13.2.2 Height of the curtain walling ... 19
13.2.3 Span length ... 20
13.2.4 Installation angle (vertical/sloped) ... 20
13.2.5 Facet angles of horizontally faceted curtain walling ... 20
13.3 Framing system ... 21
13.3.1 Distance between mullions and transoms ... 21
13.3.2 Geometry/dimension of mullions and transoms ... 21
13.3.3 Connection between mullions and transoms ... 22
13.3.4 Framing material ... 22
13.3.5 Decorative frame surface treatments/coverings/coatings ... 23
13.3.6 Fixing of the framing system (anchoring) ... 23
13.3.7 Pressure plate system ... 25
13.3.8 Other fixing systems than pressure plate ... 26
13.4 Infill panels ... 26
13.4.1 Opaque (non-translucent/non-transparent) infill panels ... 26
13.4.2 Sandwich panels ... 27
13.4.3 Translucent or transparent infill panels ... 28
13.4.4 Glazing materials ... 30
13.5 Perimeter seals / Vertical linear joint seals ... 30
13.5.1 General ... 30
13.5.2 Orientation ... 30
13.5.3 Material ... 30
13.5.4 Width/depth ... 31
13.5.5 Fixing of the perimeter seal ... 31
13.5.6 Covering ... 31
13.6 Supporting floor ... 31
13.7 Walls abutting the curtain walling ... 32

Annex A (normative) Field of direct application of test results for unitised construction ... 55

A.1 General ... 55
A.2 Rules for the complete construction ... 55
A.2.1 Width of the curtain walling ... 55
A.2.2 Height of the curtain wall ... 55
A.2.3 Span length ... 55
A.3 Infill panels ... 55
A.3.1 Opaque (non-translucent/non-transparent) infill panels ... 55
A.3.2 Sandwich panels ... 55
A.3.3 Translucent or transparent infill panels ... 55

Annex B (informative) Explanatory notes ... 56

B.1 Notes to Clause 1 "Scope" ... 56
B.1.1 Test principles and requirements ... 56
B.1.2 Fire from the outside of the building (e.g. E, EW and EI (o i)) ... 56
B.2 Notes to Clause 3 "Terms and definitions" ... 56
B.3 Notes to Clause 5 "Test conditions" ... 57
B.4 Notes to Clause 6 "Test specimen" ... 57
B.5 Notes to 7.2.1 "Standard supporting floor" ... 57
B.6 Notes to Clause 9 "Application of instrumentation" ... 57
B.6.1 Thermocouples ... 57

B.6.2 Deflection measurement 57
B.7 Notes to Clause 13 "Field of direct application of test results" 58
B.7.1 Overrun time 58
B.7.2 Width of the curtain walling 58
B.7.3 Installation angle (vertical/sloped) 58
B.7.4 Horizontally faceted curtain walling 58
B.7.5 Height of the curtain walling / span length 58
B.7.6 Framing system 58
B.7.7 Infill panels / spandrel panels 59
B.7.8 Perimeter seal 59

Bibliography 63