DIN EN 15101-1:2013-12 (E)

Thermal insulation products for buildings - In-situ formed loose fill cellulose (LFCI) products - Part 1: Specification for the products before installation

Contents

Page

Foreword 5

1 Scope 6

2 Normative references 6

3 Terms, definitions, symbols and abbreviations 7
3.1 Terms and definitions 7
3.2 Symbols 8
3.3 Abbreviations 9

4 Requirements 9
4.1 General 9
4.2 For all applications 9
4.2.1 Thermal resistance and thermal conductivity 9
4.2.2 Settlement 10
4.2.3 Reaction to fire 10
4.2.4 Durability 10
4.3 For specific applications 11
4.3.1 General 11
4.3.2 Short-term water absorption 11
4.3.3 Water vapour diffusion resistance factor 11
4.3.4 Dangerous substances 11
4.3.5 Corrosion resistance of the insulation material on certain metals 11
4.3.6 Mould fungi resistance 11
4.3.7 Airflow resistivity 12
4.3.8 Continuous Glowing Combustion 12
4.3.9 Sound absorption 12
4.3.10 Reaction to fire of product in standardised assemblies simulating end-use applications 12

5 Test methods 13
5.1 Sampling 13
5.2 Conditioning 13
5.3 Testing 13
5.3.1 General 13
5.3.2 Thermal resistance and thermal conductivity 15

6 Designation code 15

7 Evaluation of conformity 16
7.1 General 16
7.2 Initial type testing 16
7.3 Factory production control 16

8 Marking and labelling 16

Annex A (normative) Determination of declared thermal resistance and thermal conductivity 17

A.1 General 17
A.2 Input data 17
A.3 Declared values of thermal resistance and thermal conductivity 17

Annex B (normative) Laboratory methods for the determination of settlement 19

B.1 Blown LFCI for ventilated attics (open blow) -- determination of settlement under cyclic humidity 19
B.1.1 Principle 19
B.1.2 Apparatus 19
B.1.3 Test specimens 19
B.1.4 Test procedure 19
B.1.5 Test report 21
B.2 Blown LFCI in timber and steel framed walls - determination of settlement under vibrations 21
B.2.1 Principle 21
B.2.2 Apparatus 21
B.2.3 Test specimen 23
B.2.4 Procedure 23
B.2.5 Calculation and expression of test results 24
B.2.6 Accuracy of measurements 24
B.2.7 Test report 24
B.3 Blown LFCI for ventilated attics -- determination of settlement under impact excitation and under increased temperature and moisture (informative and for FPC only) 25
B.3.1 Principle 25
B.3.2 Apparatus 25
B.3.3 Test specimens 26
B.3.4 Test procedure 27
B.3.5 Calculations and expression of results 27
B.3.6 Test report 28

Annex C (normative) Testing for reaction to fire of products 30

C.1 Scope 30
C.1.1 General 30
C.1.2 Product and installation parameters 30
C.1.3 Ignitability (EN ISO 11925-2) 31
C.1.4 Single Burning Item [SBI] (EN 13823) for loose-fill cellulose insulation products 32

Annex D (normative) Specimen preparation method for the water absorption test 36

D.1 Principle 36
D.2 Conditioning 36
D.3 Procedure 36

Annex E (normative) Method of test for corrosion resistance 37

E.1 Principle 37
E.2 Conditioning 37
E.3 Reagents and materials 37
E.4 Apparatus 37
E.5 Procedure 38
E.6 Classification of the results 38
E.7 Report 38

Annex F (normative) Method for determining mould fungi resistance 39

F.1 Scope 39
F.2 Significance and use 39
F.3 Apparatus 39
F.4 Reagents and materials 39
F.4.1 Water 39
F.4.2 Inoculum 40
F.5 Specimens 40
F.5.1 Viability control specimens 40

F.5.2 Comparative material 40
F.5.3 Test specimens 40
F.6 Procedure 40
F.6.1 Spore suspension 40
F.6.2 Inoculation of test specimens, comparative material and control specimens 41
F.6.3 Incubation 41
F.7 Test analysis 41
F.7.1 General 41
F.7.2 Validation 42
F.7.3 Classification 42
F.8 Report 42
F.9 Precision and bias 42

Annex G (normative) Specimen preparation method for the airflow resistance test 43

G.1 Principle 43
G.2 Procedure 43

Annex H (normative) Specimen preparation method for thermal resistance and thermal conductivity test 44

H.1 Principle 44
H.2 Procedure 44
H.2.1 Horizontal applications, loft and floors 44
H.2.2 Cavity insulation, frame constructions and cavity walls 45

Annex I (normative) Factory production control 47

Annex J (normative) Testing for reaction to fire of products in standardised assemblies simulating end-use application(s) 50

J.1 Scope 50
J.2 Product and installation parameters 50
J.3 Mounting and fixing 51
J.3.1 Ignitability (EN ISO 11925-2) 51
J.3.2 Single Burning Item [SBI] (EN 13823) 51
J.4 Field of application 54

Annex K (normative) An example of a performance chart 56

Annex ZA (informative) Clause of this European Standard addressing the provisions of the EU Construction Products Directive 57

ZA.1 Scope and relevant characteristics 57

ZA.2 Procedure for attestation of conformity of in situ formed loose-fill cellulose 59

ZA.2.1 System(s) of attestation of conformity 59

ZA.2.2 EC Certificate and Declaration of conformity 61

ZA.3 CE marking and labelling 62

Bibliography 64