

# ISO/TR 12930:2014-04 (E)

## Seismic design examples based on ISO 23469

---

| <b>Contents</b>    |   | <b>Page</b> |
|--------------------|---|-------------|
| Foreword .....     |   | vi          |
| Introduction ..... |   | vii         |
| <b>1</b>           | <b>Scope .....</b>  | <b>1</b>    |
| <b>2</b>           | <b>Purpose and policy of collecting design examples .....</b>   | <b>1</b>    |
| 2.1                | Purpose of collecting well-chosen examples .....  | 1           |
| 2.2                | Concept and policy of choosing and composing .....  | 2           |
| 2.3                | Development and result .....  | 2           |
| 2.4                | General conclusion of TR12930 obtained through its development .....  | 2           |
| 2.5                | Editors, authors and reviewers .....  | 3           |
| 2.5.1              | Editors .....   | 3           |
| 2.5.2              | Authors .....   | 3           |
| 2.5.3              | Reviewers .....   | 4           |
| <b>3</b>           | <b>Assessment for conformity with ISO 23469 .....</b>   | <b>4</b>    |
| <b>4</b>           | <b>First stage of specifying seismic actions - Determination of site-specific earthquake ground motions demonstrated by design examples .....</b> | <b>4</b>    |
| 4.1                | General .....   | 5           |
| 4.1.1              | Methodology for empirical method in deterministic approach and examples .....   | 5           |
| 4.1.2              | Examples .....  | 6           |
| 4.2                | Site-specific seismic hazard analysis evaluation .....  | 7           |
| 4.2.1              | Probabilistic approach- Probabilistic seismic hazard analysis with focus on Fourier amplitude and group delay time .....                          | 8           |
| 4.2.1.1            | Outline .....   | 8           |
| 4.2.1.2            | Evaluation of Site Amplification Factor .....   | 9           |
| 4.2.1.3            | Earthquake scenarios and probability of occurrence .....  | 10          |
| 4.2.1.4            | Evaluation of Fourier amplitude spectra .....   | 11          |
| 4.2.1.5            | Evaluation of uniform hazard Fourier spectrum .....   | 12          |
| 4.2.1.6            | Evaluation of ground motion time history .....  | 13          |
| 4.2.1.7            | Example of application .....  | 13          |
| 4.2.2              | Site-specific approach on earthquake motions probabilistically evaluated in a LNG tank design considering a specific active fault .....           | 18          |
| 4.2.2.1            | General procedure and design example .....  | 18          |
| 4.2.3              | Deterministic approach - Theoretical ground motion estimation based on hypothetical scenario earthquakes .....                                    | 21          |
| 4.2.3.1            | Methodology for theoretical ground motion estimation .....  | 21          |
| 4.2.3.2            | Recipe for strong ground motion estimation .....  | 23          |
| 4.2.3.3            | Sedimentary structure model .....   | 26          |
| 4.2.3.4            | Examples of strong ground motion estimation .....   | 28          |
| 4.2.4              | Deterministic approach - Ground motion estimation based on semi empirical approach ..   | 29          |
| 4.2.4.1            | Outline .....   | 29          |
| 4.2.4.2            | Evaluation of site amplification factor .....   | 31          |
| 4.2.4.3            | Evaluation of strong ground motion .....  | 34          |
| 4.2.4.4            | Example of application .....  | 39          |
| 4.3                | Determination of earthquake ground motion to be used in site response analysis .....  | 43          |
| 4.3.1              | Empirical and site simplified analysis approach .....   | 43          |
| 4.3.1.1            | Simplified procedure of Seismic Deformation Method .....  | 43          |
| 4.3.1.2            | Natural period of an example ground .....   | 45          |
| 4.3.1.3            | Ground displacement .....   | 46          |

|                 |   |            |
|-----------------|---|------------|
| <b>5</b>        | <b>Second stage of specifying seismic actions. Seismic evaluation of geotechnical works demonstrated by design examples .....</b> | <b>47</b>  |
| <b>5.1</b>      | <b>Demonstrations of seismic evaluation using simplified and detailed analyses .....</b>  | <b>47</b>  |
| <b>5.1.1</b>    | <b>Simplified static and detailed dynamic analyses in design example of gravity quay wall in port .....</b>                       | <b>47</b>  |
| <b>5.1.1.1</b>  | <b>Purpose and functions .....</b>  | <b>47</b>  |
| <b>5.1.1.2</b>  | <b>Performance objectives for seismic design .....</b>  | <b>47</b>  |
| <b>5.1.1.3</b>  | <b>Reference earthquake motions .....</b>   | <b>48</b>  |
| <b>5.1.1.4</b>  | <b>Performance criteria and limit states .....</b>  | <b>48</b>  |
| <b>5.1.1.5</b>  | <b>Specific issues related to geotechnical works .....</b>  | <b>50</b>  |
| <b>5.1.1.6</b>  | <b>Procedure for determining seismic actions .....</b>  | <b>50</b>  |
| <b>5.1.1.7</b>  | <b>Ground failure and other geotechnical hazards .....</b>  | <b>52</b>  |
| <b>5.1.1.8</b>  | <b>Spatial variation .....</b>  | <b>55</b>  |
| <b>5.1.1.9</b>  | <b>Types and models of analysis .....</b>   | <b>55</b>  |
| <b>5.1.1.10</b> | <b>Simplified equivalent static analysis .....</b>  | <b>57</b>  |
| <b>5.1.1.11</b> | <b>Detailed equivalent static analysis .....</b>  | <b>61</b>  |
| <b>5.1.1.12</b> | <b>Simplified dynamic analysis .....</b>  | <b>61</b>  |
| <b>5.1.1.13</b> | <b>Detailed dynamic analysis .....</b>  | <b>61</b>  |
| <b>5.1.2</b>    | <b>Highway bridge pile foundation .....</b>   | <b>64</b>  |
| <b>5.1.2.1</b>  | <b>Outline of the highway bridge .....</b>  | <b>64</b>  |
| <b>5.1.2.2</b>  | <b>Seismic performance requirements .....</b>   | <b>66</b>  |
| <b>5.1.2.3</b>  | <b>Input ground motions used in seismic design and analysis model of the entire bridge .....</b>                                  | <b>68</b>  |
| <b>5.1.2.4</b>  | <b>Seismic design of foundations .....</b>  | <b>71</b>  |
| <b>5.1.3</b>    | <b>Assessment of seismic performance of the Sutong Bridge, a long cable-stayed bridge (Pile foundation) .....</b>                 | <b>79</b>  |
| <b>5.1.3.1</b>  | <b>Bridge outline .....</b>   | <b>79</b>  |
| <b>5.1.3.2</b>  | <b>Design seismic ground motion and seismic performance .....</b>   | <b>80</b>  |
| <b>5.1.3.3</b>  | <b>Seismic performance of foundations .....</b>   | <b>82</b>  |
| <b>5.1.4</b>    | <b>Earth fill dam .....</b>   | <b>86</b>  |
| <b>5.1.4.1</b>  | <b>Purpose and functions .....</b>  | <b>86</b>  |
| <b>5.1.4.2</b>  | <b>Performance objectives for seismic design .....</b>  | <b>87</b>  |
| <b>5.1.4.3</b>  | <b>Procedure for determining seismic actions .....</b>  | <b>88</b>  |
| <b>5.1.4.4</b>  | <b>Soil properties and models for detailed dynamic analysis .....</b>   | <b>90</b>  |
| <b>5.1.4.5</b>  | <b>Simplified equivalent static analysis: Slip analysis results; .....</b>  | <b>93</b>  |
| <b>5.1.4.1</b>  | <b>Detailed dynamic analysis: Results of FEM dynamic analysis; .....</b>  | <b>94</b>  |
| <b>5.1.5</b>    | <b>Gravity sea wall as coastal structure .....</b>  | <b>97</b>  |
| <b>5.1.5.1</b>  | <b>Purpose and functions .....</b>  | <b>97</b>  |
| <b>5.1.5.2</b>  | <b>Performance objectives for seismic design .....</b>  | <b>97</b>  |
| <b>5.1.5.3</b>  | <b>Reference earthquake motions .....</b>   | <b>98</b>  |
| <b>5.1.5.4</b>  | <b>Performance criteria and limit states .....</b>  | <b>98</b>  |
| <b>5.1.5.5</b>  | <b>Specific issues related to geotechnical works .....</b>  | <b>100</b> |
| <b>5.1.5.6</b>  | <b>Procedure for determining seismic actions .....</b>  | <b>100</b> |
| <b>5.1.5.7</b>  | <b>Earthquake ground motions .....</b>  | <b>100</b> |
| <b>5.1.5.8</b>  | <b>Seismic coefficient determinations .....</b>   | <b>102</b> |
| <b>5.1.5.9</b>  | <b>Effects of soil liquefaction .....</b>   | <b>105</b> |
| <b>5.1.5.10</b> | <b>Spatial variation .....</b>  | <b>107</b> |
| <b>5.1.5.11</b> | <b>Procedure for specifying seismic actions .....</b>   | <b>107</b> |
| <b>5.2</b>      | <b>Demonstrations evaluating and designing for ground displacement effects .....</b>  | <b>111</b> |
| <b>5.2.1</b>    | <b>Pile foundations of railway bridges .....</b>  | <b>111</b> |
| <b>5.2.1.1</b>  | <b>Outline of railway bridge pier .....</b>   | <b>111</b> |
| <b>5.2.1.2</b>  | <b>Seismic performance requirements .....</b>   | <b>112</b> |
| <b>5.2.1.3</b>  | <b>Reference earthquake ground motions .....</b>  | <b>115</b> |
| <b>5.2.1.4</b>  | <b>Site response analysis and assessment of liquefaction potential .....</b>  | <b>117</b> |
| <b>5.2.1.5</b>  | <b>Procedure for specifying seismic actions on piles .....</b>  | <b>119</b> |
| <b>5.2.1.6</b>  | <b>Simplified equivalent static analysis - Seismic Deformation Method .....</b>   | <b>120</b> |
| <b>5.2.2</b>    | <b>Design and actual performance of pile foundation of high R/C smokestack on soft ground .....</b>                               | <b>125</b> |
| <b>5.2.2.1</b>  | <b>General remarks .....</b>  | <b>125</b> |
| <b>5.2.2.2</b>  | <b>Purpose and functions .....</b>  | <b>126</b> |
| <b>5.2.2.3</b>  | <b>Performance objectives for seismic design and reference earthquake motions .....</b>   | <b>126</b> |
| <b>5.2.2.4</b>  | <b>Performance criteria and limit states .....</b>  | <b>127</b> |

|  |  |     |
|--|--|-----|
| 5.2.2.5  | Policy of determining seismic actions on superstructure and foundation for design .....              | 129 |
| 5.2.2.6  | Features of smokestack and geotechnical characterization .....                                       | 131 |
| 5.2.2.7  | Models of simplified and detailed dynamic analyses for specifying seismic actions .....              | 135 |
| 5.2.2.8  | Results of detailed dynamic analyses .....   | 138 |
| 5.2.2.9  | Verification of models based on vibration tests .....  | 139 |
| 5.2.2.10   | Actual seismic behaviour of ground and smokestack .....  | 142 |
| 5.2.2.11   | Verification of models based on strong motion records .....  | 145 |
| 5.2.3  | Shallow immersed rectangular tunnel in soft soils .....  | 150 |
| 5.2.3.1  | Thessaloniki immersed roadway tunnel .....   | 150 |
| 5.2.3.2  | Behaviour of longitudinal underground structures under seismic loading .....                         | 151 |
| 5.2.3.3  | Analysis methods .....   | 152 |
| 5.2.3.4  | Determination of input motion .....  | 153 |
| 5.2.3.5  | Simplified equivalent static analysis .....  | 154 |
| 5.2.3.6  | Detailed equivalent static analysis .....  | 156 |
| 5.2.3.7  | Detailed full dynamic analysis .....   | 158 |
| 5.2.3.8  | Results and discussion .....   | 159 |
| 5.3  | Demonstrations evaluating and designing for liquefaction effects .....                               | 161 |
| 5.3.1  | Evaluation of 3D SSI effects of pile foundation of LNG tank model by detailed dynamic analyses ..... | 161 |
| 5.3.1.1  | Problem description .....  | 161 |
| 5.3.1.2  | Results of analyses and discussion .....   | 162 |
| 5.3.1.3  | Consideration of results into design .....   | 166 |
| 5.3.2  | Evaluation of 3-D effects of lattice-arranged numerous piles by detailed dynamic analyses .....      | 166 |
| 5.3.2.1  | Objectives .....   | 166 |
| 5.3.2.2  | Results of analyses and discussion .....   | 166 |
| 5.3.3  | Evaluation of pile-volume effects of a huge number of piles by detailed dynamic analyses .....       | 169 |
| 5.3.3.1  | Introduction .....   | 169 |
| 5.3.3.2  | Results of analyses and discussion .....   | 169 |
| 5.3.3.3  | Consideration of results into design .....   | 170 |
| 5.4  | Demonstrations evaluating and designing for fault displacement effects .....                         | 171 |
| 5.4.1  | Seismic design abstract of road embankment taking account of surface fault rupture ....              | 171 |
| 5.4.1.1  | Purpose and functions .....  | 171 |
| 5.4.1.2  | Performance objectives and ground motions for seismic design .....                                   | 172 |
| 5.4.1.3  | Performance criteria .....   | 172 |
| 5.4.1.4  | Procedure for determining seismic actions .....  | 172 |
| 5.4.1.5  | Ground failure and other geotechnical hazards .....  | 173 |
| 5.4.1.6  | Types of analysis .....  | 174 |
| 5.4.1.7  | Simple static analysis .....   | 174 |
| 5.4.1.8  | Detailed dynamic analysis .....  | 174 |
| 5.4.2  | Shield tunnel subject to fault displacements (Detailed analysis) .....                               | 176 |
| 5.4.2.1  | General remarks .....  | 176 |
| 5.4.2.2  | Soil conditions and shield tunnel .....  | 176 |
| 5.4.2.3  | Estimation of fault displacement at base layer .....   | 176 |
| 5.4.2.4  | Method of analysis and modelling nonlinear behaviour of soil .....                                   | 178 |
| 5.4.2.5  | Results of analyses .....  | 180 |
| 5.4.2.6  | Influence of fault displacement to tunnel .....  | 183 |
| 5.4.3  | Design considerations for a water pipeline access tunnel subject to earthquake hazards               | 184 |
| 5.4.3.1  | Purpose and functions .....  | 184 |
| 5.4.3.2  | Project description .....  | 184 |
| 5.4.3.3  | Performance objectives and reference earthquake design levels .....                                  | 186 |
| 5.4.3.4  | Performance criteria .....   | 187 |
| 5.4.3.5  | Specific issues related to geotechnical works .....  | 187 |
| 5.4.3.6  | Evaluation of earthquake ground motions and fault displacements .....                                | 188 |
| 5.4.3.7  | Simplified equivalent static analysis .....  | 192 |
| Annex A (informative) Conformity with provisional sentences in ISO 23469 ..... |  | 201 |
| A.1  | General .....  | 201 |