

DIN EN 13830:2015-07 (E)

Curtain walling - Product standard

Contents	Page
Foreword	6
Introduction	7
1 Scope	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	12
3.1 Definitions	12
3.2 Abbreviations used in this standard	14
4 Product characteristics	14
4.1 Reaction to fire (of components, when relevant)	14
4.2 Fire resistance	14
4.3 Fire propagation (to upper levels)	14
4.4 Watertightness	15
4.5 Resistance to its own dead load	15
4.6 Wind load resistance	15
4.7 Resistance to snow load (only for elements subjected to snow load)	15
4.8 Impact resistance	16
4.8.1 General	16
4.8.2 Internal	16
4.8.3 External	16
4.9 Resistance to live horizontal loads at sill level	16
4.10 Seismic resistance	16
4.10.1 General	16
4.10.2 Safety in use	16
4.10.3 Serviceability (where specially required)	17
4.11 Thermal shock resistance	17
4.12 Direct airborne sound insulation	17
4.13 Flanking sound transmission	17
4.14 Thermal transmittance	17
4.15 Air permeability	17
4.16 Water vapour permeability	17
4.17 Radiation properties	17
4.18 Equipotential bonding (protection against electric shock) (where specifically required) ...	17
4.19 Durability	18
4.19.1 General	18
4.19.2 Durability of watertightness	18
4.19.3 Durability of thermal transmittance	18
4.19.4 Durability of air permeability	19
5 Testing, assessment and sampling methods	19
5.1 Sampling	19
5.1.1 General	19
5.1.2 Sequence of testing	19
5.2 Reaction to fire (of components, when relevant)	20
5.3 Fire resistance	20
5.4 Fire propagation (to upper levels)	20
5.5 Watertightness	20
5.6 Resistance to its own dead load	21

5.7	Wind load resistance	21
5.8	Resistance to snow load (only for elements subject to snow load)	21
5.9	Impact resistance	21
5.10	Resistance to live horizontal loads at sill level	22
5.11	Seismic resistance	22
5.11.1	Safety in use	22
5.11.2	Serviceability (where specially required)	22
5.12	Direct airborne sound insulation	22
5.13	Flanking sound transmission	23
5.14	Thermal transmittance	23
5.15	Air permeability	23
5.16	Radiation properties	23
5.17	Equipotential bonding (protection against electric shock) (where specifically required) ...	23
5.18	Durability	23
5.18.1	General	23
5.18.2	Durability of watertightness	24
5.18.3	Durability of thermal transmittance	24
5.18.4	Durability of air permeability	25
6	Assessment and verification of constancy of performance (AVCP)	25
6.1	General	25
6.2	Type testing	25
6.2.1	General	25
6.2.2	Test samples, testing and compliance criteria	26
6.2.3	Test reports	27
6.2.4	Cascading determination of the product type results	27
6.3	Factory production control (FPC)	28
6.3.1	General	28
6.3.2	Requirements	29
6.3.3	Product specific requirements	32
6.3.4	Initial inspection of factory and of FPC	33
6.3.5	Continuous surveillance of FPC (only for curtain walling kits covered by AVCP system 1)	33
6.3.6	Procedure for modifications	33
6.3.7	One-off products, pre-production products (e.g. prototypes) and products produced in very low quantity	34
7	Marking, labelling	34
	Annex A (informative) Maintenance	36
	Annex B (informative) Equipotential bonding conditions	37
B.1	General requirements	37
B.2	Connectors	37
	Annex C (informative) Resistance to actions: guidance on the use of Eurocodes	38
C.1	Introduction of the annex	38
C.2	Scope of the annex	38
C.3	Symbols and abbreviations in the annex	38
C.4	Definition and principle	39
C.4.1	General	39
C.4.2	Classes of consequence	40
C.4.3	Curtain walling kit operating as safety barrier	40
C.4.4	Loaded area "A"	40
C.4.5	System redundancy	42
C.5	Requirements	42
C.6	Actions	42
C.6.1	Dead load action	42
C.6.2	Wind action	42
C.6.3	Actions for curtain walling serving as parapets	43

C.7	Assumptions related the combinations of actions	44
C.7.1	General	44
C.7.2	Combinations of actions: generalities	44
Annex D (normative) Seismic resistance		49
D.1	General principles	49
D.1.1	Required performance limits	49
D.1.2	Factors affecting seismic performance	49
D.2	Assessment of seismic serviceability limit	49
D.3	Assessment of seismic safety limit	50
D.4	Seismic movement regime	50
D.4.1	General	50
D.4.2	Principles	51
D.4.3	Test apparatus	51
D.4.4	Test procedure	51
Annex E (normative) Selection, preparation, mounting and fixing of test specimen for reaction to fire tests of curtain walling and field of direct application		56
E.1	General	56
E.2	EN ISO 11925-2:2010 (Single flame test)	57
E.2.1	Profile	57
E.2.2	Infill	59
E.2.3	Sealing between infill and profile	59
E.2.4	Organic coating/top layers	61
E.3	Mounting and fixing for EN 13238 (SBI-test)	61
E.4	EN ISO 1182 (Non-combustibility test)	62
E.5	EN ISO 1716 (Determination of the heat of combustion)	62
E.6	Field of direct application	63
Annex F (normative) Characteristics and range of direct application		64
F.1	General	64
F.2	Selection of a representative test specimen	69
Annex G (informative) Characteristics and performances of curtain walling kit		71
Annex H (informative) Interchangeability between characteristics and components		73
Annex I (informative) Basic approach to durability		75
Annex ZA (informative) Clauses of this standard addressing the provisions of the EU Construction Product Regulation		77
Z.A.1	Scope and relevant characteristics	77
Z.A.2	Procedure for AVCP of curtain walling kit	79
Z.A.2.1	System(s) of AVCP	79
Z.A.2.2	Declaration of performance (DoP)	81
Z.A.2.2.1	General	81
Z.A.2.2.2	Content	81
Z.A.2.2.3	Example of DoP	82
Z.A.3	CE Marking and labelling	85
Bibliography		89