DIN EN 13830:2015-07 (E)

Curtain walling - Product standard

Contents

Page

Foreword 6

Introduction 7

1 Scope 8

2 Normative references 8

3 Terms, definitions and abbreviated terms 12
3.1 Definitions 12
3.2 Abbreviations used in this standard 14

4 Product characteristics 14
4.1 Reaction to fire (of components, when relevant) 14
4.2 Fire resistance 14
4.3 Fire propagation (to upper levels) 14
4.4 Watertightness 15
4.5 Resistance to its own dead load 15
4.6 Wind load resistance 15
4.7 Resistance to snow load (only for elements subjected to snow load) 15
4.8 Impact resistance 16
4.8.1 General 16
4.8.2 Internal 16
4.8.3 External 16
4.9 Resistance to live horizontal loads at sill level 16
4.10 Seismic resistance 16
4.10.1 General 16
4.10.2 Safety in use 16
4.10.3 Serviceability (where specially required) 17
4.11 Thermal shock resistance 17
4.12 Direct airborne sound insulation 17
4.13 Flanking sound transmission 17
4.14 Thermal transmittance 17
4.15 Air permeability 17
4.16 Water vapour permeability 17
4.17 Radiation properties 17
4.18 Equipotential bonding (protection against electric shock) (where specifically required) 17
4.19 Durability 18
4.19.1 General 18
4.19.2 Durability of watertightness 18
4.19.3 Durability of thermal transmittance 18
4.19.4 Durability of air permeability 19

5 Testing, assessment and sampling methods 19
5.1 Sampling 19
5.1.1 General 19
5.1.2 Sequence of testing 19
5.2 Reaction to fire (of components, when relevant) 20
5.3 Fire resistance 20
5.4 Fire propagation (to upper levels) 20
5.5 Watertightness 20
5.6 Resistance to its own dead load 21

5.7 Wind load resistance 21
5.8 Resistance to snow load (only for elements subject to snow load) 21
5.9 Impact resistance 21
5.10 Resistance to live horizontal loads at sill level 22
5.11 Seismic resistance 22
5.11.1 Safety in use 22
5.11.2 Serviceability (where specially required) 22
5.12 Direct airborne sound insulation 22
5.13 Flanking sound transmission 23
5.14 Thermal transmittance 23
5.15 Air permeability 23
5.16 Radiation properties 23
5.17 Equipotential bonding (protection against electric shock) (where specifically required) ... 23
5.18 Durability 23
5.18.1 General 23
5.18.2 Durability of watertightness 24
5.18.3 Durability of thermal transmittance 24
5.18.4 Durability of air permeability 25

6 Assessment and verification of constancy of performance (AVCP) 25
6.1 General 25
6.2 Type testing 25
6.2.1 General 25
6.2.2 Test samples, testing and compliance criteria 26
6.2.3 Test reports 27
6.2.4 Cascading determination of the product type results 27
6.3 Factory production control (FPC) 28
6.3.1 General 28
6.3.2 Requirements 29
6.3.3 Product specific requirements 32
6.3.4 Initial inspection of factory and of FPC 33
6.3.5 Continuous surveillance of FPC (only for curtain walling kits covered by AVCP system 1) 33
6.3.6 Procedure for modifications 33
6.3.7 One-off products, pre-production products (e.g. prototypes) and products produced in very low quantity 34

7 Marking, labelling 34

Annex A (informative) Maintenance 36

Annex B (informative) Equipotential bonding conditions 37

B.1 General requirements 37
B.2 Connectors 37

Annex C (informative) Resistance to actions: guidance on the use of Eurocodes 38

C.1 Introduction of the annex 38
C.2 Scope of the annex 38
C.3 Symbols and abbreviations in the annex 38
C.4 Definition and principle 39
C.4.1 General 39
C.4.2 Classes of consequence 40
C.4.3 Curtain walling kit operating as safety barrier 40
C.4.4 Loaded area "A" 40
C.4.5 System redundancy 42
C.5 Requirements 42
C.6 Actions 42
C.6.1 Dead load action 42
C.6.2 Wind action 42
C.6.3 Actions for curtain walling serving as parapets 43

C.7 Assumptions related the combinations of actions 44
C.7.1 General 44
C.7.2 Combinations of actions: generalities 44

Annex D (normative) Seismic resistance 49

D.1 General principles 49
D.1.1 Required performance limits 49
D.1.2 Factors affecting seismic performance 49
D.2 Assessment of seismic serviceability limit 49
D.3 Assessment of seismic safety limit 50
D.4 Seismic movement regime 50
D.4.1 General 50
D.4.2 Principles 51
D.4.3 Test apparatus 51
D.4.4 Test procedure 51

Annex E (normative) Selection, preparation, mounting and fixing of test specimen for reaction to fire tests of curtain walling and field of direct application 56

E.1 General 56
E.2 EN ISO 11925-2:2010 (Single flame test) 57
E.2.1 Profile 57
E.2.2 Infill 59
E.2.3 Sealing between infill and profile 59
E.2.4 Organic coating/top layers 61
E.3 Mounting and fixing for EN 13238 (SBI-test) 61
E.4 EN ISO 1182 (Non-combustibility test) 62
E.5 EN ISO 1716 (Determination of the heat of combustion) 62
E.6 Field of direct application 63

Annex F (normative) Characteristics and range of direct application 64

F.1 General 64
F.2 Selection of a representative test specimen 69

Annex G (informative) Characteristics and performances of curtain walling kit 71

Annex H (informative) Interchangeability between characteristics and components 73

Annex I (informative) Basic approach to durability 75

Annex ZA (informative) Clauses of this standard addressing the provisions of the EU Construction Product Regulation 77

ZA.1 Scope and relevant characteristics 77

ZA.2 Procedure for AVCP of curtain walling kit 79

ZA.2.1 System(s) of AVCP 79

ZA.2.2 Declaration of performance (DoP) 81

ZA.2.2.1 General 81

ZA.2.2.2 Content 81

ZA.2.2.3 Example of DoP 82

ZA.3 CE Marking and labelling 85

Bibliography 89