DIN EN 12101-3:2015-12 (E)

Smoke and heat control systems - Part 3: Specification for powered smoke and heat control ventilators (Fans)

Contents

Page

European foreword 7

Introduction 8

1 Scope 10

2 Normative references 10

3 Terms and definitions, symbols and abbreviations 11

4 Requirements 13
4.1 Response delay (response time) 13
4.1.1 Opening under wind load within a given time 13
4.1.2 Opening under snow load within a given time 13
4.2 Operational reliability 13
4.2.1 General 13
4.2.2 Application categories 13
4.2.3 Motor rating 14
4.3 Effectiveness of smoke / hot gas extraction 14
4.3.1 General 14
4.3.2 Gas flow and pressure maintenance during smoke and heat extraction test 15
4.4 Resistance to fire 15
4.5 Ability to open under environmental conditions 15
4.5.1 Opening under wind load within a given time 15
4.5.2 Opening under snow load within a given time 15
4.6 Durability of operational reliability 15

5 Testing, assessment and sampling methods 15
5.1 General 15
5.2 Test of response delay (response time) opening under wind, snow load within a given time 16
5.2.1 Wind load 16
5.2.2 Snow load 16
5.3 Operational reliability 17
5.3.1 Application categories 17
5.3.2 Motor rating 17
5.4 Effectiveness of smoke / hot gas extraction - Gas flow and pressure maintenance during smoke and heat extraction test 17
5.5 Resistance to fire 17
5.6 Ability to open under environmental conditions: opening under wind, snow load within a given time 17
5.7 Durability of operational reliability 17

6 Assessment and verification of constancy of performance - AVCP 17
6.1 General 17
6.2 Type Testing 17
6.2.1 General 17
6.2.2 Test samples, testing and compliance criteria 18
6.2.3 Test reports 19
6.3 Factory production control (FPC) 19
6.3.1 General 19

6.3.2 Requirements 20
6.3.3 Product specific requirements 27
6.3.4 Initial inspection of factory and of FPC 27
6.3.5 Continuous surveillance of FPC 28
6.3.6 Procedure for modifications 28
6.3.7 One-off products, pre-production products (e.g. prototypes) and products produced in very low quantity 28

7 Marking, labelling and packaging 29

Annex A (normative) Criteria to determine family of fans in order to select the sizes to be tested 31

A.1 Reduction of numbers of tests for PSHC ventilators forming a product range 31
A.2 Motors 33
A.2.1 General 33
A.2.2 Motor Type 1: Motor out of airstream and Impeller not mounted on shaft 34
A.2.3 Motor Type 2: Centrifugal fans with impeller mounted on the motor shaft 35
A.2.4 Motor Type 3: Fans with motor inside the airstream without cooling 35
A.2.5 Motor Type 4: Motors out of airstream but within fan casing 36
A.2.5.1 General 36
A.2.5.2 Motor Type 4.1 36
A.2.5.3 Motor Type 4.2 37
A.3 Combined testing 37
A.3.1 General rule 37
A.3.2 Specific rule for an axial fan 38
A.4 Determination of highest stresses in impellers 38
A.4.1 PSHC Ventilators with geometrically similar impellers 38
A.4.2 Fans with impellers that are not geometrically similar 40
A.4.2.1 Axial impellers 40
A.4.2.1.1 Centrifugal force 40
A.4.2.1.2 Fastenings or welds 42
A.4.2.1.3 Hub/back-plate/shroud stresses 43
A.4.2.2 Centrifugal impellers 45
A.4.2.2.1 Centrifugal force 45
A.4.2.2.2 Blade bending moment 46
A.4.2.2.3 Comparative blade stresses 46
A.4.2.2.4 Blade joint stress 48
A.5 Assessment of changes in a fan family 48
A.5.1 Assessment of motor change 48
A.5.2 Assessment of fan component change 49

Annex B (normative) Criteria to determine a family of motors in order to select the sizes to be tested51 B.1 Reduction of numbers of tests for a motor family 51

B.2 Assessment of changes in a motor family 51
B.2.1 Assessment for changing a family of motors in a family of fans 51
B.2.2 Assessment for changing components in a family of motors 51
B.2.3 Assessment of changes using Annex D 56
B.2.4 Normative list of motor components 56

Annex C (normative) Test method for the determination of fire resistance of powered smoke and heat control ventilators (fans) 61

C.1 Principle 61
C.2 Apparatus 61
C.3 Preparation 63
C.3.1 Axial Fan running (tip) clearance 63
C.3.2 Measuring of running clearance 63
C.3.3 Installation in furnace depending on the intended application categories 64
C.4 Procedure 66
C.4.1 General conditions 66
C.4.2 Warm up period 66

C.4.3 Heat up period 66
C.4.4 High temperature test 66
C.4.5 High temperature test in accordance with temperature time curve 67
C.5 Compliance criteria 67
C.6 Test report 67
C.6.1 Prepare a test report after completion of each test including the following information: ... 67

Annex D (normative) Test methods for electric motors to determine the impact of the changes on the product characteristics 70

D.1 Principle 70
D.2 Tests in association with a generator or another load 70
D.2.1 Modulated Frequency Method (MFM) 70
D.2.2 Apparatus for testing with a generator 71
D.2.2.1 Test installation 71
D.2.2.2 Specifications for bearing load 71
D.2.2.3 Temperature measurements 72
D.2.2.4 Electrical measurements 72
D.2.3 Test specimens 72
D.2.4 Test procedure 72
D.2.4.1 General conditions 72
D.2.4.2 Warm up period 72
D.2.4.3 High temperature test 73
D.3 Test report 73

Annex E (normative) Test method for assessing the response delay and ability to open under environmental conditions 75

E.1 Objective of test 75
E.2 Test apparatus 75
E.3 Test specimen 75
E.4 Test procedure 75
E.5 Evaluation of test results 75

Annex F (informative) Explanatory notes 76

F.1 General 76
F.2 Explanation for A.4.4.3 76
F.3 Origin of power coefficients in D.2.4.2 79
F.4 Consideration about frequency converter driving 80
F.5 Consideration regarding A.1, f) - scaling factors 82
F.6 Consideration regarding B.2.2: change of type of bearing 82
F.6.1 General 82
F.6.2 Bearing ability to pass the smoke venting test 82
F.6.3 Parameters to consider during the heat up test 83
F.6.4 How to select motor sizes 84
F.6.5 How to select motor size in vertical position 84
F.7 Consideration for changing material inside the fan 85
F.7.1 Material features 85
F.7.1.1 Mechanical properties 85
F.7.1.2 Technological properties 85
F.7.1.3 Physical properties 85
F.7.1.4 Tensile strength 86
F.7.1.5 Compression stress, shear stress and twisting 86
F.7.1.6 Hardness 86
F.7.1.7 Creep 86
F.7.1.8 Behaviour at low temperatures 86
F.7.1.9 Fatigue 86
F.7.2 Technological properties 87
F.7.2.1 Abrasive resistance 87
F.7.2.2 Formability 87
F.7.3 Physical properties 87

F.7.3.1 Density 87
F.7.3.2 Coefficient of thermal expansion 87
F.7.3.3 Thermal diffusivity 87
F.7.3.4 Elastic properties 87
F.8 Complementary information on Installation / Application 88

Annex G (informative) General guidance for installation and maintenance 91

G.1 Product, installation and maintenance information (documentation) 91
G.1.1 Product specification 91
G.1.2 Installation information 91
G.1.3 Maintenance information 91

Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation 92

ZA.1 Scope and relevant characteristics 92

ZA.2 Procedure for AVCP of the powered heat and smoke control ventilators (fans) 93

ZA.2.1 System(s) of AVCP 93

ZA.2.2 Declaration of performance (DoP) 94

ZA.2.2.1 General 94

ZA.2.2.2 Content 95

ZA.2.2.3 Example of DoP 95

ZA.3 CE marking and labelling 97

Bibliography 100