

DIN EN 13168:2015-04 (E)

Thermal insulation products for buildings - Factory made wood wool (WW) products - Specification (includes Amendment A1:2015)

Contents	Page
Foreword	4
1 Scope	6
2 Normative references	6
3 Terms, definitions, symbols, units and abbreviated terms	7
3.1 Terms and definitions	7
3.2 Symbols, units and abbreviated terms	9
4 Requirements	11
4.1 General	11
4.2 For all applications	11
4.3 For specific applications	15
5 Test methods	19
5.1 Sampling	19
5.2 Conditioning	19
5.3 Testing	19
6 Designation code	21
7 Assessment and Verification of the Constancy of Performance (AVCP)	22
7.1 General	22
7.2 Product Type Determination (PTD)	22
7.3 Factory Production Control (FPC)	23
8 Marking and labelling	23
Annex A (normative) Determination of the declared values of thermal resistance and thermal conductivity	25
A.1 General	25
A.2 Input data	25
A.3 Declared values	25
Annex B (normative) "Product type determination" (!PTD") and factory production control (FPC)	28
Annex C (normative) WW multi-layered insulation products	32
C.1 General	32
C.2 Requirements	32
C.3 Test methods	33
C.4 Evaluation of conformity	33
Annex D (normative) Specific test methods	34
D.1 Chloride content	34
D.2 Load resistance	34
D.3 Impact resistance	35

Annex E (normative) Determination of the thermal conductivity in relation to moisture content	37
Annex ZA (informative) !Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation"	39
ZA.1 Scope and relevant characteristics	39
ZA.2 Procedures for AVCP of factory made wood wool products	40
ZA.3 CE Marking and labelling	47
Bibliography	49
Tables Table 1 -- Classes for length and width tolerances	12
Table 2 -- Classes for thickness tolerances	13
Table 3 -- Levels for deviation from flatness	13
Table 4 -- Levels for chloride content	13
Table 5 -- Levels for tensile strength perpendicular to faces	14
Table 6 -- Levels for the deviation from squareness	15
Table 7 -- Levels for compressive stress or compressive strength	16
Table 8 -- Levels for bending strength	17
Table 9 -- Levels for short term water absorption	17
Table 10 -- Test methods, test specimens and conditions	20
Table A.1 -- Values for k for one sided 90 % tolerance interval with a confidence level of 90 %	27
Table B.1 -- Minimum product testing frequencies	28
Table B.2 -- Minimum product testing frequencies for the reaction to fire characteristics (1 of 2)	30
Table ZA.1 -- Relevant clauses for factory made wood wool and intended use	39
Table ZA.2 -- Systems of AVCP	41
Table ZA.3.1 -- Assignment of AVCP tasks for factory made wood wool products under system 1 for reaction to fire and system 3 (see Table ZA.2)	41
Table ZA.3.2 -- Assignment of AVCP tasks for factory made wood wool products under system 3 (see Table ZA.2)	43
Table ZA.3.3 -- Assignment of AVCP tasks for factory made wood wool products under combined system 4 for reaction to fire and system 3 (see Table ZA.2)	43
Figures Figure D.1 -- Test rig for load resistance of slabs	35
Figure D.2 -- Test rig for impact resistance of slabs	36
Figure E.1 -- Example of a graphic representation of "f"	38
Figure ZA.1 -- Example CE marking information of products under AVCP system 1 and system 3" ..	48