

# DIN EN 16351:2015-12 (E)

## Timber structures - Cross laminated timber - Requirements

---

<b>Contents</b>		<b>Page</b>
European foreword .....		6
Introduction .....		7
<b>1</b>	<b>Scope .....</b>	<b>8</b>
<b>2</b>	<b>Normative references .....</b>	<b>9</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>10</b>
<b>4</b>	<b>Symbols .....</b>	<b>14</b>
4.1	Main symbols .....	14
4.2	Subscripts .....	15
<b>5</b>	<b>Components and product characteristics, testing and assessment methods .....</b>	<b>16</b>
5.1	Components characteristics .....	16
5.1.1	Timber to be used in laminations .....	16
5.1.2	Laminations .....	16
5.1.3	Timber layers .....	17
5.1.4	Wood-based panel layers .....	17
5.1.5	Species .....	17
5.1.6	Adhesives for the production of cross laminated timber .....	18
5.2	Characteristics of cross laminated timber .....	20
5.2.1	General .....	20
5.2.2	Geometrical data .....	20
5.2.3	Strength and stiffness properties of cross laminated timber .....	24
5.2.4	Strength and stiffness properties of cross laminated timber with large finger joints .....	25
5.2.5	Bonding strength .....	26
5.2.6	Resistance to fire .....	27
5.2.7	Reaction to fire .....	27
5.2.8	Dimensional stability .....	29
5.2.9	Release of dangerous substances .....	29
5.2.10	Durability .....	30
<b>6</b>	<b>Assessment and Verification of Constancy of Performance (AVCP) .....</b>	<b>31</b>
6.1	General .....	31
6.2	Type testing .....	31
6.2.1	General .....	31
6.2.2	Test samples, testing and compliance criteria .....	32
6.2.3	Test reports .....	36
6.2.4	Shared other party results .....	36
6.2.5	Cascading determination of the product type results .....	37
6.3	Factory production control (FPC) .....	38
6.3.1	General .....	38
6.3.2	Requirements .....	39
6.3.3	Product specific requirements .....	45
6.3.4	Initial inspection of factory and of FPC .....	45
6.3.5	Continuous surveillance of FPC .....	46
6.3.6	Procedure for modifications .....	46
<b>7</b>	<b>Marking and labelling .....</b>	<b>46</b>
7.1	General .....	46

7.2	Cross laminated timber .....	47
Annex A (normative) Release of Formaldehyde .....		48
A.1	General .....	48
A.2	Classification .....	48
A.2.1	Cross laminated timber .....	48
A.2.2	Cross laminated timber with large finger joints .....	49
Annex B (normative) Additional test methods and requirements for adhesives .....		50
B.1	General .....	50
B.2	Long-term sustained load test at cyclic climate conditions with specimens loaded perpendicular to the glue line for moisture curing one-component polyurethane and emulsion polymer isocyanate adhesives (glass house test) .....	50
B.2.1	General description .....	50
B.2.2	Production of the specimens .....	50
B.2.3	Test procedure and climate conditions .....	51
B.2.4	Requirements .....	52
B.2.5	Test report .....	52
Annex C (normative) Delamination test of glue lines between layers .....		53
C.1	Principle .....	53
C.2	Apparatus .....	53
C.2.1	Pressure vessel .....	53
C.2.2	Drying duct .....	53
C.2.3	Balance .....	53
C.2.4	Metal wedge and hammer .....	53
C.3	Sampling and preparation of test pieces .....	53
C.4	Procedures .....	54
C.4.1	General .....	54
C.4.2	Measurement and evaluation of delamination .....	54
C.4.3	Test cycle .....	55
C.5	Results .....	55
C.5.1	General .....	55
C.5.2	Total delamination .....	55
C.5.3	Maximum delamination .....	56
C.5.4	Wood failure percentage .....	56
C.6	Test report .....	56
Annex D (normative) Shear tests .....		57
D.1	Principle .....	57
D.2	Apparatus .....	57
D.2.1	Testing machine .....	57
D.2.2	Shearing tool .....	57
D.3	Test pieces .....	58
D.3.1	General .....	58
D.3.2	Test pieces for edge bonds in timber layers .....	58
D.3.3	Test pieces for glue lines between layers .....	58
D.3.4	Test pieces for testing single glue lines within cross laminated timber .....	60
D.3.5	Sampling of test pieces .....	60
D.3.6	Marking of test pieces .....	61
D.4	Procedure .....	61
D.5	Results .....	61
D.6	Test report .....	62
Annex E (normative) Tests with laminations with or without finger joints (including compliance criteria) .....		63
E.1	Sampling .....	63

E.1.1	General .....	63
E.1.2	For type testing .....	63
E.1.3	For factory production control .....	63
E.2	Testing .....	63
E.2.1	General .....	63
E.2.2	Additional requirements for type testing .....	63
E.2.3	Additional requirements for factory production control .....	63
E.3	Compliance criteria of finger joints in laminations .....	64
E.3.1	For type testing .....	64
E.3.2	For factory production control .....	64
E.4	Report of tests with finger joints in laminations .....	64
E.5	Tests with laminations without finger joints .....	65
<b>Annex F (normative) Determination of strength, stiffness and density properties of cross laminated timber .....</b>		<b>66</b>
F.1	Indices .....	66
F.2	General .....	69
F.2.1	Sampling .....	69
F.2.2	Specimens .....	69
F.2.3	Testing .....	69
F.2.4	Analysis of test results .....	70
F.2.5	Test reports .....	70
F.3	Characteristics determined by tests with loads perpendicular to the plane .....	70
F.3.1	Bending test .....	70
F.3.2	(Rolling) shear strength and stiffness derived from bending tests .....	71
F.3.3	(Rolling) shear strength and stiffness derived from shear test (alternative test method) ...	72
F.3.4	Compression perpendicular to the plane .....	74
F.3.5	Large finger joint - Bending test .....	74
F.4	Characteristics determined by tests with in-plane loads .....	75
F.4.1	Bending .....	75
F.4.2	Shear values within a layer - net cross section .....	76
F.4.3	Shear values for glue lines between layers - torsional shear .....	77
F.4.4	Shear stiffness for cross laminated timber in plane by bending test .....	78
F.4.5	Large finger joint - Bending test .....	79
<b>Annex G (normative) Measurement of moisture content .....</b>		<b>80</b>
G.1	General .....	80
G.2	Measurement of moisture content of boards during production .....	80
G.3	Mean moisture content of cross laminated timber made from timber laminations .....	80
<b>Annex H (normative) Separation tests with finger joints in laminations produced with contact-free application of adhesive .....</b>		<b>81</b>
<b>Annex I (normative) Minimum production requirements .....</b>		<b>82</b>
I.1	Personnel .....	82
I.2	Production and storage facilities .....	82
I.2.1	General .....	82
I.2.2	Facilities for drying and storage of timber .....	82
I.2.3	Facilities for processing and storage of adhesives .....	82
I.2.4	Facilities for production and curing .....	82
I.3	Equipment .....	83
I.4	Finger joints in laminations .....	83
I.4.1	Wane and edge damages .....	83
I.4.2	Finger joint geometry .....	84
I.4.3	Knots and local grain deviation .....	84
I.4.4	Moisture content at bonding .....	85
I.4.5	Bonding surface and application of the adhesive .....	85
I.4.6	Time between cutting and adhesive application .....	86
I.4.7	Pressure .....	86

<b>I.4.8</b>	<b>Curing .....</b>	<b>86</b>
<b>I.5</b>	<b>Bonding of laminations and layers .....</b>	<b>87</b>
<b>I.5.1</b>	<b>General .....</b>	<b>87</b>
<b>I.5.2</b>	<b>Moisture content at bonding .....</b>	<b>87</b>
<b>I.5.3</b>	<b>Bonding surfaces and adhesive application .....</b>	<b>87</b>
<b>I.5.4</b>	<b>Cramping .....</b>	<b>87</b>
<b>I.5.5</b>	<b>Glue line thickness .....</b>	<b>87</b>
<b>I.5.6</b>	<b>Curing .....</b>	<b>88</b>
<b>I.6</b>	<b>Cross laminated timber with large finger joints .....</b>	<b>88</b>
<b>I.6.1</b>	<b>Cross laminated timber to be jointed .....</b>	<b>88</b>
<b>I.6.2</b>	<b>Moisture content at bonding .....</b>	<b>88</b>
<b>I.6.3</b>	<b>Finger joint geometry .....</b>	<b>88</b>
<b>I.6.4</b>	<b>Machining of the fingers .....</b>	<b>88</b>
<b>I.6.5</b>	<b>Adhesive, bonding surface and adhesive application .....</b>	<b>88</b>
<b>I.6.6</b>	<b>Cramping .....</b>	<b>89</b>
<b>I.6.7</b>	<b>Glue line thickness .....</b>	<b>89</b>
<b>I.6.8</b>	<b>Curing .....</b>	<b>89</b>
<b>Annex ZA (informative)</b>	<b>Clauses of this European Standard addressing the requirements of the EU Construction Products Regulation .....</b>	<b>90</b>
<b>Bibliography .....</b>		<b>102</b>