

DIN EN 14227-15:2016-02 (E)

Hydraulically bound mixtures - Specifications - Part 15: Hydraulically stabilized soils

Contents	Page
European foreword	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Symbols and abbreviated terms	6
5 Constituents	7
5.1 Cement	7
5.2 Fly ash	7
5.3 Blast-furnace slag	7
5.4 Hydraulic road binder	7
5.5 Lime	7
5.6 Soil	7
5.7 Water	8
5.8 Other constituents	8
6 Mixture	8
6.1 General	8
6.2 Proportioning and dry density	8
7 Requirements for the fresh mixture	9
7.1 Water content	9
7.2 Degree of pulverization	9
7.3 Immediate bearing index	9
7.4 Moisture condition value	10
7.5 Workability period	10
8 Laboratory mechanical performance classification	10
8.1 General	10
8.2 California bearing ratio	11
8.3 Classification by compressive strength	11
8.4 Classification by tensile strength and modulus of elasticity (R _t , E)	12
9 Resistance to water and other requirements for the mixture	14
9.1 Resistance to water	14
9.2 Strength for direct construction trafficking	15
9.3 Resistance to frost	15
10 Production control	15
11 Designation and description	15
12 Labelling	16
Annex A (informative) Examples of 'age of classification' and curing regimes for R _c , R _t and E testing of treated soils including resistance to water testing	18
Annex B (informative) Production control for hydraulically stabilized soils	19

B.1	General	19
B.2	Quality Manual	19
B.3	Organization	19
B.4	Control procedures	20
B.5	Inspection and testing of constituents and mixtures during production	22
B.6	Inspection and testing equipment	23
B.7	Non-conformity	24