

# DIN EN 13637:2015-12 (E)

## Building hardware - Electrically controlled exit systems for use on escape routes - Requirements and test methods

---

<b>Contents</b>		<b>Page</b>
Foreword .....		6
Introduction .....		7
<b>1</b>	<b>Scope .....</b>	<b>8</b>
<b>2</b>	<b>Normative references .....</b>	<b>9</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>10</b>
<b>4</b>	<b>Requirements .....</b>	<b>13</b>
4.1	General .....	13
4.1.1	Compliance .....	13
4.1.2	Association between components .....	13
4.1.3	Access level .....	14
4.2	Ability to release (for doors on escape routes) .....	14
4.2.1	Number of operations to release .....	14
4.2.2	Operation of initiating element .....	14
4.2.3	Input signal from an alarm system .....	15
4.2.4	Resetting conditions .....	15
4.2.5	Operating element .....	16
4.2.6	Fail safe function and reliability of liaison and transmission paths .....	17
4.2.7	Release force - Door not under pressure .....	19
4.2.8	Release force - Door under pressure .....	19
4.2.9	Release from the Initiating element .....	19
4.2.10	Release after power supply failure .....	19
4.2.11	Dimensional and design .....	20
4.2.12	Door mass and door dimensions .....	22
4.2.13	Keepers .....	23
4.2.14	Initiating element with cover .....	23
4.2.15	Finger trapping .....	23
4.2.16	Pictogram .....	23
4.2.17	Time delay .....	24
4.2.18	Central Management Control .....	25
4.2.19	Outside access device .....	30
4.2.20	Security requirements .....	30
4.3	Self-closing ability C (for fire/smoke doors) .....	31
4.4	Suitability for use on fire and smoke doors .....	32
4.5	Control of Dangerous substances .....	33
4.6	Durability of ability to release (against ageing and degradation for doors on escape routes) .....	33
4.6.1	General .....	33
4.6.2	Abuse resistance of electrical locking element .....	34
4.6.3	Abuse resistance of initiating element .....	34
4.6.4	Abuse resistance of electrically lockable operating element .....	34
4.6.5	Environmental requirements - Temperature range requirement .....	34
4.6.6	Environmental requirements - Corrosion resistance requirement .....	35
4.6.7	Environmental requirements - Dry Heat resistance requirement .....	35
4.6.8	Environmental requirements - Cold resistance requirement .....	35
4.6.9	Environmental requirements - Damp heat cyclic (12h + 12h) resistance requirement .....	36
4.6.10	Environmental requirements - Impact resistance requirement .....	36

4.6.11	Environmental requirements - Rated voltage requirements .....	38
4.6.12	Electrical hazards safety requirements (Low voltage) .....	39
4.6.13	Environmental requirements - Electromagnetic compatibility (EMC) requirements and/or Radio and telecommunication terminal equipment (R&TTE) .....	39
4.6.14	Environmental requirements - IP Protection against solid foreign objects and ingress of water and dust .....	41
4.7	Durability of self-closing ability C against ageing and degradation (for fire/smoke doors) .....	41
5	Testing, assessment and sampling methods .....	42
5.1	General .....	42
5.1.1	Test methods .....	42
5.1.2	Test apparatus .....	43
5.1.3	Procedures .....	44
5.2	Tests for Ability to Release .....	44
5.2.1	Test for number of operations to release .....	44
5.2.2	Test for operation of initiating element .....	45
5.2.3	Release function test - Input signal from the Alarm system such as an alarm system (sample A) .....	45
5.2.4	Tests for resetting conditions .....	47
5.2.5	Test for operating element .....	47
5.2.6	Test of fail safe function and failure of liaison and transmission paths, and release force test of initiating element (Sample A) .....	47
5.2.7	Release force test - Door not under pressure (Sample A) .....	48
5.2.8	Release force test - Door under pressure (Sample A) .....	49
5.2.9	Release from the Initiating element .....	50
5.2.10	Release tests after power supply failure (Sample A) .....	50
5.2.11	Verification of dimensions and design .....	50
5.2.12	Verification of Door mass and door dimensions .....	50
5.2.13	Verification of keepers .....	51
5.2.14	Verification of Initiating element with cover .....	51
5.2.15	Test for finger trapping .....	51
5.2.16	Verification of pictograms .....	51
5.2.17	Release test according to time delay (Sample A) .....	51
5.2.18	Central Management Control Tests .....	53
5.2.19	Outside Access Device .....	60
5.2.20	Security tests (Sample A) .....	60
5.3	Tests for self-closing ability C (Sample A) .....	62
5.4	Tests for Suitability for use on fire and smoke doors (Samples D and E) .....	63
5.5	Control of Dangerous substances .....	63
5.6	Tests for the Durability of ability to release and ability to self-closing (Sample A) .....	63
5.6.1	General .....	63
5.6.2	Abuse resistance test of electrical locking element .....	64
5.6.3	Abuse resistance test of initiating element .....	64
5.6.4	Abuse resistance of electrically lockable operating element .....	65
5.6.5	Temperature test (Sample B) .....	66
5.6.6	Corrosion test (Sample B) .....	66
5.6.7	Dry heat test (Sample B) .....	67
5.6.8	Cold test (Sample B) .....	68
5.6.9	Damp heat cyclic test (12h + 12h) (Sample B) .....	68
5.6.10	Impact test (Sample B) .....	69
5.6.11	Supply voltage variations test (Sample B) .....	71
5.6.12	Electrical hazards safety tests (Sample B) .....	72
5.6.13	Electromagnetic compatibility (EMC) tests (Sample B) .....	72
5.6.14	(IP)Protection against solid foreign objects and ingress of water and dust test (Sample B) .....	72
5.7	Tests for the Durability of ability to self-closing (Sample A) .....	72
6	Assessment and verification of constancy of performance - AVCP .....	73
6.1	General .....	73
6.2	Type testing .....	73

6.2.1	General .....	73
6.2.2	Test samples, testing and compliance criteria .....	74
6.2.3	Test reports .....	74
6.3	Factory production control (FPC) .....	74
6.3.1	General .....	74
6.3.2	Requirements .....	75
6.3.3	Product specific requirements .....	80
6.3.4	Initial inspection of factory and of FPC .....	81
6.3.5	Continuous surveillance of FPC .....	81
6.3.6	Procedure for modifications .....	82
7	Classification and designation .....	82
7.1	General .....	82
7.2	Classification system .....	82
7.2.1	General .....	82
7.2.2	Category of use (1st character) .....	82
7.2.3	Durability (2nd character) .....	82
7.2.4	Door mass (3rd character) .....	82
7.2.5	Suitability for use on fire/smoke doors (4th character) .....	83
7.2.6	Safety (5th character) .....	83
7.2.7	Corrosion resistance, humidity and IP protection (6th character) .....	83
7.2.8	Security/Holding force - from outside (7th character) .....	84
7.2.9	Security/Holding force - from inside (8th character) .....	84
7.2.10	Time delay (9th character) .....	85
7.2.11	Denied exit mode (10th character) .....	85
7.2.12	Configuration (11th character) .....	85
7.3	Example of classification .....	85
8	Marking, labelling and packaging .....	86
8.1	On the product .....	86
8.2	On the packaging .....	86
8.3	On the installation instructions .....	87
Annex A (informative) Information supplied with the product .....		88
A.1	General .....	88
A.2	Product information .....	89
A.3	Installation and fixing instructions .....	90
A.3.1	Fixing arrangements .....	90
A.3.2	Information and installation guidance .....	90
A.4	Installation compliance report form .....	93
A.5	Maintenance instructions .....	96
A.6	Routine site inspection report form .....	96
Annex B (normative) Test sequences with different samples .....		98
Annex C (informative) Guidance for choosing relevant product standards for particular exit door applications .....		100
Annex D (informative) Access levels, Installation and maintenance .....		102
D.1	Access levels .....	102
D.1.1	Definitions .....	102
D.1.2	Access levels for typical operations on the electrically controlled exit system .....	103
D.1.3	Installation .....	103
D.1.4	Maintenance .....	104
D.2	Advantages/disadvantages of panic and emergency exit devices and systems .....	104
D.2.1	Design of operating elements .....	104
D.2.2	Design of outside access device .....	104
D.2.3	Low operating forces .....	104
D.2.4	Bottom vertical rods and projecting floor sockets .....	105

D.2.5	Automatic locking .....	105
D.2.6	Dogging mechanism .....	105
D.2.7	Electrically controlled functions .....	105
D.2.8	Projection of the exit device .....	105
D.2.9	Recognition of operating element .....	106
D.3	Operating forces declared by the manufacturer .....	106
D.3.1	General .....	106
D.3.2	Performance assessment .....	106
D.3.3	Test methods - Operating tests under side load .....	106
D.3.4	Manufacturer's declaration .....	107
Annex E (informative) Functional diagrams .....		108
E.1	Functional diagrams of typical electrically controlled exit systems .....	108
E.2	Logic diagram for modes of exit system operation .....	109
Annex F (informative) Examples of configurations and description of exit systems .....		110
F.1	Configuration of exit system .....	110
F.2	Description of exit systems .....	113
F.3	Door configurations .....	114
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation .....		115
ZA.1	Scope and relevant characteristics .....	115
ZA.2	Procedure for AVCP of Electrically controlled exit systems .....	117
ZA.2.1	System of AVCP .....	117
ZA.2.2	Declaration of performance (DoP) .....	118
ZA.2.2.1	General .....	118
ZA.2.2.2	Content .....	118
ZA.2.3	Example of DoP .....	119
ZA.3	CE marking and labelling .....	123