

# ISO 4708:2015-09 (E)

## Composition cork - Gasket material - Test methods

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Apparatus .....</b>	<b>2</b>
<b>5</b>	<b>Reagents .....</b>	<b>2</b>
<b>6</b>	<b>Sampling and preparation of test specimens .....</b>	<b>2</b>
6.1	Sampling .....	2
6.2	Preparation of the test specimens .....	2
6.3	Conditioning .....	3
<b>7</b>	<b>Tests .....</b>	<b>3</b>
7.1	Determination of thickness .....	3
7.2	Determination of apparent density .....	3
7.3	Determination of tensile strength .....	3
7.4	Determination of compressibility and recovery .....	3
7.5	Resistance to boiling water .....	3
7.6	Flexibility .....	4
7.6.1	Method A .....	4
7.6.2	Method B .....	4
7.7	Behaviour of composition cork and rubbercork in fluids .....	4
7.7.1	Behaviour in ASTM IRM 903 oil .....	4
7.7.2	Behaviour in ASTM IRM 901 oil .....	5
7.7.3	Behaviour in ASTM Fuel A (or equivalent) .....	5
<b>8</b>	<b>Test report .....</b>	<b>6</b>
<b>Annex A (normative) Reagents' characteristics .....</b>		<b>7</b>
<b>Bibliography .....</b>		<b>8</b>