

DIN EN 13055:2016-11 (E)

Lightweight aggregates

Contents		Page
European foreword		5
1	Scope	7
2	Normative references	7
3	Terms and definitions	9
4	Symbols and abbreviations	10
5	Product characteristics	10
5.1	General	10
5.2	Density	10
5.2.1	Loose bulk density	10
5.2.2	Particle density	10
5.3	Aggregate size	11
5.3.1	General	11
5.3.2	Undersize	11
5.3.3	Oversize	11
5.4	Grading	12
5.5	Content of fines in LWA	12
5.6	Grading of LWA filler	12
5.7	Particle shape	12
5.8	Water content	12
5.9	Water absorption	12
5.10	Bulk crushing resistance	12
5.11	Crushed particles	12
5.12	Resistance to disintegration	12
5.13	Freezing and thawing resistance	13
5.14	Water suction height	13
5.15	Compressibility and confined compressive strength	13
5.16	Resistance to cyclic compressive loading	13
5.17	Stiffening properties	13
5.18	Voids of dry compacted LWA filler	13
5.19	Resistance to thermal shock	13
5.20	Resistance to polishing	13
5.21	Resistance to wear by abrasion from studded tyres of coarse LWA in surface treatments	14
5.22	Affinity between LWA and bitumen	14
5.23	Resistance to fragmentation	14
5.24	Resistance to wear	14
5.25	Chemical characteristics	14
5.25.1	General	14
5.25.2	Water solubility	14
5.25.3	Chloride	15
5.25.4	Sulphur containing compounds	15
5.25.5	Loss on ignition	15
5.25.6	Water-soluble constituents	15
5.25.7	Organic contaminators	15
5.25.8	Alkali-silica reactivity of natural LWA	15
5.26	Dangerous substances	15
5.27	Thermal conductivity	16
5.27.1	General	16

5.27.2	Correction for moisture	16
6	Testing	16
6.1	Sampling and sample reduction	16
6.2	Quantity of test specimens	16
6.3	Preparation of test specimens for thermal conductivity testing	16
6.3.1	Drying	16
6.3.2	Conditioning after drying	16
6.3.3	Preparation of test specimens	16
6.3.4	Thickness of test specimens	16
7	Assessment and verification of constancy of performance - AVCP	17
7.1	General	17
7.2	Type testing	17
7.2.1	General	17
7.2.2	Test samples and testing	17
7.2.3	Shared results	18
7.2.4	Test reports	18
7.3	Factory production control (FPC)	18
7.3.1	General	18
7.3.2	Requirements	18
7.3.3	The FPC system and compliance with the DoP	20
7.3.4	Initial inspection of factory and FPC covered under AVCP system 2+	21
7.3.5	Continuous surveillance of FPC covered under AVCP system 2+	21
7.3.6	Procedure for modifications	21
7.3.7	Prototypes and custom-made products	22
8	Designation, supply, marking and labelling	22
8.1	Designation	22
8.2	Supply	23
8.3	Marking and labelling	23
	their status in respect of the scope of the standard	24
	Annex B (normative) Standards covering other applications of LWA	27
	Annex C (normative) Determination of bulk crushing resistance	28
C.1	Principle	28
C.2	Apparatus	28
C.3	Preparation of test specimens	28
C.4	Procedure	29
C.4.1	Procedure 1	29
C.4.2	Procedure 2	29
C.5	Calculation and expression of results	29
C.6	Test report	29
	Annex D (informative) Determination of water absorption for fine LWA	33
D.1	General	33
D.2	Principle	33
D.3	Apparatus	33
D.3.1	General	33
D.3.2	Apparatus for general purposes	33
D.3.3	Special apparatus for surface drying	33
D.4	Preparation of test specimens	34
D.5	Test procedure	34
D.6	Calculation and expression of results	34
D.7	Test report	35
	Annex E (informative) Guidance on how to convert quantities by mass to quantities by volume	36

E.1	Background	36
E.2	Example calculation	36
Annex F (informative) Guidance on the effects of some chemical constituents of LWA on the durability of concrete, mortar and grout in which they are incorporated		37
F.1	General	37
F.2	Chlorides	37
F.3	Organic components	37
F.4	Alkali aggregate reaction	37
F.5	Sulphates	38
Annex G (informative) Indicative test frequencies for factory production control (FPC)		39
Annex ZA (informative) Relationship of this European Standard with Regulation (EU) No 305/2011 ..		42
ZA.1 Scope and relevant characteristics		42
ZA.2 System of Assessment and Verification of Constancy of Performance (AVCP)		47
ZA.3 Assignment of AVCP tasks		48
Bibliography		50