

DIN EN 14351-1:2016-12 (E)

Windows and doors - Product standard, performance characteristics - Part 1: Windows and external pedestrian doorsets (includes Amendment A2:2016)

Contents		Page
European foreword.....		6
[A1] Introduction [A1]		8
1 Scope		9
2 Normative references		10
2.1 Classification standards.....		10
2.2 Test and calculation standards		10
2.3 Other standards		12
3 Terms and definitions		13
4 Performance characteristics and special requirements.....		14
4.1 General		14
4.2 Resistance to wind load		14
4.3 Resistance to snow and permanent load		15
4.4 Fire characteristics		15
4.4.1 Reaction to fire		15
4.4.2 External fire performance.....		15
4.5 Watertightness.....		15
4.6 Dangerous substances.....		15
4.7 Impact resistance		15
4.8 Load-bearing capacity of safety devices.....		15
4.9 Height and width of doorsets and French windows		16
4.10 Ability to release.....		16
4.11 Acoustic performance.....		16
4.12 Thermal transmittance		16
4.13 Radiation properties.....		17
4.14 Air permeability.....		17
4.15 Durability		17
4.15.1 General.....		17
4.15.2 Durability of certain characteristics		17
4.16 Operating forces		18
4.17 Mechanical strength.....		18
4.18 Ventilation		18
4.19 Bullet resistance		18
4.20 Explosion resistance		18
4.20.1 Shock tube.....		18
4.20.2 Range test.....		19
4.21 Resistance to repeated opening and closing		19
4.22 Behaviour between different climates		19
4.23 Burglar resistance.....		19
4.24 Special requirements.....		19
4.24.1 Unframed glass doorsets		19
4.24.2 Power operated windows.....		19
5 Classification and designation.....		19
6 Handling, installation, maintenance and care		24
7 [A1] Evaluation of conformity.....		25

7.1	General.....	25
7.2	Initial Type Testing (ITT).....	25
7.2.1	General.....	25
7.2.2	Further type testing.....	26
7.2.3	Sampling.....	26
7.2.4	Test report.....	27
7.2.5	Cascading ITT.....	27
7.3	Factory Production Control (FPC).....	28
7.3.1	General.....	28
7.3.2	Personnel.....	29
7.3.3	Equipment.....	29
7.3.4	Raw materials and components.....	29
7.3.5	Production process.....	29
7.3.6	Product testing and evaluation.....	29
7.3.7	Traceability and marking.....	30
7.3.8	Non-conforming products.....	30
7.3.9	Corrective action.....	30
7.4	Initial inspection of factory and FPC.....	30
7.5	Continuous surveillance, assessment and approval of FPC.....	30
7.6	Testing of samples taken at the factory in accordance with a prescribed plan $\triangleleft A_1 \right\rangle$	31
8	Labelling and marking.....	31
Annex A (informative) Interdependence between characteristics and components.....		32
A.1	General.....	32
Annex B (normative) Determination of sound insulation of windows.....		34
B.1	General.....	34
B.2	Determination of sound insulation by testing.....	34
B.3	Determination of sound insulation of single windows with IGUs using tabulated values.....	34
B.3.1	Sound insulation of single windows based on IGU sound insulation data and window construction criteria.....	34
B.3.2	General conditions for use of procedure in B.3.3.....	34
B.3.3	Procedure for determination of window R_w (C ; C_{tr}) based on IGU data.....	35
B.4	Test results and tabulated values – Range of application.....	37
Annex C (informative) Standards and draft standards on glass.....		38
Annex D (informative) Examples of performance and requirement profiles of a roof window.....		39
Annex E (normative) Determination of characteristics.....		41
E.1	Separate determination of characteristics for windows.....	41
E.2	Separate determination of characteristics for external pedestrian doorsets.....	44
Annex F (informative) Optional selection of representative test specimens for windows.....		47
F.1	Guidelines for an optional selection of representative test specimens.....	47
Annex G (informative) Examples of test sequences for optional combined determination of characteristics for windows.....		49
G.1	Optional test sequences.....	49
Annex H (normative) $\triangleleft A_1 \right\rangle$ Selection, preparation, mounting and fixing of test specimen for testing roof windows in accordance with EN 13823 and EN ISO 11925-2 and field of direct application.....		51
H.1	EN 13823 (SBI test).....	51
H.2	EN ISO 11925-2 (Single flame test).....	52
H.3	Field of direct application $\triangleleft A_1 \right\rangle$	53

Annex I (normative) [A1] Classification of air permeability of products with described product characteristics [A1]	54
Annex J (normative) [A1] Thermal transmittance for windows with bars [A1]	55
Annex ZA (informative) [A1] Clauses of this European Standard addressing the provisions of the EU Construction Product Directive [A1]	57
Annex ZB (informative) [A1] Relationship between this European Standard and the Essential Requirements of EU Directive 98/37/EC [A1]	72
Annex ZC (informative) [A1] Relationship between this European Standard and the Essential Requirements of EU Directive 2006/95/EC [A1]	73
Annex ZD (informative) [A1] Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC [A1]	74
Bibliography	75

Figures

Figure 1 — Relationship between various standards	7
Figure H.1 — Test specimen and SBI test rig	52
Figure J.1 — Attached bar(s)	55
Figure J.2 — Single cross bar in the IGU with or without attached bars	55
Figure J.3 — Multiple cross bars in the IGU with or without attached multiple bars	56
Figure J.4 — Glazing bar (Georgian bar)	56
Figure ZA.1 — Example CE marking information for roof window	69
Figure ZA.2 — Example CE marking information for external pedestrian doorset - Example 1	70
Figure ZA.3 — Example of CE marking information for external pedestrian doorset - Example 2	71

Tables

Table 1 — Classification of characteristics for windows	21
Table 2 — Classification of characteristics for external pedestrian doorsets	23
Table A.1 — Interdependence between characteristics and components	32
Table B.1 — R_w for window based on R_w for IGU	36
Table B.2 — $R_w + C_{tr}$ for window based on $R_w + C_{tr}$ for IGU	37
Table B.3 — Extrapolation rules for different window sizes	37
Table D.1 — Examples of performance and requirement profiles of a roof window	39
Table E.1 — Separate determination of characteristics for windows	42
Table E.2 (concluded)	46
Table F.1 — Optional selection of representative test specimens for windows	47
Table G.1 — Examples of optional test sequences for combined determination of characteristics for windows	50

Table I.1 — Air permeability, classification of products with described product characteristics	54
Table J.1 — Thermal transmittance for windows with bars	55
Table ZA.1 — Relevant clauses (performance characteristics)	58
Table ZA.2 — System(s) of attestation of conformity (AoC) for external pedestrian doorsets and windows (including roof windows)	60
Table ZA.3a — Assignment of evaluation of conformity tasks for products under AoC system 1	62
Table ZA.3b — Assignment of evaluation of conformity tasks for products under AoC system 3	64
Table ZA.3c — Assignment of evaluation of conformity tasks for products under AoC system 4	65