

# DIN EN 1366-10:2017-07 (E)

## Fire resistance tests for service installations - Part 10: Smoke control dampers (includes Amendment A1:2017)

---

<b>Contents</b>		<b>Page</b>
European foreword .....		5
Introduction .....		7
<b>1</b>	<b>Scope .....</b>	<b>8</b>
<b>2</b>	<b>Normative references .....</b>	<b>8</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>8</b>
<b>4</b>	<b>Test equipment .....</b>	<b>13</b>
4.1	General .....	13
4.2	Connecting duct for multi compartment fire resisting smoke control damper: maintenance of opening test and EN 1366-2 test .....	13
4.3	Volume flow measuring station for multi compartment fire resisting smoke control damper: maintenance of opening test and EN 1366-2 test .....	13
4.4	Plenum for High Operating Temperature (HOT) test .....	13
4.5	Cycling equipment .....	13
4.6	Condensing unit .....	14
4.7	Gas temperature measuring devices .....	14
4.8	Exhaust fan system .....	14
4.9	Perforated plate .....	14
4.10	Flow measurement nozzles (fire test) .....	15
4.11	Ambient leakage measuring device .....	15
4.12	Pressure sensors for differential pressure control .....	15
4.13	Welded connecting tube .....	15
4.14	Extract fan connecting duct .....	15
4.15	Extraction fan .....	16
4.16	Thermocouples .....	16
4.17	Oxygen measuring equipment .....	16
4.18	Observation windows .....	16
<b>5</b>	<b>Test specimen .....</b>	<b>16</b>
5.1	Cross-section .....	16
5.2	Design .....	16
5.2.1	General .....	16
5.2.2	Supporting constructions .....	16
5.2.3	Inclusion of grilles .....	17
<b>6</b>	<b>Test methods .....</b>	<b>17</b>
6.1	General .....	17
6.2	Initiation regimes for elevated temperature and fire tests .....	17
6.2.1	Smoke control damper for systems with automatic activation .....	17
6.2.2	Smoke control damper for systems with manual intervention: .....	18
6.3	Cycling test requirements (to form part of the sequences of testing defined below) .....	18
6.3.1	General .....	18
6.3.2	Smoke control damper to be used in dedicated Smoke control systems, operated only in the case of emergency .....	18
6.3.3	Differential pressure conditions .....	19

6.4	Single compartment smoke control dampers mounted on the surface of a duct .....	19
6.4.1	Sequence .....	19
6.4.2	Ambient leakage .....	19
6.4.3	Cycling test .....	19
6.4.4	Elevated temperature test .....	19
6.5	Multi compartment fire resisting smoke control dampers .....	20
6.5.1	Fire resistance test according to EN 1366-2 (for units mounted within or on the face of a compartment structure) .....	20
6.5.2	Maintenance of opening test (for units mounted within a compartment structure) .....	21
6.5.3	Horizontal duct test for surface mounted smoke control dampers on a horizontal duct ....	21
6.5.4	Vertical duct test for surface mounted smoke control dampers .....	22
6.6	Multi compartment fire resisting smoke control dampers (HOT Classification) .....	24
6.6.1	Fire resistance test (for units mounted within or on the face of a compartment structure)	24
6.6.2	High operating test (HOT 400/30 - cycling and maintenance of opening test) .....	25
7	Test procedure .....	25
7.1	Pre-test calibration .....	25
7.1.1	Oxygen-measuring instrument .....	25
7.1.2	Perforated plate .....	25
7.1.3	Leakage measurement at ambient temperature .....	26
7.2	Fire test .....	26
7.2.1	Extraction fan .....	26
7.2.2	Ignition of furnace .....	26
7.2.3	Furnace conditions .....	26
7.2.4	Temperatures and pressures .....	27
7.2.5	Oxygen measurements .....	27
7.2.6	General observations .....	27
7.2.7	Reduction of cross-section/ maintenance of opening .....	27
7.2.8	Leakage calculations .....	27
7.3	Termination of test .....	27
8	Test report .....	28
9	Direct field of application of test results .....	28
9.1	General .....	28
9.2	Smoke control damper sizes .....	28
9.3	Pressure difference .....	29
9.4	Elevated temperatures .....	29
9.5	Cycling tests .....	29
9.5.1	Smoke control dampers meeting the cycling requirements for modulating applications ..	29
9.5.2	Smoke control dampers meeting the cycling requirements for use with combined smoke control and general HVAC applications and for smoke control systems that are cycle checked every day .....	29
9.5.3	Smoke control dampers meeting the cycling requirements for smoke control dampers that are operated only in the case of emergency .....	29
9.6	Initiation method .....	29
9.7	Application to duct constructions other than that tested .....	30
9.7.1	Single compartment smoke control dampers .....	30
9.7.2	Multi compartment smoke control XUa dYfg .....	\$
Annex A (normative) Cycling test .....		51
A.1	General .....	51
A.2	Purpose of the test .....	51
A.3	Method of Application .....	51
A.3.1	General .....	51
A.3.2	Smoke Control Damper with single blade .....	51
A.3.3	Smoke control damper with multi blades of smaller area .....	52
A.3.4	Report .....	53

<b>A.4</b>	<b>Background for the torque value (informative)</b> .....	<b>53</b>
<b>A.4.1</b>	<b>Threshold rates of the working condition of the system</b> .....	<b>53</b>
<b>A.4.2</b>	<b>Previous experience</b> .....	<b>53</b>
<b>Annex B (normative) Leakage calculation from oxygen measurement</b> .....		<b>55</b>
<b>B.1</b>	<b>General</b> .....	<b>55</b>
<b>Annex C (normative) Maintenance of opening calculation</b> .....		<b>56</b>
<b>C.1</b>	<b>Calculation of the theoretical total mass <math>M_{max}</math> of hot gases during the fire test</b> .....	<b>56</b>
<b>C.1.1</b>	<b>Basis</b> .....	<b>56</b>
<b>C.1.2</b>	<b>Method</b> .....	<b>56</b>
<b>C.1.3</b>	<b>Summary</b> .....	<b>57</b>
<b>C.2</b>	<b>Calculation of the actual total mass <math>M_{actual}</math> of hot gases during the fire test</b> .....	<b>58</b>
<b>C.2.1</b>	<b>Basis</b> .....	<b>58</b>
<b>C.2.2</b>	<b>Method</b> .....	<b>59</b>
<b>C.2.3</b>	<b>Summary</b> .....	<b>59</b>
<b>C.3</b>	<b>Graphical representation of typical integral calculation from data</b> .....	<b>61</b>
<b>Bibliography</b> .....		<b>62</b>