

# DIN EN 1999-1-5:2017-03 (E)

## Eurocode 9 - Design of aluminium structures - Part 1-5: Shell structures (includes Corrigendum 5:2009)

---

<b>Contents</b>	<b>Page</b>
<b>Foreword</b> .....	<b>5</b>
<b>National Annex for EN 1999-1-5</b> .....	<b>7</b>
<b>1 General</b> .....	<b>8</b>
1.1 Scope.....	8
1.1.1 Scope of EN 1999.....	8
1.1.2 Scope of EN 1999-1-5.....	8
1.2 Normative references.....	9
1.3 Terms and definitions.....	10
1.3.1 Structural forms and geometry.....	10
1.3.2 Special definitions for buckling calculations.....	11
1.4 Symbols.....	12
1.5 Sign conventions.....	15
1.6 Coordinate systems.....	15
<b>2 Basis of design</b> .....	<b>17</b>
2.1 General.....	17
2.2 Consequence class and execution class.....	17
<b>3 Materials and geometry</b> .....	<b>17</b>
3.1 Material properties.....	17
3.2 Design values of geometrical data.....	17
3.3 Geometrical tolerances and geometrical imperfections.....	18
<b>4 Durability</b> .....	<b>18</b>
<b>5 Structural analysis</b> .....	<b>18</b>
5.1 Geometry.....	18
5.2 Boundary conditions.....	19
5.3 Actions and environmental influences.....	19
5.4 Stress resultants and stresses.....	20
5.5 Types of analysis.....	20
<b>6 Ultimate limit state</b> .....	<b>21</b>
6.1 Resistance of cross section.....	21
6.1.1 Design values of stresses.....	21
6.1.2 Design values of resistance.....	22
6.1.3 Stress limitation.....	22
6.1.4 Design by numerical analysis.....	22
6.2 Buckling resistance.....	23
6.2.1 General.....	23
6.2.2 Buckling-relevant geometrical tolerances.....	24
6.2.3 Shell in compression and shear.....	25
6.2.4 Effect of welding.....	27
6.2.5 Design by numerical analysis.....	30

<b>7</b>	<b>Serviceability limit states</b>	<b>31</b>
7.1	General	31
7.2	Deflections	31
<b>Annex A [normative] - Expressions for shell buckling analysis</b>		<b>32</b>
<b>A.1</b>	<b>Unstiffened cylindrical shells of constant wall thickness</b>	<b>32</b>
A.1.1	Notations and boundary conditions	32
A.1.2	Meridional (axial) compression	32
A.1.2.1	Critical meridional buckling stresses	32
A.1.2.2	Meridional buckling parameter	33
A.1.3	Circumferential (hoop) compression	34
A.1.3.1	Critical circumferential buckling stresses	34
A.1.3.2	Circumferential buckling parameter	35
A.1.4	Shear	37
A.1.4.1	Critical shear buckling stresses	37
A.1.4.2	Shear buckling parameters	38
A.1.5	Meridional (axial) compression with coexistent internal pressure	38
A.1.5.1	Pressurised critical meridional buckling stress	38
A.1.5.2	Pressurised meridional buckling parameters	38
A.1.6	Combinations of meridional (axial) compression, circumferential (hoop) compression and shear	39
<b>A.2</b>	<b>Unstiffened cylindrical shells of stepwise wall thickness</b>	<b>40</b>
A.2.1	General	40
A.2.1.1	Notations and boundary conditions	40
A.2.1.2	Geometry and joint offsets	41
A.2.2	Meridional (axial) compression	41
A.2.3	Circumferential (hoop) compression	41
A.2.3.1	Critical circumferential buckling stresses	41
A.2.3.2	Buckling strength verification for circumferential compression	44
A.2.4	Shear	44
A.2.4.1	Critical shear buckling stress	44
A.2.4.2	Buckling strength verification for shear	45
<b>A.3</b>	<b>Unstiffened lap jointed cylindrical shells</b>	<b>45</b>
A.3.1	General	45
A.3.1.1	Definitions	45
A.3.1.2	Geometry and stress resultants	45
A.3.2	Meridional (axial) compression	45
A.3.3	Circumferential (hoop) compression	45
A.3.4	Shear	46
<b>A.4</b>	<b>Unstiffened conical shells</b>	<b>46</b>
A.4.1	General	46
A.4.1.1	Notation	46
A.4.1.2	Boundary conditions	46
A.4.1.3	Geometry	47
A.4.2	Design buckling stresses	47
A.4.2.1	Equivalent cylinder	47
A.4.3	Buckling strength verification	47
A.4.3.1	Meridional compression	47
A.4.3.2	Circumferential (hoop) compression	48
A.4.3.3	Shear and uniform torsion	48

<b>A.5</b>	<b>Stiffened cylindrical shells of constant wall thickness.....</b>	<b>48</b>
A.5.1	General .....	48
A.5.2	Isotropic walls with meridional stiffeners .....	48
A.5.2.1	General .....	48
A.5.2.2	Meridional (axial) compression.....	49
A.5.2.3	Circumferential (hoop) compression .....	49
A.5.2.4	Shear.....	49
A.5.3	Isotropic walls with circumferential stiffeners .....	50
A.5.4	Circumferentially corrugated walls with meridional stiffeners .....	50
A.5.4.1	General .....	50
A.5.4.2	Axial compression.....	51
A.5.4.3	Stiffened wall treated as carrying axial compression only in the stiffeners .....	52
A.5.4.4	Circumferential (hoop) compression .....	53
A.5.5	Axially corrugated walls with ring stiffeners .....	53
A.5.5.1	General .....	53
A.5.5.2	Axial compression.....	54
A.5.5.3	Circumferential (hoop) compression.....	54
A.5.6	Stiffened wall treated as an orthotropic shell .....	54
A.5.6.1	General .....	54
A.5.6.2	Axial compression.....	55
A.5.6.3	Circumferential (hoop) compression.....	56
A.5.6.4	Shear.....	56
A.5.7	Equivalent orthotropic properties of corrugated sheeting.....	57
<b>A.6</b>	<b>Unstiffened spherical shells under uniform circumferential compression.....</b>	<b>58</b>
A.6.1	Notations and boundary conditions .....	58
A.6.2	Critical buckling stresses.....	59
A.6.3	Circumferential buckling parameter.....	59
<b>Annex B [informative]</b>	<b>- Expressions for buckling analysis of toriconical and torispherical shells.....</b>	<b>60</b>
B.1	General .....	60
B.2	Notations and boundary conditions .....	60
B.3	External pressure .....	61
B.3.1	Critical external pressure .....	61
B.3.2	Uniform squash limit external pressure.....	62
B.3.3	External pressure buckling parameter .....	63
B.4	Internal pressure .....	63
B.4.1	Critical internal pressure.....	63
B.4.2	Uniform squash limit internal pressure.....	64
B.4.3	Internal pressure buckling parameter.....	65