ISO 15673:2016-12 (E)

Guidelines for the simplified design of structural reinforced concrete for buildings

Contents

Page

Foreword ix

Introduction x

1 Scope 1

2 Normative references 1

3 Terms and definitions 2

4 Symbols and abbreviated terms 13
4.1 Symbols 13
4.2 Abbreviated terms 16

5 Design and construction procedure 17
5.1 Procedure 17
5.1.1 Step A 17
5.1.2 Step B 17
5.1.3 Step C 17
5.1.4 Step D 17
5.1.5 Step E 17
5.1.6 Step F 17
5.1.7 Step G 17
5.1.8 Step H 17
5.1.9 Step I 17
5.1.10 Step J 18
5.1.11 Step K 18
5.2 Design documentation 19
5.2.1 General 19
5.2.2 Calculation memoir 19
5.2.3 Geotechnical report 19
5.2.4 Structural drawings 19
5.2.5 Specifications 19

6 General guides 19
6.1 Limitations 19
6.1.1 Occupancy 19
6.1.2 Maximum number of stories 20
6.1.3 Maximum area per floor 20
6.1.4 Maximum story height 20
6.1.5 Maximum span length 20
6.1.6 Maximum difference in span length 20
6.1.7 Minimum number of spans 21
6.1.8 Maximum cantilever span 21
6.1.9 Maximum slope for slabs, girders, beams and joists 21
6.1.10 Maximum slope of the terrain 21
6.1.11 Distance between centre of mass and centre of rigidity 21
6.2 Limit states 21
6.3 Ultimate limit state design format 21
6.3.1 General 21
6.3.2 Required factored strength 22
6.3.3 Design strength 22

6.4 Serviceability limit state design format ... 22

7 Specific guides ... 23
7.1 Structural systems and layout ... 23
7.1.1 Description of the components of the structure ... 23
7.1.2 General programme ... 24
7.1.3 Structural layout ... 25
7.1.4 Feasibility under the guidelines ... 28

8 Actions (loads) ... 29
8.1 General ... 29
8.1.1 Load factors and load combinations ... 29
8.1.2 Mass of materials ... 31
8.1.3 Dead loads ... 31
8.1.4 Live loads ... 32
8.1.5 Specified snow load ... 32
8.1.6 Specified wind forces ... 32
8.1.7 Specified earthquake forces ... 32
8.1.8 Seismic design base shear ... 39

9 General reinforced concrete requirements ... 40
9.1 General ... 40
9.2 Additional requirements ... 40
9.3 Materials for reinforced concrete ... 40
9.3.1 General ... 40
9.3.2 Cement ... 40
9.3.3 Aggregates ... 40
9.3.4 Water ... 40
9.3.5 Steel reinforcement ... 40
9.3.6 Admixtures ... 41
9.3.7 Storage of materials ... 41
9.3.8 Minimum and maximum reinforcement bar diameter ... 41
9.3.9 Concrete mixture specification ... 42
9.3.10 Concrete cover to reinforcement ... 42
9.3.11 Minimum reinforcement bend diameter ... 43
9.3.12 Standard hook dimensions ... 44
9.3.13 Bar spacing and maximum aggregate size ... 45
9.3.14 Maximum nominal coarse aggregate size ... 45
9.3.15 Minimum clear spacing between parallel bars in a layer ... 46
9.3.16 Minimum clear spacing between parallel layers of reinforcement ... 46
9.3.17 Minimum clear spacing between longitudinal bars in columns ... 47
9.3.18 Clear spacing between parallel lap splices ... 48
9.3.19 Maximum flexural reinforcement spacing in solid slabs ... 48
9.3.20 Maximum shrinkage and temperature reinforcement spacing in solid slabs ... 48
9.3.21 Maximum reinforcement spacing in structural concrete walls ... 49
9.3.22 Special details per element type ... 49
9.4 Development length, lap splicing and anchorage of reinforcement ... 49
9.4.1 Development length ... 49
9.4.2 Lap splice dimensions ... 51
9.4.3 Minimum standard hook anchorage distance ... 51
9.5 Limits for longitudinal reinforcement ... 52
9.5.1 General ... 52
9.5.2 Solid slabs and footings ... 52
9.5.3 Girders, beams and joists ... 53
9.5.4 Columns ... 55
9.5.5 Structural concrete walls ... 55
9.6 Minimum amounts of transverse reinforcement ... 56
9.6.1 General ... 56
9.6.2 Slabs ... 56
9.6.3 Girders, beams and joists ... 56
9.6.4 Columns ... 56

9.6.5 Structural concrete walls 60
9.7 Strength of members subjected to bending moments 61
9.7.1 General 61
9.7.2 Factored bending moment at section 61
9.7.3 Minimum design bending moment strength 61
9.7.4 Design moment strength for rectangular sections with tension reinforcement only 61
9.7.5 Use of compression reinforcement in girders, beams, and joists 62
9.7.6 T-beam effect 64
9.8 Strength of members subjected to shear stresses 66
9.8.1 General 66
9.8.2 Factored shear 67
9.8.3 Design shear strength 67
9.8.4 Beam-action shear 67
9.8.5 Two-way action shear (punching shear) in solid slabs and footings 70

10 Floor systems 71
10.1 Types of floor systems 71
10.1.1 General 71
10.1.2 Slab-on-girder system 71
10.1.3 Description of the basic system 71
10.1.4 Joist systems 74
10.2 Criteria for the selection of the floor system 77
10.3 Guides for structural integrity 78
10.3.1 General 78
10.3.2 Perimeter girders in slab-and-girder and joist systems 78
10.3.3 Other beams and girders 78
10.3.4 Joists 78
10.4 One-way and two-way slabs and load path 78
10.4.1 General 78
10.4.2 One-way behaviour 78
10.4.3 Two-way behaviour 79
10.4.4 Floor system load path 79
10.5 Minimum depth for elements of the floor system 79
10.5.1 General 79
10.5.2 Solid one-way slabs supported by girders, beams, joists, or structural walls 79
10.5.3 Girders, beams and one-way joists supporting the slab 80
10.5.4 Two-way slabs supported by girders, beams, or structural concrete walls 81
10.6 Initial trial dimensions for the floor system 82

11 Solid slabs supported on girders, beams, joists or structural concrete walls 82
11.1 General 82
11.2 Design load definition 82
11.2.1 Loads to be included 82
11.2.2 Dead load and live load 82
11.2.3 Factored design loads 82
11.3 Details of reinforcement 83
11.3.1 General 83
11.3.2 Shrinkage and temperature reinforcement 83
11.3.3 Positive flexural reinforcement 83
11.3.4 Negative flexural reinforcement 84
11.3.5 Shear reinforcement 85
11.3.6 Corner reinforcement 85
11.4 Top thin solid slab that spans between joists 87
11.4.1 Dimensional guidelines 87
11.4.2 Factored bending moment 87
11.4.3 Reinforcement 87
11.4.4 Shear strength verification 88
11.4.5 Calculation of the reactions on the joists 88
11.5 Cantilevers of slabs supported on girders, beams or walls 88
11.5.1 Dimensional guidelines 88
11.5.2 Factored negative bending moment 88
11.5.3 Reinforcement 89

11.5.4 Shear verification ... 91
11.5.5 Calculation of reactions on the supports ... 92
11.6 One-way one-span solid slabs spanning between girders, beams, or structural concrete walls ... 92
11.6.1 Dimensional guidelines ... 92
11.6.2 Factored bending moment ... 92
11.6.3 Longitudinal flexural reinforcement ... 92
11.6.4 Shear verification ... 93
11.6.5 Calculation of the reactions on the supports ... 94
11.7 One-way solid slabs supported on girders, beams, or walls, with two or more spans ... 94
11.7.1 Dimensional guidelines ... 94
11.7.2 Factored bending moment ... 94
11.7.3 Longitudinal flexural reinforcement ... 95
11.7.4 Shear verification ... 97
11.7.5 Calculation of reactions on the supports ... 97
11.8 Two-way solid slabs spanning between girders, beams, or structural concrete walls ... 97
11.8.1 Dimensional guides ... 97
11.8.2 Factored flexural moment ... 98
11.8.3 Longitudinal flexural reinforcement ... 104
11.8.4 Shear verification ... 106
11.8.5 Calculation of the reactions on the supports ... 107

12 Girders, beams and joists ... 107
12.1 General ... 107
12.2 Design load definition ... 108
12.2.1 Loads to be included ... 108
12.2.2 Factored design loads ... 108
12.3 Details of reinforcement ... 109
12.3.1 General ... 109
12.3.2 Transverse reinforcement ... 109
12.3.3 Positive flexural reinforcement ... 110
12.3.4 Negative flexural reinforcement ... 111
12.3.5 Joists and beams supported on girders ... 115

13 Columns ... 123
13.1 General ... 123
13.2 Design load definition ... 123
13.2.1 Loads to be included ... 123
13.2.2 Dead load and live load ... 125
13.2.3 Factored design loads ... 126
13.3 Dimensional guidelines ... 126
13.3.1 General ... 126
13.3.2 Limiting section dimensions ... 126
13.3.3 Distance between lateral supports ... 127
13.3.4 Column built monolithically with wall ... 128
13.4 Details of reinforcement ... 128
13.4.1 General ... 128
13.4.2 Longitudinal reinforcement ... 128
13.4.3 Transverse reinforcement ... 132
13.5 Flexural design guidelines ... 132
13.5.1 Factored loads ... 132
13.5.2 Initial trial cross-section dimensions and longitudinal reinforcement ... 132
13.6 Shear design guidelines ... 133
13.6.1 Factored shear ... 133
13.6.2 Shear strength verification ... 134
13.6.3 Biaxial shear strength verification ... 134
13.7 Strength of members subjected to axial loads with or without flexure ... 134
13.7.1 General ... 134
13.7.2 Combined factored axial load and factored bending moment ... 134
13.7.3 Design strength for axial compression ... 135
13.7.4 Balanced strength for axial compression with flexure ... 135

14 Structural concrete walls 139
14.1 General 139
14.2 Design load definition 139
14.2.1 Loads to be included 139
14.2.2 Dead load and live load 142
14.2.3 Lateral design load 142
14.2.4 Factored design load 143
14.3 Dimensional guidelines 143
14.3.1 General 143
14.3.2 Limiting dimensions 143
14.4 Details of reinforcement 144
14.4.1 General 144
14.4.2 Number of curtains of reinforcement 145
14.4.3 Vertical reinforcement 145
14.4.4 Horizontal reinforcement 146
14.4.5 Structural concrete wall reinforcement in seismic zones 147
14.5 Flexural design guidelines 147
14.5.1 Required factored loads 147
14.5.2 Initial trial vertical reinforcement 147
14.5.3 Required factored moment strength verification 147
14.6 Shear guides 147
14.6.1 Factored shear 147
14.6.2 Shear strength verification 147
14.7 Calculation of reactions at the foundation 148
14.7.1 Load reaction 148
14.7.2 Moment reaction 148

15 Foundations 148
15.1 Dimensioning of the foundation elements 148
15.2 Footings 148
15.2.1 Footings supporting circular or regular polygon-shaped columns or pedestals148 15.2.2 Moment in footings 148
15.2.3 Shear in footings 149
15.2.4 Development of reinforcement in footings 149
15.2.5 Minimum footing depth 149
15.2.6 Transfer of forces at base of column, wall or reinforced pedestal 149
15.2.7 Sloped or stepped footings 150
15.3 Foundation mats 150
15.4 Footings on piles 150
15.4.1 General 150
15.4.2 Anchorage of reinforcement 150
15.4.3 Maximum axial stresses 150
15.4.4 Minimum reinforcement ratios and lengths 150
15.5 Foundation beams 151
15.5.1 Dimensional guidelines 151
15.5.2 Longitudinal reinforcement 151
15.5.3 Transverse reinforcement 151
15.6 Retaining walls 151
15.6.1 Lateral earth pressure 151
15.6.2 Types of retaining walls 152
15.6.3 Types of retaining wall failures 153
15.6.4 Static pressures on retaining walls 154
15.6.5 Seismic pressures on retaining walls 156
15.6.6 General requirements for retaining walls 160
15.6.7 Details of reinforcement 160

16 Lateral load resisting system 161
16.1 General 161
16.2 Specified lateral forces 162
16.2.1 General 162
16.2.2 Lateral forces included 162
16.3 Lateral force resisting structural system 162

16.3.1 General 162
16.4 Minimum amount of structural concrete walls 163
16.4.1 General 163
16.4.2 Wall area guideline for shear strength 164
16.4.3 Wall dimensions guideline for lateral stiffness 164
16.5 Special reinforcement details for seismic zones 164
16.5.1 General 164
16.5.2 Girders of frames 164
16.5.3 Columns 167
16.5.4 Joints 172
16.5.5 Walls 175

17 Nonstructural walls 176

Annex A (informative) Equivalent formulae for material factors 178