

DIN EN 16907-6:2019-04 (E)

Earthworks - Part 6: Land reclamation earthworks using dredged hydraulic fill

Contents	Page
European foreword	5
Introduction.....	6
1 Scope	7
2 Normative references	7
3 Terms and definitions.....	9
4 Symbols and abbreviations.....	13
5 Stages of land reclamation projects.....	13
6 Design aspects for earthworks with dredged hydraulic fill.....	14
6.1 Introduction.....	14
6.2 Basis of Design	14
6.2.1 General	14
6.2.2 Scope of Work	15
6.2.3 The project site.....	15
6.2.4 Standards and Codes of Practice	15
6.2.5 Functional requirements	15
6.2.6 Boundary conditions and constraints.....	15
6.2.7 Performance requirements	16
6.2.8 Site data.....	16
6.2.9 Borrow area	16
6.2.10 Environmental constraints	17
6.2.11 Regulations, permits and licenses	17
6.3 General design aspects	17
6.3.1 Earth-structure design aspects.....	17
6.3.2 Morphological and environmental aspects.....	17
6.4 Boundary conditions affecting the execution.....	18
6.4.1 General	18
6.4.2 Locations of land reclamation area, borrow area and disposal site	18
6.4.3 Soil conditions at the land reclamation area.....	18
6.4.4 Soil conditions at the borrow area	18
6.4.5 Suitable fill material properties.....	19
6.4.6 Dredging close to existing structures.....	19
6.4.7 Construction tolerances	19
6.4.8 Return of process water	19
6.4.9 Ground improvement of the fill mass and the subsoil	19
6.4.10 Project execution time and milestones	19
6.5 Earthworks design considerations	20
6.5.1 Introduction.....	20
6.5.2 Land reclamation area.....	20
6.5.3 Borrow area.....	20
6.5.4 Available quantity of suitable fill material.....	21
6.6 Design considerations in relation to dredging equipment.....	22
7 Technical specifications for earthworks with dredged hydraulic fill	22
7.1 Introduction.....	22

7.2	Technical specifications for the subsoil	22
7.3	Technical specifications for the fill mass	22
7.4	Technical specifications for the fill material	23
8	Data collection	23
8.1	General	23
8.2	Bathymetrical and topographical data	24
8.3	Geotechnical and geophysical data	24
8.3.1	General	24
8.3.2	Geotechnical and geophysical data in the borrow area.....	24
8.3.3	Geotechnical and geophysical data in the land reclamation area.....	26
8.4	Hydrological and meteorological data.....	26
8.5	Seismic data	27
8.6	Morphological and environmental data.....	27
8.6.1	General	27
8.6.2	Sediment transport.....	27
8.6.3	Total Suspended Solids (TSS) and turbidity	28
8.6.4	Organic matter and gas.....	28
8.6.5	Contaminants	28
8.6.6	Underwater sound.....	28
8.7	Seabed features	28
8.8	Site constraints.....	29
9	Equipment.....	30
9.1	Selection of the dredging equipment.....	30
9.1.1	General	30
9.1.2	Selection of the dredging equipment based on the capabilities of the equipment	30
9.1.3	Selection of the dredging equipment based on hydraulic and meteorological conditions.....	30
9.1.4	Selection of the dredging equipment based on the presence of shipping.....	31
9.1.5	Selection of the dredging equipment based on environmental restrictions	31
9.2	Typical dredging equipment	31
9.3	Accuracy and tolerances	32
9.4	Minimal vessel requirements for monitoring and data logging.....	32
10	Design of the execution of earthworks with dredged hydraulic fill.....	33
10.1	Construction	33
10.1.1	General	33
10.1.2	Preparation phase.....	33
10.1.3	Construction phase	34
10.1.4	Post-construction phase.....	35
10.2	Selection of placement method	35
10.3	Preparation of the seabed for dredging and for the land reclamation works.....	37
10.4	Containment bunds.....	38
10.5	Process water management.....	39
10.6	Water table in the land reclamation area.....	39
10.7	Use of cohesive or fine grained materials.....	39
10.8	Ground improvement.....	39
11	Quality control.....	40
11.1	General	40
11.2	Quality Control Plan.....	40
11.3	Monitoring and testing	41
11.4	Dimensions and boundary conditions	41

11.4.1	Borrow area.....	41
11.4.2	Land reclamation area.....	42
11.5	Quality of the fill material.....	42
11.5.1	Source material in borrow area	42
11.5.2	Fill material in land reclamation area	42
11.6	Fill mass	42
11.6.1	Bearing capacity.....	42
11.6.2	Slope stability.....	43
11.6.3	Consolidation and deformations.....	43
11.6.4	<i>In situ</i> density and density index	43
11.6.5	Permeability.....	45
11.6.6	Frequency of testing	45
11.6.7	Environmental monitoring	46
11.7	Handover documentation.....	47
Annex A (informative) Non EN and non ISO test and monitoring methods		48
A.1	General	48
A.2	Electrical piezometer	49
A.3	Inclinometer	49
A.4	Rod and plate settlement gauges	49
A.5	Settlement profiling tube.....	50
A.6	Trial embankment.....	50
A.7	Zone Loading Test	51
Annex B (informative) Determination of minimum and maximum dry densities and density index.....		52
B.1	General	52
B.2	British Standard procedures.....	52
B.2.1	General	52
B.2.2	Minimum dry density of sands.....	52
B.2.3	Minimum dry density of gravelly soils.....	53
B.2.4	Maximum dry density of sands.....	53
B.2.5	Maximum dry density of gravelly soils	53
B.3	ASTM procedures.....	53
B.3.1	General	53
B.3.2	Minimum index dry density.....	53
B.3.3	Maximum index dry density	54
B.4	Density index.....	54
Bibliography		55