

# DIN EN 1279-5:2018-10 (E)

## Glass in building - Insulating glass units - Part 5: Product standard

---

<b>Contents</b>		<b>Page</b>
European foreword .....		4
<b>1</b>	<b>Scope .....</b>	<b>6</b>
<b>2</b>	<b>Normative references .....</b>	<b>6</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>7</b>
<b>4</b>	<b>Requirements .....</b>	<b>9</b>
<b>4.1</b>	<b>Product description .....</b>	<b>9</b>
<b>4.2</b>	<b>Determination of the characteristic's performances .....</b>	<b>9</b>
<b>4.2.1</b>	<b>Characteristics of glass panes for use in insulating glass units .....</b>	<b>9</b>
<b>4.2.2</b>	<b>Determination of characteristics of insulating glass units .....</b>	<b>10</b>
<b>4.3</b>	<b>Characteristics other than listed in 4.2 .....</b>	<b>17</b>
<b>5</b>	<b>Assessment and verification of constancy of performance - AVCP .....</b>	<b>17</b>
<b>5.1</b>	<b>General .....</b>	<b>17</b>
<b>5.2</b>	<b>Determination of the product type (see 5.1, 1) .....</b>	<b>17</b>
<b>5.2.1</b>	<b>General .....</b>	<b>17</b>
<b>5.2.2</b>	<b>Type testing of characteristic's performances .....</b>	<b>18</b>
<b>5.2.3</b>	<b>Test reports .....</b>	<b>18</b>
<b>5.2.4</b>	<b>Multiple lines/sites .....</b>	<b>19</b>
<b>5.3</b>	<b>Factory Production control (FPC) .....</b>	<b>19</b>
<b>5.3.1</b>	<b>General .....</b>	<b>19</b>
<b>5.3.2</b>	<b>Inspection of samples in accordance with a prescribed test plan (see 5.1 2a) .....</b>	<b>19</b>
<b>5.4</b>	<b>Initial inspection of factory and of factory production control (5.1 2b) .....</b>	<b>20</b>
<b>5.5</b>	<b>Continuous surveillance and assessment of the factory production control (5.1 2c) .....</b>	<b>21</b>
<b>5.6</b>	<b>Procedure for modifications .....</b>	<b>22</b>
<b>5.7</b>	<b>Pre-production products (e.g. prototypes) .....</b>	<b>22</b>
<b>6</b>	<b>Marking and/or labelling .....</b>	<b>23</b>
<b>6.1</b>	<b>General .....</b>	<b>23</b>
<b>6.2</b>	<b>Product marking .....</b>	<b>23</b>
<b>Annex A (normative) Safety in use - Mechanical resistance: Resistance against wind, snow, permanent load and/or imposed loads of the glass unit .....</b>		<b>24</b>
<b>Annex B (normative) Effect of gas filling on thermal and sound insulation performances: .....</b>		<b>26</b>
<b>B.1</b>	<b>Determination of the value to be declared .....</b>	<b>26</b>
<b>B.2</b>	<b>Example with krypton gas filling .....</b>	<b>27</b>
<b>Annex C (informative) Installation of Insulating Glass Units .....</b>		<b>29</b>
<b>C.1</b>	<b>General .....</b>	<b>29</b>
<b>C.2</b>	<b>Appropriate supports .....</b>	<b>29</b>
<b>C.3</b>	<b>Installation and glazing conditions .....</b>	<b>29</b>
<b>C.3.1</b>	<b>General .....</b>	<b>29</b>
<b>C.3.2</b>	<b>Compatibility .....</b>	<b>30</b>
<b>C.3.3</b>	<b>Protection of the edge seal against ultraviolet radiation .....</b>	<b>30</b>
<b>EN1279-5:2018(E) C.3.4 Pressure limits on glass and prevention of frictional movements .....</b>		<b>30</b>

<b>C.3.5</b>	<b>Prevention of contact of glass with support .....</b>	<b>30</b>
	<b>Annex D (normative) Rules for the use of other party TT results .....</b>	<b>31</b>
<b>D.1</b>	<b>General .....</b>	<b>31</b>
<b>D.2</b>	<b>Manufacturer supplying the other party TT results .....</b>	<b>31</b>
<b>D.3</b>	<b>Manufacturer using the other party TT results .....</b>	<b>32</b>
	<b>Annex E (informative) Provisions for voluntary involvement of third party(ies) .....</b>	<b>33</b>
<b>E.1</b>	<b>General .....</b>	<b>33</b>
<b>E.2</b>	<b>Voluntary tasks for third parties .....</b>	<b>33</b>
<b>E.3</b>	<b>Marking and labelling .....</b>	<b>33</b>
	<b>Annex ZA (informative) Relationship of this European Standard with Regulation (EU) No.305/2011 .</b>	<b>34</b>
<b>ZA.1</b>	<b>Scope and relevant characteristics .....</b>	<b>34</b>
<b>ZA.2</b>	<b>System of Assessment and Verification of Constancy of Performance (AVCP) .....</b>	<b>35</b>
<b>ZA.3</b>	<b>Assignment of AVCP tasks .....</b>	<b>35</b>
	<b>Bibliography .....</b>	<b>39</b>