

DIN EN 1366-13:2019-09 (E)

Fire resistance tests for service installations - Part 13: Chimneys

Contents

| | |
|--|----|
| European foreword..... | 5 |
| Introduction | 6 |
| 1 Scope | 7 |
| 2 Normative references..... | 7 |
| 3 Terms and definitions..... | 8 |
| 4 Test equipment..... | 9 |
| 4.1 General..... | 9 |
| 4.2 Furnace..... | 9 |
| 4.3 Equipment for measuring gas pressure | 9 |
| 4.4 Equipment for measuring thermal movements..... | 9 |
| 5 Test conditions | 9 |
| 6 Test specimen | 10 |
| 6.1 Size..... | 10 |
| 6.1.1 General..... | 10 |
| 6.1.2 Length | 10 |
| 6.1.3 Cross-section..... | 10 |
| 6.2 Number | 10 |
| 6.3 Design..... | 10 |
| 6.3.1 General..... | 10 |
| 6.3.2 Distances to the test furnace and between each other | 11 |
| 6.3.3 Openings in test specimen..... | 11 |
| 6.3.4 Joints in horizontal test specimens including connecting flue pipes..... | 11 |
| 6.3.5 Joints in vertical test specimen..... | 12 |
| 6.3.6 Support for vertical chimneys | 12 |
| 6.3.7 Support for horizontal test specimen | 12 |
| 6.3.8 Compensators..... | 12 |
| 7 Installation of test specimen..... | 12 |
| 7.1 General..... | 12 |
| 7.2 Standard supporting construction | 13 |
| 7.3 Non-standard supporting constructions | 13 |
| 7.4 Restraint of test specimen | 13 |
| 7.4.1 Inside the furnace | 13 |
| 7.4.2 At the penetration point..... | 13 |
| 7.4.3 Fire stopping..... | 13 |

| | | |
|-----------------------|--|----|
| 7.4.4 | Unsupported vertical chimneys..... | 13 |
| 8 | Conditioning | 13 |
| 8.1 | General..... | 13 |
| 8.2 | Water-based sealing materials | 13 |
| 9 | Application of instrumentation | 14 |
| 9.1 | Thermocouples..... | 14 |
| 9.1.1 | Furnace thermocouples (plate thermometers)..... | 14 |
| 9.1.2 | Unexposed surface thermocouples..... | 14 |
| 9.2 | Pressure..... | 15 |
| 9.3 | Expansion/contraction | 15 |
| 10 | Test procedure..... | 15 |
| 10.1 | Thermal treatment before the fire resistance test | 15 |
| 10.2 | Fire resistance test..... | 15 |
| 10.2.1 | General..... | 15 |
| 10.2.2 | Temperature | 16 |
| 10.2.3 | Pressure | 16 |
| 10.2.4 | Test measurements and observations | 16 |
| 10.2.5 | Termination of the test..... | 16 |
| 11 | Performance criteria | 16 |
| 11.1 | Integrity..... | 16 |
| 11.2 | Insulation..... | 17 |
| 12 | Test report..... | 17 |
| 13 | Field of direct application of test results..... | 17 |
| 13.1 | Distance - Horizontal parts of test specimen..... | 17 |
| 13.2 | Sizes | 17 |
| 13.2.1 | Diameter or cross section..... | 17 |
| 13.2.2 | Length of horizontal chimneys..... | 18 |
| 13.2.3 | Height of vertical Chimneys - Chimneys supported at each storey..... | 18 |
| 13.3 | Pressure | 18 |
| 13.4 | Construction..... | 18 |
| 13.5 | Supporting construction..... | 18 |
| 13.6 | Fire stopping | 18 |
| Annex A (informative) | General guidance..... | 24 |
| A.1 | General..... | 24 |
| A.2 | Notes on test specimens | 24 |
| A.2.1 | Design | 24 |

| | |
|--|----|
| A.2.2 Thermal expansion / contraction | 24 |
| A.2.2.1 General..... | 24 |
| A.2.2.2 Effect on supporting constructions | 24 |
| A.2.2.3 Effect on joints, attachments, etc | 24 |
| A.3 Notes on test conditions - Temperature-time development..... | 24 |
| A.4 Notes on procedure - Using additional thermocouples T1 | 25 |
| Bibliography..... | 26 |