

ISO 13006:2018 (E)

Ceramic tiles — Definitions, classification, characteristics and marking

Contents

	Foreword
1	Scope
2	Normative references
3	Terms and definitions
4	Classification
4.1	Basis of classification
4.2	Methods of manufacture
4.3	Water absorption according to group
4.3.1	General
4.3.2	Subdivision of the three groups
5	Characteristics
6	Sampling and basis for acceptance
7	Requirements
8	Marking and specifications
8.1	Marking
8.2	Product literature
8.3	Specifications
9	Ordering
Annex A	(normative) Extruded ceramic tiles with low water absorption $0,5 < E_v \leq 3$ % Group Alb
Annex B	(normative) Extruded ceramic tiles $3 < E_v \leq 6$ % Group Alla — Subgroup (Part) 1
Annex C	(normative) Extruded ceramic tiles $3 < E_v \leq 6$ % Group Alla — Subgroup (Part) 2
Annex D	(normative) Extruded ceramic tiles $6 < E_v \leq 10$ % Group Allb — Subgroup (Part) 1
Annex E	(normative) Extruded ceramic tiles $6 < E_v \leq 10$ % Group Allb — Subgroup (Part) 2
Annex F	(normative) Extruded ceramic tiles $E_v > 10$ % Group Alll
Annex G	(normative) Dry-pressed ceramic tiles with low water absorption $E_v \leq 0,5$ % Group Bla
Annex H	(normative) Dry-pressed ceramic tiles with low water absorption $0,5 < E_v \leq 3$ % Group Blb
Annex I	(informative) Intentionally blank
Annex J	(normative) Dry-pressed ceramic tiles $3 < E_v \leq 6$ % Group Blla
Annex K	(normative) Dry-pressed ceramic tiles $6 < E_v \leq 10$ % Group Bllb
Annex L	(normative) Dry-pressed ceramic tiles $E_v > 10$ % Group Blll
Annex M	(normative) Extruded ceramic tiles with low water absorption $E_v \leq 0,5$ % Group Ala

- Annex N (informative) Classification of glazed tiles for floors according to their abrasion resistance**
- Annex O (informative) Intentionally blank**
- Annex P (informative) Test methods**
- Annex Q (informative) Intentionally blank**
- Annex R (informative) Symbols recommended for use**

Page count: 52