

DIN EN 16475-3:2019-03 (E)

Chimneys - Accessories - Part 3: Draught regulators, standstill opening devices and combined secondary air devices - Requirements and test methods (includes Amendment A1:2018)

Contents

| | Page |
|------------------------------------------------------------------------|------|
| European foreword | 5 |
| Introduction | 6 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Terms and definitions | 7 |
| 4 Product characteristics | 8 |
| 4.1 General | 8 |
| 4.2 Dimensions and tolerances | 8 |
| 4.3 Mechanical resistance and stability | 8 |
| 4.4 Thermal performance | 8 |
| 4.4.1 Reaction to fire | 8 |
| 4.4.2 Fire resistance (internal to external) | 8 |
| 4.5 Hygiene, health and environment | 9 |
| 4.5.1 Gas tightness | 9 |
| 4.5.2 Condensate resistance | 9 |
| 4.5.3 Corrosion resistance | 9 |
| 4.5.4 Dangerous substances | 9 |
| 4.6 Additional criteria for chimney operation | 10 |
| 4.6.1 Determination of the draught regulator group | 10 |
| 4.6.2 Adjustability and function of the draught regulator | 11 |
| 4.6.3 Durability of the standstill opening device | 11 |
| 4.7 Electrical requirements | 11 |
| 4.7.1 Motor | 11 |
| 4.7.2 Limit switches | 11 |
| 5 Testing, assessment and sampling methods | 12 |
| 5.1 Thermal performance | 12 |
| 5.1.1 General | 12 |
| 5.1.2 Test Assembly | 13 |
| 5.1.3 Test procedure | 14 |
| 5.1.4 Standstill opening device durability test | 15 |
| 5.2 Gas tightness | 15 |
| 5.2.1 Test assembly | 15 |
| 5.2.2 Test Procedure | 16 |
| 5.2.3 Test results | 16 |
| 5.3 Additional criteria for chimney operation | 16 |
| 5.3.1 Adjustability of the draught regulator | 16 |
| 5.3.2 Draught regulator group test | 17 |
| 6 Assessment and verification of constancy of performance (AVCP) | 17 |
| 6.1 General | 17 |
| 6.2 Type testing | 17 |
| 6.2.1 General | 17 |
| 6.2.2 Test samples, testing and compliance criteria | 18 |

| | | |
|-------|-------------------------------------------------------------------------------------|----|
| 6.2.3 | Test reports | 19 |
| 6.2.4 | Shared other party results | 19 |
| 6.2.5 | Cascading determination of the product type results | 20 |
| 6.3 | Factory production control (FPC) | 21 |
| 6.3.1 | General | 21 |
| 6.3.2 | Requirements | 21 |
| 6.3.3 | Product specific requirements | 24 |
| 6.3.4 | Initial inspection of factory and of FPC | 24 |
| 6.3.5 | Continuous surveillance of FPC | 25 |
| 6.3.6 | Procedure for modifications | 25 |
| 7 | Manufacturer's declaration for type test | 25 |
| 8 | Product information | 26 |
| 8.1 | Manufacturer's instructions | 26 |
| 8.2 | Minimum information to be included in the manufacturer's instructions | 26 |
| 9 | Classification and designation | 26 |
| 9.1 | General | 26 |
| 9.2 | Temperature classes and test temperature | 27 |
| 9.3 | Corrosion resistance | 27 |
| 9.4 | Soot fire resistance and distance to combustible material | 27 |
| 9.5 | Draught regulator groups and whether it is a standstill opening device | 27 |
| 10 | Marking, labelling and packaging | 27 |
| 10.1 | Draught regulator and standstill opening device | 27 |
| 10.2 | Packaging | 28 |
| | Annex A (normative) Choice of sizes for type test and sampling | 29 |
| A.1 | Thermal testing | 29 |
| A.2 | Gas tightness | 29 |
| A.3 | Condensate resistance | 29 |
| A.4 | Determination of the group | 29 |
| A.5 | Adjustability | 29 |
| A.6 | Durability of standstill opening device | 29 |
| A.7 | Samples | 29 |
| A.8 | Factory production control system | 29 |
| A.9 | Further type testing | 29 |
| | Annex B (informative) Sampling for factory productions control | 30 |
| B.1 | Sampling plans | 30 |
| B.1.1 | General | 30 |
| B.1.2 | Acceptable quality level (AQL) | 30 |
| B.1.3 | The inspection level | 30 |
| B.1.4 | Normal, tightened or reduce inspection | 30 |
| B.1.5 | Single, double, multiple or sequential sampling | 30 |
| B.1.6 | Batch quantity | 30 |
| B.2 | Inspection levels and procedures | 30 |
| B.2.1 | Incoming material | 30 |
| B.2.2 | In-process inspection | 31 |
| B.2.3 | Finished goods checks | 31 |
| | Annex C (normative) Factory production control | 32 |
| C.1 | Introduction | 32 |
| C.2 | Materials, including coatings | 32 |
| C.3 | Seals and sealants | 32 |
| C.4 | Manufacturing checks | 32 |
| C.4.1 | Dimensions | 32 |
| C.4.2 | Other checks | 32 |

| | |
|----------------------------------------------------------------------------------------------------------|-----------|
| Annex D (informative) Recommended range of application | 33 |
| D.1 Tables for the selection of the draught regulator group Height against diameter | 33 |
| Annex E (informative) Examples of products | 35 |
| E.1 Without standstill opening device | 35 |
| Annex ZA (informative) Relationship of this European Standard with Regulation (EU) No.305/2011 .. | 37 |
| ZA.1 Scope and relevant characteristics | 37 |
| ZA.2 System of Assessment and Verification of Constancy of Performance (AVCP) | 38 |
| ZA.3 Assignment of AVCP tasks | 38 |
| Bibliography | 41 |