

# DIN EN 16475-3:2019-03 (E)

Chimneys - Accessories - Part 3: Draught regulators, standstill opening devices and combined secondary air devices - Requirements and test methods (includes Amendment A1:2018)

---

| <b>Contents</b>         |   | <b>Page</b> |
|-------------------------|---|-------------|
| European foreword ..... |   | 5           |
| Introduction .....      |   | 6           |
| <b>1</b>                | <b>Scope .....</b>  | <b>7</b>    |
| <b>2</b>                | <b>Normative references .....</b>   | <b>7</b>    |
| <b>3</b>                | <b>Terms and definitions .....</b>  | <b>7</b>    |
| <b>4</b>                | <b>Product characteristics .....</b>  | <b>8</b>    |
| 4.1                     | General .....   | 8           |
| 4.2                     | Dimensions and tolerances .....   | 8           |
| 4.3                     | Mechanical resistance and stability .....                                   | 8           |
| 4.4                     | Thermal performance .....   | 8           |
| 4.4.1                   | Reaction to fire .....  | 8           |
| 4.4.2                   | Fire resistance (internal to external) .....                                | 8           |
| 4.5                     | Hygiene, health and environment .....                                       | 9           |
| 4.5.1                   | Gas tightness .....   | 9           |
| 4.5.2                   | Condensate resistance .....   | 9           |
| 4.5.3                   | Corrosion resistance .....  | 9           |
| 4.5.4                   | Dangerous substances .....  | 9           |
| 4.6                     | Additional criteria for chimney operation .....                             | 10          |
| 4.6.1                   | Determination of the draught regulator group .....                          | 10          |
| 4.6.2                   | Adjustability and function of the draught regulator .....                   | 11          |
| 4.6.3                   | Durability of the standstill opening device .....                           | 11          |
| 4.7                     | Electrical requirements .....   | 11          |
| 4.7.1                   | Motor .....   | 11          |
| 4.7.2                   | Limit switches .....  | 11          |
| <b>5</b>                | <b>Testing, assessment and sampling methods .....</b>                       | <b>12</b>   |
| 5.1                     | Thermal performance .....   | 12          |
| 5.1.1                   | General .....   | 12          |
| 5.1.2                   | Test Assembly .....   | 13          |
| 5.1.3                   | Test procedure .....  | 14          |
| 5.1.4                   | Standstill opening device durability test .....                             | 15          |
| 5.2                     | Gas tightness .....   | 15          |
| 5.2.1                   | Test assembly .....   | 15          |
| 5.2.2                   | Test Procedure .....  | 16          |
| 5.2.3                   | Test results .....  | 16          |
| 5.3                     | Additional criteria for chimney operation .....                             | 16          |
| 5.3.1                   | Adjustability of the draught regulator .....                                | 16          |
| 5.3.2                   | Draught regulator group test .....  | 17          |
| <b>6</b>                | <b>Assessment and verification of constancy of performance (AVCP) .....</b> | <b>17</b>   |
| 6.1                     | General .....   | 17          |
| 6.2                     | Type testing .....  | 17          |
| 6.2.1                   | General .....   | 17          |
| 6.2.2                   | Test samples, testing and compliance criteria .....                         | 18          |

|  |  |    |
|--|--|----|
| 6.2.3  | Test reports .....   | 19 |
| 6.2.4  | Shared other party results .....   | 19 |
| 6.2.5  | Cascading determination of the product type results .....                    | 20 |
| 6.3  | Factory production control (FPC) .....                                       | 21 |
| 6.3.1  | General .....  | 21 |
| 6.3.2  | Requirements .....   | 21 |
| 6.3.3  | Product specific requirements .....  | 24 |
| 6.3.4  | Initial inspection of factory and of FPC .....                               | 24 |
| 6.3.5  | Continuous surveillance of FPC .....   | 25 |
| 6.3.6  | Procedure for modifications .....  | 25 |
| 7  | Manufacturer's declaration for type test .....                               | 25 |
| 8  | Product information .....  | 26 |
| 8.1  | Manufacturer's instructions .....  | 26 |
| 8.2  | Minimum information to be included in the manufacturer's instructions .....  | 26 |
| 9  | Classification and designation .....   | 26 |
| 9.1  | General .....  | 26 |
| 9.2  | Temperature classes and test temperature .....                               | 27 |
| 9.3  | Corrosion resistance .....   | 27 |
| 9.4  | Soot fire resistance and distance to combustible material .....              | 27 |
| 9.5  | Draught regulator groups and whether it is a standstill opening device ..... | 27 |
| 10   | Marking, labelling and packaging .....                                       | 27 |
| 10.1   | Draught regulator and standstill opening device .....                        | 27 |
| 10.2   | Packaging .....  | 28 |
| Annex A (normative) Choice of sizes for type test and sampling ..... |  | 29 |
| A.1  | Thermal testing .....  | 29 |
| A.2  | Gas tightness .....  | 29 |
| A.3  | Condensate resistance .....  | 29 |
| A.4  | Determination of the group .....   | 29 |
| A.5  | Adjustability .....  | 29 |
| A.6  | Durability of standstill opening device .....                                | 29 |
| A.7  | Samples .....  | 29 |
| A.8  | Factory production control system .....                                      | 29 |
| A.9  | Further type testing .....   | 29 |
| Annex B (informative) Sampling for factory productions control ..... |  | 30 |
| B.1  | Sampling plans .....   | 30 |
| B.1.1  | General .....  | 30 |
| B.1.2  | Acceptable quality level (AQL) .....   | 30 |
| B.1.3  | The inspection level .....   | 30 |
| B.1.4  | Normal, tightened or reduce inspection .....                                 | 30 |
| B.1.5  | Single, double, multiple or sequential sampling .....                        | 30 |
| B.1.6  | Batch quantity .....   | 30 |
| B.2  | Inspection levels and procedures .....                                       | 30 |
| B.2.1  | Incoming material .....  | 30 |
| B.2.2  | In-process inspection .....  | 31 |
| B.2.3  | Finished goods checks .....  | 31 |
| Annex C (normative) Factory production control .....                 |  | 32 |
| C.1  | Introduction .....   | 32 |
| C.2  | Materials, including coatings .....  | 32 |
| C.3  | Seals and sealants .....   | 32 |
| C.4  | Manufacturing checks .....   | 32 |
| C.4.1  | Dimensions .....   | 32 |
| C.4.2  | Other checks .....   | 32 |

|  |           |
|--|-----------|
| <b>Annex D (informative) Recommended range of application .....</b>                                      | <b>33</b> |
| <b>D.1 Tables for the selection of the draught regulator group Height against diameter .....</b>         | <b>33</b> |
| <b>Annex E (informative) Examples of products .....</b>  | <b>35</b> |
| <b>E.1 Without standstill opening device .....</b>   | <b>35</b> |
| <b>Annex ZA (informative) Relationship of this European Standard with Regulation (EU) No.305/2011 ..</b> | <b>37</b> |
| <b>ZA.1 Scope and relevant characteristics .....</b>   | <b>37</b> |
| <b>ZA.2 System of Assessment and Verification of Constancy of Performance (AVCP) .....</b>               | <b>38</b> |
| <b>ZA.3 Assignment of AVCP tasks .....</b>   | <b>38</b> |
| <b>Bibliography .....</b>  | <b>41</b> |