

# DIN EN 16613:2020-01 (E)

## G lass in building - Laminated glass and laminated safety glass - Determination of interlayer viscoelastic properties

---

| <b>Contents</b>  |   | <b>Page</b> |
|--|---|-------------|
| European foreword .....  |   | 3           |
| Introduction .....   |   | 4           |
| 1  | Scope .....   | 5           |
| 2  | Normative references .....                                      | 5           |
| 3  | Terms and definitions .....                                     | 5           |
| 4  | Symbols and abbreviations .....                                 | 6           |
| 5  | Selection of testing procedure .....                            | 7           |
| 5.1  | Isotropic interlayer materials .....                            | 7           |
| 5.2  | Non-isotropic interlayer materials .....                        | 7           |
| 5.3  | Interlayers which cannot be formed into small test pieces ..... | 8           |
| 6  | Test procedure .....  | 8           |
| 6.1  | General .....   | 8           |
| 6.2  | Test specimens .....  | 8           |
| 6.3  | Test method .....   | 8           |
| 6.4  | Determination of EL(Tref,f) .....                               | 9           |
| 7  | Evaluation of .....   | 10          |
| 7.1  | Determining EL(f) .....   | 10          |
| 7.2  | Load durations and temperature ranges .....                     | 11          |
| 7.3  | Determining the interlayer stiffness family .....               | 11          |
| 8  | Test report .....   | 14          |
| Annex A (normative) Alternative method for non-isotropic interlayers and interlayers which cannot be formed into small test pieces ..... |   | 15          |
| Annex B (normative) Preparation of test specimens .....  |   | 17          |
| Annex C (normative) Interlayer stiffness family .....  |   | 18          |
| Annex D (normative) Determination of the interlayer shear transfer coefficient from the interlayer modulus .....                         |   | 19          |
| Bibliography .....   |   | 22          |