

DIN EN 12697-1:2020-05 (E)

Bituminous mixtures - Test methods - Part 1: Soluble binder content

| Contents | | Page |
|-------------------------|--|-------------|
| European foreword | | 5 |
| Introduction | | 7 |
| 1 | Scope | 8 |
| 2 | Normative references | 8 |
| 3 | Terms and definitions | 8 |
| 4 | Preparation of laboratory samples | 10 |
| 5 | Determination of binder content | 10 |
| 5.1 | General principles of test | 10 |
| 5.2 | Binder extraction | 10 |
| 5.2.1 | Solvent | 10 |
| 5.2.2 | Apparatus | 11 |
| 5.2.3 | Procedure | 11 |
| 5.3 | Separation of mineral matter | 11 |
| 5.3.1 | Apparatus | 11 |
| 5.3.2 | Procedure | 11 |
| 5.4 | Binder quantity | 12 |
| 5.4.1 | Apparatus | 12 |
| 5.4.2 | Procedure | 12 |
| 5.5 | Calculation and expression of results | 12 |
| 5.5.1 | General | 12 |
| 5.5.2 | Binder content determined by difference | 12 |
| 5.5.3 | Binder content by total recovery | 12 |
| 5.5.4 | Binder content by recovery from portion (volume calculation) | 13 |
| 5.5.5 | Binder content by recovery from portion (mass calculation) | 13 |
| 6 | Drying to constant mass | 14 |
| 6.1 | General | 14 |
| 6.2 | Apparatus | 14 |
| 6.3 | Procedure | 14 |
| 7 | Reporting of results | 14 |
| 7.1 | Results | 14 |
| 7.2 | Test report | 15 |
| 8 | Precision data | 15 |
| 8.1 | General | 15 |
| 8.2 | Precision -- Experiment 1 | 15 |
| 8.3 | Precision -- Experiment 2 | 16 |
| 8.4 | Precision -- Experiment 3 | 17 |
| 8.5 | Precision -- Experiment 4 | 17 |
| 8.6 | Precision -- Experiment 5 | 17 |
| Annex A (informative) | Guidance on the determination of binder content | 18 |
| A.1 | Evaluation of the results | 18 |
| A.2 | Effect of water content | 19 |

| | | |
|--|--|-----------|
| A.3 | Choice of test equipment and the sequence of operations | 19 |
| A.4 | Determination of total binder content | 19 |
| Annex B (normative) Use of equipment for the determination of binder content | | 21 |
| B.1 | Binder extraction | 21 |
| B.1.1 | Hot extractor (paper filter) method | 21 |
| B.1.2 | Hot extractor (wire mesh filter) method | 26 |
| B.1.3 | Soxhlet extractor method | 27 |
| B.1.4 | Bottle rotation machine method | 29 |
| B.1.5 | Centrifuge extractor method | 32 |
| B.1.6 | Cold mix dissolution of bitumen by agitation | 34 |
| B.1.7 | Automatic extractor method | 35 |
| B.2 | Separation of mineral matter | 36 |
| B.2.1 | Continuous flow centrifuge | 36 |
| B.2.2 | Pressure filter | 38 |
| B.2.3 | Bucket type centrifuge -- Type 1 | 39 |
| B.2.4 | Bucket type centrifuge -- Type 2 | 41 |
| B.3 | Soluble binder content | 41 |
| B.3.1 | Method by recovery from a portion using a volume calculation | 41 |
| B.3.2 | Method by recovery from a portion using a mass calculation | 44 |
| Annex C (normative) Determination of residual mineral matter in the binder extract by incineration | | 45 |
| C.1 | General | 45 |
| C.2 | Method 1 | 45 |
| C.2.1 | Apparatus | 45 |
| C.2.2 | Reagent | 45 |
| C.2.3 | Procedure | 45 |
| C.3 | Method 2 | 46 |
| C.3.1 | Apparatus | 46 |
| C.3.2 | Procedure | 46 |
| Annex D (informative) Guidance on determination of soluble binder content of mixtures with polymer-modified binders | | 48 |
| D.1 | General | 48 |
| D.2 | Preparatory treatment of laboratory samples of bituminous mixtures | 48 |
| D.3 | Determination of binder content | 48 |
| D.3.1 | General principles of test | 48 |
| D.3.2 | Binder extraction | 48 |
| D.3.3 | Separation of mineral matter | 50 |
| D.3.4 | Binder quantity | 51 |
| D.3.5 | Calculation and expression of results | 51 |
| D.4 | Drying to constant mass | 51 |
| D.5 | Reporting of results | 51 |
| D.6 | Precision data | 51 |
| Bibliography | | 52 |