

ISO 22111:2019 (E)

Bases for design of structures — General requirements

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
3.1	General terms
3.2	Terms related to design and assessment
3.3	Terms related to actions and resistances
4	Symbols and abbreviated terms
4.1	General
4.2	Latin characters
4.3	Greek characters
4.4	Subscripts
5	Fundamental requirements for structural performance
5.1	General
5.2	Design situations
5.3	Limit states
5.4	Considerations for actions, environmental influences and action combinations
5.5	Considerations for resistance
5.6	Considerations for design verification
6	Classification for establishing reliability
6.1	Safety consideration
6.2	Serviceability consideration
6.3	Reliability classes
7	Principles of limit states design
7.1	General
7.2	Verification of ultimate limit states
7.3	Verification of serviceability limit states
8	Actions
8.1	General
8.2	Permanent actions
8.3	Variable actions
8.4	Accidental actions
8.5	Evaluation of actions and their effects
8.6	Design values of actions
8.7	Characteristic values of actions
9	Combinations of actions
9.1	General
9.2	Design scenarios
9.3	Additional considerations for serviceability limit state
9.4	Design values of combinations of action effects
10	Resistance
10.1	General

- 10.2 Material properties
- 10.3 Geometrical data
- 10.4 Characteristic values of resistance parameters
- 10.5 Design value of resistance

11 Analysis and testing

- 11.1 Analysis
- 11.2 Testing

12 Demonstrating conformance with requirements

- 12.1 General
- 12.2 Ultimate limit state
 - 12.2.1 Resistance
 - 12.2.2 Static equilibrium
 - 12.2.3 Accidental design situation
 - 12.2.4 Seismic design situation
- 12.3 Serviceability
- 12.4 Robustness
 - 12.4.1 General
 - 12.4.2 Design strategies
 - 12.4.3 Prescriptive verification measures
 - 12.4.4 Collapse scenarios
- 12.5 Durability

Annex A (informative) Guidance for the adoption of this document

- A.1 General
- A.2 Process for adoption
 - A.2.1 Guidance/explanations on Clause 1
 - A.2.2 Guidance/explanations on Clause 2
 - A.2.3 Guidance/explanations on Clause 3
 - A.2.4 Guidance/explanations on Clause 4
 - A.2.5 Guidance/explanations on Clause 5
 - A.2.5.1 General
 - A.2.5.2 Design situations
 - A.2.5.3 Limit states
 - A.2.5.4 Actions
 - A.2.5.5 Resistance
 - A.2.5.6 Design verification
 - A.2.5.7 Quality assurance
 - A.2.6 Guidance/explanations on Clause 6
 - A.2.7 Guidance/explanations on Clause 7
 - A.2.8 Guidance/explanations on Clause 8
 - A.2.9 Guidance/explanations on Clause 9
 - A.2.10 Guidance/explanations on Clause 10
 - A.2.11 Guidance/explanations on Clause 11
 - A.2.12 Guidance/explanations on Clause 12
 - A.2.12.1 Resistance
 - A.2.12.2 Static equilibrium
 - A.2.12.3 Serviceability
 - A.2.12.4 Robustness
 - A.2.12.5 Durability

Annex B (informative) Formats for presentation of design values for combinations of actions

- B.1 Design format
- B.2 Format A: Partial factor design format
- B.3 Format B: Load and resistance factor design format
- B.4 Format C: Annual probability of exceedance based design format
- B.5 Reliability targeted action format
- B.6 Examples of design format

Annex C (informative) Target reliability differentiation in existing standard practice

- C.1 General — Objectives, basis and scope of this annex
- C.2 Reliability target
- C.3 Classification and categories

C.4 Design values according to FORM

Annex D (informative) Design procedure

D.1 General

D.2 Ultimate limit state

D.3 Serviceability limit state

D.4 Fatigue strength and non-static loading

Page count: 42