

ISO 22111:2019 (E)

Bases for design of structures — General requirements

Contents

| | |
|------|--|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 3.1 | General terms |
| 3.2 | Terms related to design and assessment |
| 3.3 | Terms related to actions and resistances |
| 4 | Symbols and abbreviated terms |
| 4.1 | General |
| 4.2 | Latin characters |
| 4.3 | Greek characters |
| 4.4 | Subscripts |
| 5 | Fundamental requirements for structural performance |
| 5.1 | General |
| 5.2 | Design situations |
| 5.3 | Limit states |
| 5.4 | Considerations for actions, environmental influences and action combinations |
| 5.5 | Considerations for resistance |
| 5.6 | Considerations for design verification |
| 6 | Classification for establishing reliability |
| 6.1 | Safety consideration |
| 6.2 | Serviceability consideration |
| 6.3 | Reliability classes |
| 7 | Principles of limit states design |
| 7.1 | General |
| 7.2 | Verification of ultimate limit states |
| 7.3 | Verification of serviceability limit states |
| 8 | Actions |
| 8.1 | General |
| 8.2 | Permanent actions |
| 8.3 | Variable actions |
| 8.4 | Accidental actions |
| 8.5 | Evaluation of actions and their effects |
| 8.6 | Design values of actions |
| 8.7 | Characteristic values of actions |
| 9 | Combinations of actions |
| 9.1 | General |
| 9.2 | Design scenarios |
| 9.3 | Additional considerations for serviceability limit state |
| 9.4 | Design values of combinations of action effects |
| 10 | Resistance |
| 10.1 | General |

- 10.2 Material properties
- 10.3 Geometrical data
- 10.4 Characteristic values of resistance parameters
- 10.5 Design value of resistance

11 Analysis and testing

- 11.1 Analysis
- 11.2 Testing

12 Demonstrating conformance with requirements

- 12.1 General
- 12.2 Ultimate limit state
 - 12.2.1 Resistance
 - 12.2.2 Static equilibrium
 - 12.2.3 Accidental design situation
 - 12.2.4 Seismic design situation
- 12.3 Serviceability
- 12.4 Robustness
 - 12.4.1 General
 - 12.4.2 Design strategies
 - 12.4.3 Prescriptive verification measures
 - 12.4.4 Collapse scenarios
- 12.5 Durability

Annex A (informative) Guidance for the adoption of this document

- A.1 General
- A.2 Process for adoption
 - A.2.1 Guidance/explanations on Clause 1
 - A.2.2 Guidance/explanations on Clause 2
 - A.2.3 Guidance/explanations on Clause 3
 - A.2.4 Guidance/explanations on Clause 4
 - A.2.5 Guidance/explanations on Clause 5
 - A.2.5.1 General
 - A.2.5.2 Design situations
 - A.2.5.3 Limit states
 - A.2.5.4 Actions
 - A.2.5.5 Resistance
 - A.2.5.6 Design verification
 - A.2.5.7 Quality assurance
 - A.2.6 Guidance/explanations on Clause 6
 - A.2.7 Guidance/explanations on Clause 7
 - A.2.8 Guidance/explanations on Clause 8
 - A.2.9 Guidance/explanations on Clause 9
 - A.2.10 Guidance/explanations on Clause 10
 - A.2.11 Guidance/explanations on Clause 11
 - A.2.12 Guidance/explanations on Clause 12
 - A.2.12.1 Resistance
 - A.2.12.2 Static equilibrium
 - A.2.12.3 Serviceability
 - A.2.12.4 Robustness
 - A.2.12.5 Durability

Annex B (informative) Formats for presentation of design values for combinations of actions

- B.1 Design format
- B.2 Format A: Partial factor design format
- B.3 Format B: Load and resistance factor design format
- B.4 Format C: Annual probability of exceedance based design format
- B.5 Reliability targeted action format
- B.6 Examples of design format

Annex C (informative) Target reliability differentiation in existing standard practice

- C.1 General — Objectives, basis and scope of this annex
- C.2 Reliability target
- C.3 Classification and categories

C.4 Design values according to FORM

Annex D (informative) Design procedure

D.1 General

D.2 Ultimate limit state

D.3 Serviceability limit state

D.4 Fatigue strength and non-static loading

Page count: 42