DIN 18542:2020-04 (E)

Impregnated sealing tapes made of cellular plastics for sealing of outside wall joints - Requirements and testing

Contents

Page

Foreword 4

1 Scope 5

2 Normative references 5

3 Terms and definitions 6

4 Joint geometry 7

5 Classification 8

6 Requirements 9
6.1 Airtightness 9
6.2 Tightness of joints against driving rain 10
6.3 Tightness of joint intersections against driving rain 10
6.4 Protection of the functional layer 10
6.5 Resistance to temperature fluctuations 11
6.6 Resistance to light and moisture 11
6.7 Compatibility with adjacent materials 11
6.8 Resistance to condensation 11
6.9 Water vapour permeability 11
6.10 Thermal conductivity 12
6.11 Fire behaviour 12

7 Selection of test specimens, transferability 14

8 Testing 16
8.1 General 16
8.2 Airtightness 16
8.3 Tightness of joints to driving rain 16
8.4 Tightness of joint intersections to driving rain 16
8.5 Protection of the functional layer 17
8.6 Resistance to temperature fluctuations 17
8.7 Resistance to light and moisture 18
8.8 Compatibility with adjacent materials 18
8.9 Resistance to condensation 19
8.10 Water vapour permeability 19
8.11 Thermal conductivity 19
8.12 Fire behaviour 20
8.13 Test report 20
8.14 Figures relating to tests 21

9 Designation 25
9.1 Impregnated joint sealing tape 25
9.2 Multifunctional sealing tape 26

10 Re-qualification 26

Annex A (normative) Determination of the joint permeability coefficient a 27
A.1 General 27
A.2 Measuring the joint permeability per unit length V_L in $m^3/(h \cdot m)$ 28

A.3 Determining the joint permeability coefficient *a* by means of regression 28
A.4 Graphical representation of the measured values 29

Annex B (informative) Recommendations for the correct use and processing of impregnated joint sealing tapes and multifunctional sealing tapes made of cellular plastic 30
B.1 General 30
B.2 Processing tips for impregnated joint sealing tapes and multifunctional joint sealing tapes 31

Annex C (informative) Recommendations on alternative test methods for impregnated cellular plastic joint sealing tapes and multifunctional sealing tapes for requalification purposes 34
C.1 Information in the report 34
C.2 Alternative test methods 34

Bibliography 36

Figures

Figure 1 — Joint geometry 7

Figure 2 — Examples of applications for exposure classes BG 1, BG 2 and BG R as well as MF 1 and MF 2 9

Figure 3 — Airtightness requirements for exposure classes BG 1, BG 2 and BG R as well as MF 1 and MF 2 10

Figure 4 — Rule for transferral to other tape dimensions of the same tape type (example) 15

Figure 5 — Test specimen for testing as in 8.2 and 8.3 21

Figure 6 — Test specimen for testing as in 8.4 22

Figure 7 — Test specimen for testing as in 8.6 and 8.9 23

Figure 8 — Specimen holder for testing resistance to light and moisture as in 8.7 24

Figure 9 — Test cup with specimen for determining water vapour permeability as in 8.10 25

Figure A.1 — Representation of measured values 27

Figure B.1 — Recommendations for the correct joint sealing tape cross-section 30

Figure B.2 — Example of the dimensions of a joint sealing tape size 35/15–30 32

Figure B.3 — Corners and intersections 32

Figure B.4 — Longitudinal joints 33

Figure B.5 — Fixing joint sealing tapes with wedges 33

Tables

Table 1 — Exposure classes 8

Table 2 — Requirements 13

Table 3 — Selection of test specimens 14

Table 4 — Example of selection of test specimens according to product range 16

Table A.1 — Comparison between DIN EN 12114 and DIN 18542 28

Table B.1 — Guideline values for joint widths *b* for connecting joints at windows 31