

DIN EN 15512:2021-06 (E)

Steel static storage systems - Adjustable pallet racking systems - Principles for structural design

Contents		Page
European foreword.....		10
0	Introduction	11
0.1	Racking	11
0.2	Requirement for EN Standards for racking in addition to the Eurocodes.....	11
0.3	Liaison.....	11
0.4	Racking and Work Equipment regulations.....	11
0.5	Additional information specific to EN 15512.....	11
1	Scope	13
2	Normative references.....	13
3	Terms and definitions	14
4	Symbols.....	19
5	Assumptions and conventions.....	22
5.1	General.....	22
5.2	Verticality.....	22
5.3	Conventions for member axis.....	22
6	Basis of design	22
6.1	Requirements.....	22
6.1.1	Basic requirements	22
6.1.2	Design working life.....	22
6.1.3	Requirements for pallet racking	23
6.2	Principles of limit state design.....	23
6.2.1	General.....	23
6.2.2	Ultimate limit state.....	23
6.2.3	Serviceability limit state.....	23
6.3	Actions.....	23
6.3.1	General.....	23
6.3.2	Permanent actions.....	23
6.3.3	Variable actions	24
6.3.4	Accidental actions	31
6.4	Combination of actions	32
6.4.1	General.....	32
6.4.2	Ultimate limit state.....	32
6.4.3	Serviceability limit states.....	33
6.5	Partial factors	33
6.5.1	Load factors.....	33
6.5.2	Material factors.....	34
7	Materials.....	35
7.1	Steel.....	35
7.1.1	General.....	35
7.1.2	Material properties	35
7.1.3	Steels with no guaranteed mechanical properties.....	36
7.1.4	Untested steels	36
7.1.5	Average yield strength of sections	36

7.1.6	Special selection of production material	36
7.1.7	Fracture toughness	37
7.1.8	Dimensional tolerances.....	37
7.2	Floor materials	38
7.2.1	Concrete floors	38
7.2.2	Bituminous floors.....	38
7.2.3	Other floor materials.....	38
8	Durability	38
9	Structural analysis	39
9.1	Structural modelling for analysis	39
9.1.1	Structural modelling for analysis and basic assumption	39
9.1.2	Joint modelling	39
9.1.3	Ground-structure interaction	42
9.1.4	Racks braced against the building structure	45
9.2	Global analysis.....	45
9.2.1	Effects of deformed geometry of the structure	45
9.2.2	Method of analysis.....	46
9.2.3	Structural stability of frames	47
9.3	Imperfections	53
9.3.1	General	53
9.3.2	Global imperfections	53
9.3.3	Local bracing imperfections	55
9.3.4	Member imperfections	56
10	Ultimate limit states	57
10.1	Resistance of cross-sections and members.....	57
10.1.1	General	57
10.1.2	Section properties	57
10.1.3	Compression members.....	58
10.1.4	Bending members	60
10.1.5	Tension members.....	60
10.2	Design of beams	62
10.2.1	General	62
10.2.2	Effects of interaction between unit load and beam.....	62
10.2.3	Correction for looseness	63
10.2.4	Plastic design resistance	63
10.2.5	Buckling length of beams in braced pallet racks	63
10.2.6	Beams subject to bending and torsion.....	64
10.2.7	Beams affected by distortion.....	65
10.3	Design of uprights.....	65
10.3.1	General	65
10.3.2	Buckling curves	65
10.3.3	Flexural buckling length	66
10.3.4	Torsional buckling length.....	69
10.4	Design of frame bracing	71
10.4.1	General	71
10.4.2	Robustness	71
10.4.3	Buckling length of frame bracing.....	72
10.5	Design of run spacers	73
11	Serviceability limit states	74
11.1	General	74
11.2	Beams.....	74

11.3	Beams in walkways or rack supported floors	74
12	Design of joints.....	74
12.1	General.....	74
12.2	Design of beam end connectors	74
12.2.1	Design resistance of moment and shear	74
12.2.2	Combination of moment and shear	74
12.2.3	Reversed moment.....	74
12.3	Design of beam connector locks	75
12.4	Design of splices	75
12.5	Design of base plates.....	75
12.5.1	General.....	75
12.5.2	Compression	76
12.5.3	Tension	77
12.6	Design of anchorages	77
12.6.1	General.....	77
12.6.2	Robustness	77
13	Design assisted by testing	77
13.1	General.....	77
13.2	Requirements for tests.....	78
13.2.1	Equipment	78
13.2.2	Support conditions	78
13.2.3	Application of the load	78
13.2.4	Increments of the test load	79
13.2.5	Test materials.....	79
13.2.6	Assembly of test specimens.....	79
13.2.7	Test reports.....	79
13.3	Interpretation of test results	80
13.3.1	Definition of failure load	80
13.3.2	Adjustment of test results.....	80
13.3.3	Derivation of characteristic values.....	82
13.3.4	Characteristic values for a family of tests	83
13.3.5	Interpolation between test results	84
14	Marking and labelling - Identification of performance of rack installations	84
Annex A (normative)	Testing.....	85
A.1	Materials tests	85
A.1.1	Tensile test	85
A.1.1.1	General.....	85
A.1.1.2	Tensile test from beam end connector.....	85
A.1.2	Bend tests.....	85
A.2	Tests on components	86
A.2.1	Stub column compression test	86
A.2.1.1	Purpose of the test.....	86
A.2.1.2	Test arrangement and method.....	86
A.2.1.3	Corrections to the observations.....	87
A.2.1.4	Derivation of the results.....	88

A.2.2	Compression tests on uprights – Checks for the effects of distortional buckling	88
A.2.2.1	Purpose of the test	88
A.2.2.2	Test arrangement and method	89
A.2.2.3	Corrections to the observations	89
A.2.2.4	Derivation of the test results	89
A.2.3	Compression tests on uprights – Determination of buckling curves	91
A.2.3.1	Purpose of the test	91
A.2.3.2	Test arrangement	91
A.2.3.3	Test method	93
A.2.3.4	Corrections to the observations	93
A.2.3.5	Derivation of the column curve	93
A.2.4	Frame shear stiffness tests	95
A.2.4.1	Purpose of the tests	95
A.2.4.2	Method A, loading the frame in the longitudinal direction	95
A.2.4.2.1	Test arrangement	95
A.2.4.2.2	Test method	97
A.2.4.2.3	Corrections to the observations	97
A.2.4.2.4	Derivation of results	97
A.2.4.3	Alternative method B using a cross-aisle reversible shear load on a frame	98
A.2.4.3.1	General	98
A.2.4.3.2	Test arrangement	98
A.2.4.3.3	Test method	100
A.2.4.3.4	Corrections to the observations	100
A.2.4.3.5	Derivation of results	100
A.2.5	Bending tests on upright sections	101
A.2.5.1	Purpose of the test	101
A.2.5.2	Test arrangement	101
A.2.5.3	Test method	103
A.2.5.4	Corrections to the observations	103
A.2.5.5	Derivation of results	103
A.2.6	Bending tests on beams	103
A.2.6.1	Purpose of the test	103
A.2.6.2	Test arrangement	103
A.2.6.3	Test method	105
A.2.6.4	Corrections to the observations	105
A.2.6.5	Derivation of the results	105

A.3	Tests on connections.....	106
A.3.1	Bending tests on beam end connectors.....	106
A.3.1.1	Purpose of the test.....	106
A.3.1.2	Test arrangements.....	106
A.3.1.3	Test procedure.....	108
A.3.1.4	Corrections to the observations.....	108
A.3.1.5	Derivation of the results and procedure to define curves.....	109
A.3.1.5.1	Procedure 1:.....	109
A.3.1.5.2	Procedure 2:.....	109
A.3.1.5.3	General.....	109
A.3.1.5.4	Procedure to derive a bi-linear curve.....	110
A.3.1.5.5	Procedure to derive a multilinear curve.....	110
A.3.2	Looseness tests on beam end connectors.....	112
A.3.2.1	Purpose of the test.....	112
A.3.2.2	Alternative 'A' Test arrangement using a double acting jack.....	112
A.3.2.2.1	General.....	112
A.3.2.2.2	Test Method.....	112
A.3.2.2.3	Corrections to the observations.....	113
A.3.2.2.4	Derivation of results.....	113
A.3.2.3	Alternative 'B' using two cantilever beams and a central upright.....	113
A.3.2.3.1	Test arrangement.....	113
A.3.2.3.2	Test Method.....	115
A.3.2.3.3	Corrections to the observations.....	115
A.3.2.3.4	Derivation of results.....	115
A.3.3	Shear tests on beam end connectors and connector locks.....	115
A.3.3.1	Purpose of the test.....	115
A.3.3.2	Test arrangement.....	115
A.3.3.3	Test method.....	117
A.3.3.4	Corrections to the observations.....	117
A.3.3.5	Derivation of results.....	117
A.3.4	Moment-shear interaction test of beam end connectors.....	117
A.3.4.1	Purpose of the test.....	117
A.3.4.2	Test arrangement.....	117
A.3.4.3	Test procedure.....	117
A.3.4.4	Corrections to the observations.....	117
A.3.4.5	Derivation of the bending and shear resistance.....	117

A.3.4.6 Derivation of the moment-shear interaction curve	118
A.3.4.7 Generalized moment-shear relationship	118
A.3.5 Floor connections test.....	118
A.3.5.1 Purpose of the test.....	118
A.3.5.2 Reuse of concrete blocks.....	119
A.3.5.3 Alternative 'A' using two lengths of upright with a central concrete block.....	119
A.3.5.3.1 Test arrangement.....	119
A.3.5.3.2 Test method.....	121
A.3.5.4 Alternative 'B' using a single length of upright with an end concrete block.....	122
A.3.5.4.1 Test arrangement.....	122
A.3.5.4.2 Test Method.....	124
A.3.5.5 Corrections to the observations	124
A.3.5.6 Derivation of the Results.....	124
A.3.6 Upright splices test.....	125
A.3.6.1 Purpose of the test.....	125
A.3.6.2 Test arrangement	125
A.3.6.3 Test method	126
A.3.6.4 Corrections to observations	126
A.3.6.5 Derivation of results	126
Annex B (informative) Approximate method.....	127
B.1 General	127
B.2 Approximate down-aisle stability analysis – Amplified sway method.....	127
B.2.1 General	127
B.2.2 Amplification factor	129
B.2.3 Linear elastic analysis.....	129
B.2.4 Elastic critical value	129
B.3 Approximate down-aisle analysis of a regular storage rack	129
B.3.1 Approximate equation for regular construction.....	129
B.3.2 Additional bending moments due to pattern loading	132
B.3.3 Design Moments	132
B.3.4 Design loads in outer columns.....	134
B.4 Approximate cross-aisle stability analysis.....	134
B.4.1 General	134
B.4.2 Global buckling of upright frames	134
B.4.3 Shear stiffness of upright frame	135
B.4.4 Amplification factor β	135

B.5	Approximate design for symmetrically loaded beams.....	139
B.5.1	Mid-span bending moment.....	139
B.5.2	Deflection.....	140
B.5.3	Shear force.....	140
B.5.4	Beam end connector.....	141
B.5.5	Equivalent beam loads.....	141
Annex C (informative)	Correction of beam moments and deflection due to looseness.....	143
Annex D (informative)	Frame looseness.....	145
D.1	General.....	145
D.2	Frame bracing types.....	145
D.3	Looseness.....	146
Annex E (normative)	Resistance of compression member according to EN 1993-1-1 and -3....	148
E.1	Cross-sectional verification.....	148
E.2	Design strength with respect to flexural buckling.....	148
E.2.1	General.....	148
E.2.2	Buckling curves.....	149
E.3	Design strength with respect to torsional and torsional-flexural buckling.....	150
E.4	Combined bending and axial loading.....	152
E.4.1	General.....	152
E.4.2	Bending and axial compression – resistance of cross-section.....	152
E.4.3	Bending and axial compression – buckling resistance of member.....	153
E.4.4	Bending and tension.....	156
Annex F (informative)	Guidance to the determination of the critical length for the distortional buckling test.....	157
F.1	Introduction.....	157
F.2	Length in relation to the end conditions in the test set-up.....	157
F.3	Method for the determination of the critical distortional buckling length.....	158
F.3.1	Step 1.....	158
F.3.2	Step 2.....	158
F.3.3	Step 3.....	160
F.3.4	Step 4.....	160
F.3.5	Step 5.....	160
F.3.6	Step 6.....	161
Annex G (informative)	Equivalent section properties.....	162
Annex H (informative)	Guidance to modelling spine bracing in braced pallet racking.....	165
Annex I (informative)	Cold-reduced steel.....	173
Annex J (informative)	Systems with random storage.....	174

Annex K (informative) Position inaccuracies	175
Annex L (informative) Beam stability – comprising interlocking ‘C’ sections	176
L.1 General	176
L.2 Approximate limit values	176
Annex M (informative) Factory production control (FPC)	178
M.1 General	178
M.2 Frequency of tests	178
M.3 Bending tests on beam end connectors	178
M.4 Bend tests	178
Annex N (informative) A-deviations	179
N.1 Dutch national legislative deviations	179
N.2 Italian national legislative deviations	179
Annex O (informative) Bituminous floors	181
Annex P (informative) Typical loading pattern for a regular rack layout	182
Bibliography	184