

DIN EN 1366-5:2021-05 (E)

Fire resistance tests for service installations - Part 5: Service ducts and shafts

Contents		Page
European foreword		4
Introduction		5
1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	Test equipment	7
4.1	General	7
4.2	Furnace	7
4.3	Loading equipment	7
4.4	Gas extraction equipment (optional)	7
5	Test conditions	8
5.1	Furnace	8
5.2	Loading	8
6	Test specimen	8
6.1	Size	8
6.1.1	General	8
6.1.2	Length	8
6.1.3	Cross-section	8
6.2	Number	8
6.3	Design	9
6.3.1	General	9
6.3.2	Duct and shaft arrangement	9
7	Installation of test specimen	10
7.1	General	10
7.2	Standard supporting construction	11
7.3	Non-standard supporting constructions	11
8	Conditioning	11
8.1	General	11
8.2	Water based sealing materials	11
9	Application of instrumentation	11
9.1	Thermocouples	11
9.1.1	Furnace thermocouples (plate thermometers)	11
9.1.2	Thermocouple locations	12
9.2	Pressure	12
10	Test procedure	12
10.1	General	12
10.2	Test measurements and observations	13
10.2.1	General	13
10.2.2	Integrity	13
10.2.3	Insulation (temperature of the surfaces outside the furnace - for both fire exposure at the inside and exposure at the outside)	13

10.2.4	Additional observations	13
10.3	Termination of the test	14
11	Performance criteria	14
11.1	Integrity	14
11.2	Insulation	14
11.2.1	Insulation criteria for service ducts and shafts with combustible and noncombustible services	14
12	Test report	14
13	Field of direct application of test results	15
13.1	Walls or floors through which the service ducts or shafts lead	15
13.2	Sizes of ducts or shafts	15
13.3	Shapes	15
13.4	Admissible services	15
13.5	Suspension devices for ducts	15
13.5.1	Material and sizing	15
13.5.2	Elongation	16
13.6	Distances	16
13.6.1	Distance to the supporting construction	16
13.6.2	Distance of the first joint after the supporting construction	16
13.6.3	Distance between service ducts or service shafts in practice	16
13.6.4	Distance between service outlets and penetrated wall or floor	16
13.7	Access panels	16
13.8	Service outlets	16
	Bibliography	27