

# ISO 3008-4:2021-02 (E)

## Fire resistance tests - Door and shutter assemblies - Part 4: Linear joint fire seal materials used to seal the gap between a fire door frame and the supporting construction

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>4</b>	<b>Test equipment .....</b>	<b>2</b>
4.1	Reduced-scale furnace .....	2
4.2	Furnace internal dimensions .....	2
4.3	Vertical furnace dimensions .....	2
<b>5</b>	<b>Test specimen .....</b>	<b>2</b>
5.1	General .....	2
5.2	Specimen size .....	3
5.3	Specimen design .....	3
5.4	Timber door frame sections .....	3
5.5	Splices .....	3
5.6	Supporting construction .....	3
5.7	Packers and fixings .....	4
5.7.1	Packers .....	4
5.7.2	Fixings .....	4
<b>6</b>	<b>Test conditions .....</b>	<b>5</b>
6.1	Heating conditions .....	5
6.2	Pressure .....	5
<b>7</b>	<b>Specimen preparation .....</b>	<b>5</b>
7.1	Supporting construction .....	5
7.2	Joint seal .....	5
7.3	Splice location .....	6
7.4	Conditioning .....	6
7.5	Information and test specimen verification .....	6
<b>8</b>	<b>Instrumentation .....</b>	<b>6</b>
8.1	Temperature .....	6
8.1.1	Furnace thermocouples (Plate thermometers) .....	6
8.1.2	Unexposed-surface thermocouples .....	7
8.1.3	Roving thermocouples .....	7
8.2	Pressure .....	7
8.3	Deformation .....	7
8.4	Integrity .....	8
<b>9</b>	<b>Test procedure .....</b>	<b>8</b>
9.1	General test procedure .....	8
9.2	Termination of test .....	8

<b>10</b>	<b>General performance criteria .....</b>	<b>8</b>
<b>10.1</b>	<b>Insulation .....</b>	<b>8</b>
<b>10.2</b>	<b>Integrity .....</b>	<b>9</b>
<b>11</b>	<b>Expression of test results .....</b>	<b>9</b>
<b>12</b>	<b>Test report .....</b>	<b>9</b>
<b>13</b>	<b>Field of application .....</b>	<b>9</b>
<b>Annex A (normative) Field of application .....</b>		<b>10</b>
<b>Bibliography .....</b>		<b>11</b>