

# ISO 3008-4:2021-02 (E)

## Fire resistance tests - Door and shutter assemblies - Part 4: Linear joint fire seal materials used to seal the gap between a fire door frame and the supporting construction

---

### Contents

	Page
Foreword .....	iv
Introduction .....	v
1 Scope .....	1
2 Normative references .....	1
3 Terms and definitions .....	2
4 Test equipment .....	2
4.1 Reduced-scale furnace .....	2
4.2 Furnace internal dimensions .....	2
4.3 Vertical furnace dimensions .....	2
5 Test specimen .....	2
5.1 General .....	2
5.2 Specimen size .....	3
5.3 Specimen design .....	3
5.4 Timber door frame sections .....	3
5.5 Splices .....	3
5.6 Supporting construction .....	3
5.7 Packers and fixings .....	4
5.7.1 Packers .....	4
5.7.2 Fixings .....	4
6 Test conditions .....	5
6.1 Heating conditions .....	5
6.2 Pressure .....	5
7 Specimen preparation .....	5
7.1 Supporting construction .....	5
7.2 Joint seal .....	5
7.3 Splice location .....	6
7.4 Conditioning .....	6
7.5 Information and test specimen verification .....	6
8 Instrumentation .....	6
8.1 Temperature .....	6
8.1.1 Furnace thermocouples (Plate thermometers) .....	6
8.1.2 Unexposed-surface thermocouples .....	7
8.1.3 Roving thermocouples .....	7
8.2 Pressure .....	7
8.3 Deformation .....	7
8.4 Integrity .....	8
9 Test procedure .....	8
9.1 General test procedure .....	8
9.2 Termination of test .....	8

<b>10</b>	<b>General performance criteria .....</b>	<b>8</b>
<b>10.1</b>	<b>Insulation .....</b>	<b>8</b>
<b>10.2</b>	<b>Integrity .....</b>	<b>9</b>
<b>11</b>	<b>Expression of test results .....</b>	<b>9</b>
<b>12</b>	<b>Test report .....</b>	<b>9</b>
<b>13</b>	<b>Field of application .....</b>	<b>9</b>
<b>Annex A (normative) Field of application .....</b>		<b>10</b>
<b>Bibliography .....</b>		<b>11</b>