DIN EN 1990:2021-10 (E)

Eurocode : Basis of structural design

Contents

Page

FOREWORD 5

BACKGROUND OF THE EUROCODE PROGRAMME 7

STATUS AND FIELD OF APPLICATION OF EUROCODES 8

NATIONAL STANDARDS IMPLEMENTING EUROCODES 8

LINKS BETWEEN EUROCODES AND HARMONISED TECHNICAL SPECIFICATIONS (ENS AND ETAS) FOR PRODUCTS 9

SECTION 1 GENERAL 13

1.1 SCOPE 13
1.2 NORMATIVE REFERENCES 13
1.3 ASSUMPTIONS 14
1.4 DISTINCTION BETWEEN PRINCIPLES AND APPLICATION RULES 14
1.5 TERMS AND DEFINITIONS 15
1.5.2 Special terms relating to design in general 16
1.5.3 Terms relating to actions 19
1.5.4 Terms relating to material and product properties 22
1.5.5 Terms relating to geometrical data 22
1.5.6 Terms relating to structural analysis 23
1.6 SYMBOLS 24

SECTION 2 REQUIREMENTS 27

2.1 BASIC REQUIREMENTS 27
2.2 RELIABILITY MANAGEMENT 28
2.3 DESIGN WORKING LIFE 29
2.4 DURABILITY 30
2.5 QUALITY MANAGEMENT 30

SECTION 3 PRINCIPLES OF LIMIT STATES DESIGN 31

3.1 GENERAL 31
3.2 DESIGN SITUATIONS 31
3.3 ULTIMATE LIMIT STATES 32
3.4 SERVICEABILITY LIMIT STATES 32
3.5 LIMIT STATE DESIGN 33

SECTION 4 BASIC VARIABLES 34

4.1 ACTIONS AND ENVIRONMENTAL INFLUENCES 34
4.1.1 Classification of actions 34
4.1.2 Characteristic values of actions 34
4.1.3 Other representative values of variable actions 36
4.1.4 Representation of fatigue actions 36
4.1.5 Representation of dynamic actions 36
4.1.6 Geotechnical actions 37
4.1.7 Environmental influences 37
4.2 MATERIAL AND PRODUCT PROPERTIES 37

4.3 GEOMETRICAL DATA 38

SECTION 5 STRUCTURAL ANALYSIS AND DESIGN ASSISTED BY TESTING 39

5.1 STRUCTURAL ANALYSIS 39
5.1.1 Structural modelling 39
5.1.2 Static actions 39
5.1.3 Dynamic actions 39
5.1.4 Fire design 40
5.2 DESIGN ASSISTED BY TESTING 41

SECTION 6 VERIFICATION BY THE PARTIAL FACTOR METHOD 42

6.1 GENERAL 42
6.2 LIMITATIONS 42
6.3 DESIGN VALUES 42
6.3.1 Design values of actions 42
6.3.2 Design values of the effects of actions 43
6.3.3 Design values of material or product properties 44
6.3.4 Design values of geometrical data 44
6.3.5 Design resistance 45
6.4 ULTIMATE LIMIT STATES 46
6.4.1 General 46
6.4.2 Verifications of static equilibrium and resistance 47
6.4.3 Combination of actions (fatigue verifications excluded) 47
6.4.3.1 General 47
6.4.3.2 Combinations of actions for persistent or transient design situations (fundamental combinations) 48
6.4.3.3 Combinations of actions for accidental design situations 49
6.4.3.4 Combinations of actions for seismic design situations 49
6.4.4 Partial factors for actions and combinations of actions 49
6.4.5 Partial factors for materials and products 50
6.5 SERVICEABILITY LIMIT STATES 50
6.5.1 Verifications 50
6.5.2 Serviceability criteria 50
6.5.3 Combination of actions 50
6.5.4 Partial factors for materials 51

ANNEX A1 (NORMATIVE) APPLICATION FOR BUILDINGS 52

A1.1 FIELD OF APPLICATION 52
A1.2 COMBINATIONS OF ACTIONS 52
A1.2.1 General 52
A1.2.2 Values of factors 52
A1.3 ULTIMATE LIMIT STATES 53
A1.3.1 Design values of actions in persistent and transient design situations 53
A1.3.2 Design values of actions in the accidental and seismic design situations 56
A1.4 SERVICEABILITY LIMIT STATES 57
A1.4.1 Partial factors for actions 57
A1.4.2 Serviceability criteria 57
A1.4.3 Deformations and horizontal displacements 57
A1.4.4 Vibrations 59

ANNEX A2 (NORMATIVE) APPLICATION FOR BRIDGES 60

A2.1 FIELD OF APPLICATION 62
A2.2 COMBINATIONS OF ACTIONS 62
A2.2.1 General 62
A2.2.2 Combination rules for road bridges 64
A2.2.3 Combination rules for footbridges 65
A2.2.4 Combination rules for railway bridges 66
A2.2.5 Combinations of actions for accidental (non seismic) design situations 66

A2.2.6 Values of factors 67
A2.3 ULTIMATE LIMIT STATES 71
A2.3.1 Design values of actions in persistent and transient design situations 71
A2.3.2 Design values of actions in the accidental and seismic design situations 76
A2.4 SERVICEABILITY AND OTHER SPECIFIC LIMIT STATES 77
A2.4.1 General 77
A2.4.2 Serviceability criteria regarding deformation and vibration for road bridges 78
A2.4.3 Verifications concerning vibration for footbridges due to pedestrian traffic 78
A2.4.3.1 Design situations and associated traffic assumptions 78
A2.4.3.2 Pedestrian comfort criteria (for serviceability) 79
A2.4.4 Verifications regarding deformations and vibrations for railway bridges 79
A2.4.4.1 General 79
A2.4.4.2 Criteria for traffic safety 80
A2.4.4.3 Limiting values for the maximum vertical deflection for passenger comfort 84

ANNEX B (INFORMATIVE) MANAGEMENT OF STRUCTURAL RELIABILITY FOR CONSTRUCTION WORKS 87

B1 SCOPE AND FIELD OF APPLICATION 87

B2 SYMBOLS 87

B3 RELIABILITY DIFFERENTIATION 88
B3.1 Consequences classes 88
B3.2 Differentiation by values 88
B3.3 Differentiation by measures relating to the partial factors 89

B4 DESIGN SUPERVISION DIFFERENTIATION 89

B5 INSPECTION DURING EXECUTION 90

B6 PARTIAL FACTORS FOR RESISTANCE PROPERTIES 91

ANNEX C (INFORMATIVE) BASIS FOR PARTIAL FACTOR DESIGN AND RELIABILITY ANALYSIS 92

C1 SCOPE AND FIELD OF APPLICATIONS 92

C2 SYMBOLS 92

C3 INTRODUCTION 93

C4 OVERVIEW OF RELIABILITY METHODS 93

C5 RELIABILITY INDEX 94

C6 TARGET VALUES OF RELIABILITY INDEX 95

C7 APPROACH FOR CALIBRATION OF DESIGN VALUES 96

C8 RELIABILITY VERIFICATION FORMATS IN EUROCODES 98

C10 0 FACTORS 100

ANNEX D (INFORMATIVE) DESIGN ASSISTED BY TESTING 102

D1 SCOPE AND FIELD OF APPLICATION 102

D2 SYMBOLS 102

D3 TYPES OF TESTS 103

D4 PLANNING OF TESTS 104

D5 DERIVATION OF DESIGN VALUES 106

D6 GENERAL PRINCIPLES FOR STATISTICAL EVALUATIONS 107

D7 STATISTICAL DETERMINATION OF A SINGLE PROPERTY 107
D7.1 General 107
D7.2 Assessment via the characteristic value 108
D7.3 Direct assessment of the design value for ULS verifications 109

D8 STATISTICAL DETERMINATION OF RESISTANCE MODELS 110
D8.1 General 110
D8.2 Standard evaluation procedure (Method (a)) 110
D8.2.1 General 110
D8.2.2 Standard procedure 111
D8.3 Standard evaluation procedure (Method (b)) 115
D8.4 Use of additional prior knowledge 115

BIBLIOGRAPHY 117