

# DIN EN 15512:2022-06 (E)

## Steel static storage systems - Adjustable pallet racking systems - Principles for structural design (includes Amendment:2022)

---

### Contents

Page

European foreword .....	10
<b>0</b> Introduction .....	<b>11</b>
0.1 Racking .....	11
0.2 Requirement for EN Standards for racking in addition to the Eurocodes .....	11
0.3 Liaison .....	11
0.4 Racking and Work Equipment regulations .....	11
<b>1</b> Scope .....	<b>13</b>
<b>2</b> Normative references .....	<b>13</b>
<b>3</b> Terms and definitions .....	<b>14</b>
<b>4</b> Symbols .....	<b>19</b>
<b>5</b> Assumptions and conventions .....	<b>22</b>
5.1 General .....	22
5.2 Verticality .....	22
5.3 Conventions for member axis .....	22
<b>6</b> Basis of design .....	<b>22</b>
6.1 Requirements .....	22
6.1.1 Basic requirements .....	22
6.1.2 Design working life .....	22
6.1.3 Requirements for pallet racking .....	23
6.2 Principles of limit state design .....	23
6.2.1 General .....	23
6.2.2 Ultimate limit state .....	23
6.2.3 Serviceability limit state .....	23
6.3 Actions .....	23
6.3.1 General .....	23
6.3.2 Permanent actions .....	23
6.3.3 Variable actions .....	24
6.3.4 Accidental actions .....	31
6.4 Combination of actions .....	32
6.4.1 General .....	32
6.4.2 Ultimate limit state .....	32
6.4.3 Serviceability limit states .....	33
6.5 Partial factors .....	33
6.5.1 Load factors .....	33
6.5.2 Material factors .....	34
<b>7</b> Materials .....	<b>35</b>
7.1 Steel .....	35
7.1.1 General .....	35
7.1.2 Material properties .....	35
7.1.3 Steels with no guaranteed mechanical properties .....	36
7.1.4 Untested steels .....	36
7.1.5 Average yield strength of sections .....	36
7.1.6 Special selection of production material .....	37

7.1.7	Fracture toughness .....	37
7.1.8	Dimensional tolerances .....	37
7.2	Floor materials .....	38
7.2.1	Concrete floors .....	38
7.2.2	Bituminous floors .....	38
7.2.3	Other floor materials .....	38
8	Durability .....	38
9	Structural analysis .....	39
9.1	Structural modelling for analysis .....	39
9.1.1	Structural modelling for analysis and basic assumption .....	39
9.1.2	Joint modelling .....	39
9.1.3	Ground-structure interaction .....	42
9.1.4	Racks braced against the building structure .....	45
9.2	Global analysis .....	45
9.2.1	Effects of deformed geometry of the structure .....	45
9.2.2	Method of analysis .....	46
9.2.3	Structural stability of frames .....	47
9.3	Imperfections .....	53
9.3.1	General .....	53
9.3.2	Global imperfections .....	53
9.3.3	Local bracing imperfections .....	55
9.3.4	Member imperfections .....	56
10	Ultimate limit states .....	57
10.1	Resistance of cross-sections and members .....	57
10.1.1	General .....	57
10.1.2	Section properties .....	57
10.1.3	Compression members .....	58
10.1.4	Bending members .....	60
10.1.5	Tension members .....	60
10.2	Design of beams .....	62
10.2.1	General .....	62
10.2.2	Effects of interaction between unit load and beam .....	62
10.2.3	Correction for looseness .....	63
10.2.4	Plastic design resistance .....	63
10.2.5	Buckling length of beams in braced pallet racks .....	63
10.2.6	Beams subject to bending and torsion .....	64
10.2.7	Beams affected by distortion .....	65
10.3	Design of uprights .....	65
10.3.1	General .....	65
10.3.2	Buckling curves .....	65
10.3.3	Flexural buckling length .....	66
10.3.4	Torsional buckling length .....	68
10.4	Design of frame bracing .....	71
10.4.1	General .....	71
10.4.2	Robustness .....	71
10.4.3	Buckling length of frame bracing .....	71
10.5	Design of run spacers .....	73
11	Serviceability limit states .....	74
11.1	General .....	74
11.2	Beams .....	74
11.3	Beams in walkways or rack supported floors .....	74
12	Design of joints .....	74
12.1	General .....	74
12.2	Design of beam end connectors .....	74
12.2.1	Design resistance of moment and shear .....	74
12.2.2	Combination of moment and shear .....	74
12.2.3	Reversed moment .....	74

12.3	Design of beam connector locks .....	75
12.4	Design of splices .....	75
12.5	Design of base plates .....	75
12.5.1	General .....	75
12.5.2	Compression .....	76
12.5.3	Tension .....	77
12.6	Design of anchorages .....	77
12.6.1	General .....	77
12.6.2	Robustness .....	77
13	Design assisted by testing .....	77
13.1	General .....	77
13.2	Requirements for tests .....	78
13.2.1	Equipment .....	78
13.2.2	Support conditions .....	78
13.2.3	Application of the load .....	78
13.2.4	Increments of the test load .....	79
13.2.5	Test materials .....	79
13.2.6	Assembly of test specimens .....	79
13.2.7	Test reports .....	79
13.3	Interpretation of test results .....	80
13.3.1	Definition of failure load .....	80
13.3.2	Adjustment of test results .....	80
13.3.3	Derivation of characteristic values .....	82
13.3.4	Characteristic values for a family of tests .....	83
13.3.5	Interpolation between test results .....	84
14	Marking and labelling - Identification of performance of rack installations .....	84
Annex A (normative) Testing .....		85
A.1	Materials tests .....	85
A.1.1	Tensile tests .....	85
A.1.1.1	General .....	85
A.1.1.2	Tensile test from beam end connector .....	85
A.1.2	Bend tests .....	85
A.2	Tests on components .....	86
A.2.1	Stub column compression test .....	86
A.2.1.1	Purpose of the test .....	86
A.2.1.2	Test arrangement and method .....	86
A.2.1.3	Corrections to the observations .....	87
A.2.1.4	Derivation of the results .....	88
A.2.2	Compression tests on uprights - Checks for the effects of distortional buckling .....	88
A.2.2.1	Purpose of the test .....	88
A.2.2.2	Test arrangement and method .....	88
A.2.2.3	Corrections to the observations .....	89
A.2.2.4	Derivation of the test results .....	89
A.2.3	Compression tests on uprights - Determination of buckling curves .....	90
A.2.3.1	Purpose of the test .....	90
A.2.3.2	Test arrangement .....	91
A.2.3.3	Test method .....	92
A.2.3.4	Corrections to the observations .....	92
A.2.3.5	Derivation of the column curve .....	93
A.2.4	Frame shear stiffness tests .....	94
A.2.4.1	Purpose of the tests .....	94
A.2.4.2	Method A, loading the frame in the longitudinal direction .....	94
A.2.4.2.1	Test arrangement .....	94
A.2.4.2.2	Test method .....	96
A.2.4.2.3	Corrections to the observations .....	96
A.2.4.2.4	Derivation of results .....	96
A.2.4.3	Alternative method B using a cross-aisle reversible shear load on a frame .....	97
A.2.4.3.1	General .....	97

A.2.4.3.2	Test arrangement .....	97
A.2.4.3.3	Test method .....	98
A.2.4.3.4	Corrections to the observations .....	99
A.2.4.3.5	Derivation of results .....	99
A.2.5	Bending tests on upright sections .....	100
A.2.5.1	Purpose of the test .....	100
A.2.5.2	Test arrangement .....	100
A.2.5.3	Test method .....	102
A.2.5.4	Corrections to the observations .....	102
A.2.5.5	Derivation of results .....	102
A.2.6	Bending tests on beams .....	102
A.2.6.1	Purpose of the test .....	102
A.2.6.2	Test arrangement .....	102
A.2.6.3	Test method .....	104
A.2.6.4	Corrections to the observations .....	104
A.2.6.5	Derivation of the results .....	104
A.3	Tests on connections .....	105
A.3.1	Bending tests on beam end connectors .....	105
A.3.1.1	Purpose of the test .....	105
A.3.1.2	Test arrangements .....	105
A.3.1.3	Test procedure .....	107
A.3.1.4	Corrections to the observations .....	107
A.3.1.5	Derivation of the results and procedure to define curves .....	108
A.3.1.5.1	Procedure 1: .....	108
A.3.1.5.2	Procedure 2: .....	108
A.3.1.5.3	General .....	108
A.3.1.5.4	Procedure to derive a bi-linear curve .....	109
A.3.1.5.5	Procedure to derive a multilinear curve .....	109
A.3.2	Looseness tests on beam end connectors .....	111
A.3.2.1	Purpose of the test .....	111
A.3.2.2	Alternative 'A' Test arrangement using a double acting jack .....	111
A.3.2.2.1	General .....	111
A.3.2.2.2	Test Method .....	111
A.3.2.2.3	Corrections to the observations .....	112
A.3.2.2.4	Derivation of results .....	112
A.3.2.3	Alternative 'B' using two cantilever beams and a central upright .....	112
A.3.2.3.1	Test arrangement .....	112
A.3.2.3.2	Test Method .....	114
A.3.2.3.3	Corrections to the observations .....	114
A.3.2.3.4	Derivation of results .....	114
A.3.3	Shear tests on beam end connectors and connector locks .....	114
A.3.3.1	Purpose of the test .....	114
A.3.3.2	Test arrangement .....	114
A.3.3.3	Test method .....	116
A.3.3.4	Corrections to the observations .....	116
A.3.3.5	Derivation of results .....	116
A.3.4	Moment-shear interaction test of beam end connectors .....	116
A.3.4.1	Purpose of the test .....	116
A.3.4.2	Test arrangement .....	116
A.3.4.3	Test procedure .....	116
A.3.4.4	Corrections to the observations .....	116
A.3.4.5	Derivation of the bending and shear resistance .....	116
A.3.4.6	Derivation of the moment-shear interaction curve .....	117
A.3.4.7	Generalized moment-shear relationship .....	117
A.3.5	Floor connections test .....	117
A.3.5.1	Purpose of the test .....	117
A.3.5.2	Reuse of concrete blocks .....	118
A.3.5.3	Alternative 'A' using two lengths of upright with a central concrete block .....	118
A.3.5.3.1	Test arrangement .....	118
A.3.5.3.2	Test method .....	120
A.3.5.4	Alternative 'B' using a single length of upright with an end concrete block .....	121
A.3.5.4.1	Test arrangement .....	121

A.3.5.4.2	Test Method .....	123
A.3.5.5	Corrections to the observations .....	123
A.3.5.6	Derivation of the Results .....	123
A.3.6	Upright splices test .....	124
A.3.6.1	Purpose of the test .....	124
A.3.6.2	Test arrangement .....	124
A.3.6.3	Test method .....	125
A.3.6.4	Corrections to observations .....	125
A.3.6.5	Derivation of results .....	125
<b>Annex B (informative) Approximate method .....</b>		<b>126</b>
B.1	General .....	126
B.2	Approximate down-aisle stability analysis - Amplified sway method .....	126
B.2.1	General .....	126
B.2.2	Amplification factor .....	128
B.2.3	Linear elastic analysis .....	128
B.2.4	Elastic critical value .....	128
B.3	Approximate down-aisle analysis of a regular storage rack .....	128
B.3.1	Approximate equation for regular construction .....	128
B.3.2	Additional bending moments due to pattern loading .....	131
B.3.3	Design Moments .....	131
B.3.4	Design loads in outer columns .....	132
B.4	Approximate cross-aisle stability analysis .....	133
B.4.1	General .....	133
B.4.2	Global buckling of upright frames .....	133
B.4.3	Shear stiffness of upright frame .....	133
B.4.4	Amplification factor .....	134
B.5	Approximate design for symmetrically loaded beams .....	137
B.5.1	Mid-span bending moment .....	137
B.5.2	Deflection .....	138
B.5.3	Shear force .....	138
B.5.4	Beam end connector .....	139
B.5.5	Equivalent beam loads .....	139
<b>Annex C (informative) Correction of beam moments and deflection due to looseness .....</b>		<b>141</b>
<b>Annex D (informative) Frame looseness .....</b>		<b>143</b>
D.1	General .....	143
D.2	Frame bracing types .....	143
D.3	Looseness .....	144
<b>Annex E (normative) Resistance of compression member according to EN 1993-1-1 and -3 .....</b>		<b>146</b>
E.1	Cross-sectional verification .....	146
E.2	Design strength with respect to flexural buckling .....	146
E.2.1	General .....	146
E.2.2	Buckling curves .....	147
E.3	Design strength with respect to torsional and torsional-flexural buckling .....	148
E.4	Combined bending and axial loading .....	149
E.4.1	General .....	149
E.4.2	Bending and axial compression - resistance of cross-section .....	149
E.4.3	Bending and axial compression - buckling resistance of member .....	150
E.4.4	Bending and tension .....	153
<b>Annex F (informative) Guidance to the determination of the critical length for the distortional buckling test .....</b>		<b>154</b>
F.1	Introduction .....	154
F.2	Length in relation to the end conditions in the test set-up .....	154
F.3	Method for the determination of the critical distortional buckling length .....	155

<b>F.3.1</b>	<b>Step 1</b> .....	<b>155</b>
<b>F.3.2</b>	<b>Step 2</b> .....	<b>155</b>
<b>F.3.3</b>	<b>Step 3</b> .....	<b>157</b>
<b>F.3.4</b>	<b>Step 4</b> .....	<b>157</b>
<b>F.3.5</b>	<b>Step 5</b> .....	<b>157</b>
<b>F.3.6</b>	<b>Step 6</b> .....	<b>157</b>
<b>Annex G (informative) Equivalent section properties</b> .....		<b>159</b>
<b>Annex H (informative) Guidance to modelling spine bracing in braced pallet racking</b> .....		<b>162</b>
<b>Annex I (informative) Cold-reduced steel</b> .....		<b>170</b>
<b>Annex J (informative) Systems with random storage</b> .....		<b>171</b>
<b>Annex K (informative) Position inaccuracies</b> .....		<b>172</b>
<b>Annex L (informative) Beam stability - comprising interlocking `C' sections</b> .....		<b>173</b>
<b>L.1</b>	<b>General</b> .....	<b>173</b>
<b>L.2</b>	<b>Approximate limit values</b> .....	<b>173</b>
<b>Annex M (informative) Factory production control (FPC)</b> .....		<b>175</b>
<b>M.1</b>	<b>General</b> .....	<b>175</b>
<b>M.2</b>	<b>Frequency of tests</b> .....	<b>175</b>
<b>M.3</b>	<b>Bending tests on beam end connectors</b> .....	<b>175</b>
<b>M.4</b>	<b>Bend tests</b> .....	<b>175</b>
<b>Annex N (informative) A-deviations</b> .....		<b>176</b>
<b>N.1</b>	<b>"Dutch national legislative deviations"</b> .....	<b>176</b>
<b>Annex O (informative) Bituminous floors</b> .....		<b>178</b>
<b>Annex P (informative) Typical loading pattern for a regular rack layout</b> .....		<b>179</b>
<b>Bibliography</b> .....		<b>181</b>