DIN EN 1993-2/NA:2022-02 (E)

National Annex - Nationally determined parameters - Eurocode 3: Design of steel structures - Part 2: Steel bridges

Contents

Page

Foreword ... 7

NA.1 Scope ... 8

NA.2 National provisions for the application of DIN EN 1993-2:2010-12 ... 8
NA.2.1 General ... 8
NA.2.2 National provisions ... 9
NCI re 1.2 Normative references ... 9
NDP re 2.1.3.2(1), Note 1 ... 11
NDP re 2.1.3.3(5), Note ... 11
NDP re 2.1.3.4(1), Note ... 11
NDP re 2.1.3.4(2), Note 2 ... 12
NDP re 2.3.1(1), Note 2 ... 12
NCI re 3.1 General ... 12
NDP re 3.2.3(2), Note 2 ... 12
NDP re 3.2.3(3), Note ... 16
NDP re 3.2.4(1), Note ... 16
NDP re 3.4(1), Note ... 16
NDP re 3.5(1), Note ... 16
NDP re 3.6(1), Note ... 16
NDP re 3.6(2), Note ... 16
NDP re 4(1), Note ... 17
NDP re 4(4), Note ... 17
NDP re 5.2.1(4), Note ... 17
NDP re 5.4.1(1), Note ... 17
NCI re 5.4.2 ... 17
NDP re 6.1(1)P, Note 2 ... 17
NDP re 6.2.2.3(1), Note ... 17
NCI re 6.2.2.4(1) ... 17
NDP re 6.2.2.5(1), Note ... 17
NCI re 6.2.5(2) ... 18
NDP re 6.3.2.3(1), Note ... 18
NDP re 6.3.4.2(1), Note ... 18
NDP re 6.3.4.2(7), Note ... 18
NDP re 7.1(3), Note ... 18
NDP re 7.3(1), Note 2 ... 18
NDP re 7.4(1), Note ... 18
NCI re 7.4(3) Equation 7.7 ... 18
NDP re 8.1.3.2.1(1), Note ... 18
NDP re 8.1.6.3(1), Note ... 18
NDP re 8.2.1.4(1), Note ... 19
NDP re 8.2.1.5(1), Note ... 19
NDP re 8.2.1.6(1), Note ... 19
NDP re 8.2.10(1), Note ... 19
NCI re 8.2.12(1), Rules for welding in cold-formed zones ... 19
NDP re 8.2.13(1), Note ... 19
NDP re 8.2.14(1), Note ... 20
NDP re 9.1.2(1), Note ... 20
NDP re 9.1.3(1), Note ... 20

NDP re 9.3(1)P, Note ... **20**
NDP re 9.3(2)P, Note ... **20**
NDP re 9.4.1(6), Note ... **20**
NDP re 9.5.2(2), Note ... **21**
NCI re 9.5.2(2) ... **21**
NDP re 9.5.2(3), Note ... **22**
NDP re 9.5.2(2), Note ... **22**
NDP re 9.5.2(6), Note ... **22**
NDP re 9.5.2(7), Note ... **22**
NCI re 9.5.2(7) ... **22**
NDP re 9.5.3(2), Note 1 ... **22**
NDP re 9.5.3(2), Note 3 ... **22**
NCI re 9.5.3(4) ... **22**
NDP re 9.6(1), Note 1 ... **23**
NCI re 9.6(1), Note 1 ... **23**
NDP re 9.6(1), Note 2 ... **25**
NDP re 9.7(1), Note ... **25**
NDP re Annex A (informative) ... **25**
NDP re Annex B (informative) ... **25**
NDP re Annex C (informative) ... **25**
NDP re Annex E.2 (1) ... **25**
NCI re Annex NA.F (normative) ... **25**

Annex NA.F (normative) **Design of hangers of tied-arch bridges** ... **26**
NA.F.1 General ... **26**
NA.F.1.1 Scope ... **26**
NA.F.1.2 Fatigue actions ... **26**
NA.F.2 Design principles ... **26**
NA.F.2.1 Material and cross-sections of tension members ... **26**
NA.F.2.2 Design recommendations for welded round bar steel hangers ... **27**
NA.F.2.3 Design recommendation for forged hangers ... **29**
NA.F.2.4 Design recommendation for flat steel plate hangers ... **30**
NA.F.2.5 Design recommendation for cable hangers ... **30**
NA.F.2.6 Design measures to reduce restraint forces from the main structure ... **32**
NA.F.3 Design rules for round bar steel hangers ... **32**
NA.F.3.1 Application limits ... **32**
NA.F.3.2 Transverse vibration due to vortex shedding ... **32**
NA.F.3.3 Rain-wind-induced vibration ... **33**
NA.F.3.4 Traffic-induced stresses ... **35**
NA.F.3.5 Verification concepts ... **35**
NA.F.4 Design rules for flat steel plate hangers ... **36**
NA.F.4.1 Transverse vibration due to vortex shedding ... **36**
NA.F.4.2 Galloping ... **38**
NA.F.4.3 Traffic-induced stresses ... **39**
NA.F.4.4 Verification concept ... **39**
NA.F.5 Design rules for cable hangers ... **40**
NA.F.6 Additional verifications ... **40**
NA.F.6.1 General ... **40**
NA.F.6.2 Planning measures ... **40**
NA.F.6.3 Emergency measures ... **40**
NA.F.6.4 Increasing the level of damping ... **40**
NA.F.6.5 Measurements ... **41**

Annex NA.G (normative) **Recommendations for the structural detailing of steel bridge decks** ... **42**
NA.G.1 Road bridges ... **42**
NA.G.1.1 General ... **42**

NA.G.1.2 Deck plate 44
NA.G.1.3 Longitudinal carriageway stiffeners 48
NA.G.1.4 Crossbeams 53
NA.G.2 Railway bridges 54
NA.G.2.1 General 54
NA.G.2.2 Plate thicknesses and dimensions 55
NA.G.2.3 Design of longitudinal stiffener to crossbeam connections 56
NA.G.2.4 Weld preparation and inspection 57
NA.G.2.5 Analyses 58
NA.G.2.6 Flame-cut surfaces 60
NA.G.3 Tolerances for semi-finished products and fabrication 60
NA.G.3.1 Semi-finished product tolerances 60
NA.G.3.2 Tolerances for fabrication 60
NA.G.3.3 Particular requirements for welded connections 60
Bibliography 74

Figures

Figure NA.F.1 — Recommendations for the geometry of hanger connection plates and the hanger diameter for welded designs 28
Figure NA.F.2 — Recommendations for the geometry of hanger connecting plates and the hanger diameter for forged designs 29
Figure NA.F.3 — Recommendations for the application of tolerance values for forged hangers 30
Figure NA.F.4 — Recommendations for the geometry of hanger connection plates for cable hangers with bolted connection 31
Figure NA.F.5 — Load assumptions 33
Figure NA.F.6 — Exciting coefficient *c* 34
Figure NA.F.7 — Dimension ratios for transverse vibration due to vortex shedding 36
Figure NA.F.8 — Ratio of dimensions for galloping vibration in the bending mode 38
Figure NA.G.1 — Structural details in the standard design of a steel bridge deck 43
Figure NA.G.2 — Bending of the deck plate 44
Figure NA.G.3 — Potential locations for fatigue cracks in deck plates 45
Figure NA.G.4 — Minimum stiffness of longitudinal stiffeners 46
Figure NA.G.5 — Deck plate weld transverse to traffic lane without backing strip 47
Figure NA.G.6 — Deck plate weld transverse to traffic lane with backing strip 47
Figure NA.G.7 — Deck plate welds in the direction of traffic lane with steel backing strip 47
Figure NA.G.8 — Connection between the deck plate and web of main girder 48

Figure NA.G.9 — Stresses at the connection of stiffeners to the web of the crossbeam 50

Figure NA.G.10 — Connections of flat steel stiffeners to the webs of crossbeams 50

Figure NA.G.11 — Various designs of crossbeam web cut-outs 51

Figure NA.G.12 — Welded connections at deck plate without cut-outs 51

Figure NA.G.13 — Minimum requirements for cope hole design 52

Figure NA.G.14 — Minimum dimensions of cope holes 52

Figure NA.G.15 — Example of a connection of crossbeams to transverse stiffeners of web of main girders 54

Figure NA.G.16 — Notation of dimensions for bridge decks with longitudinal stiffeners and crossbeams 55

Figure NA.G.17 — Connection between open section (flat steel) longitudinal stiffeners and crossbeam 56

Figure NA.G.18 — Connection between trapezoidal hollow longitudinal stiffeners and crossbeams 57

Figure NA.G.19 — Preparation of weld between stiffener and deck plate 58

Figure NA.G.20 — Static model of the crossbeam 58

Figure NA.G.21 — Stress determination in critical section A-A 59

Tables

Table NA.1 — Limits of thickness of steel components for road bridges for flat and long products as in DIN EN 10025-2, DIN EN 10025-3, DIN EN 10025-4, DIN EN 10025-5, DIN EN 10025-6 12

Table NA.2 Limits of thickness of steel components for road bridges for hollow sections according to DIN EN 10210-1 14

Table NA.3 — Limits of thickness of steel components for railway bridges for flat and long steel products according to DIN EN 10025-2, DIN EN 10025-3 and DIN EN 10025-4 14

Table NA.4 — Limits of thickness of steel components for railway bridges for hollow sections according to DIN EN 10210-1 15

Table NA.5 — Conditions for welding in and near cold-formed zones 19

Table NA.6 — Significant lengths for determining λ_1 21

Table NA.F.1 — Reference values for the maximum diameter of round bar steel hangers 27

Table NA.F.2 — Stress values 29

Table NA.F.3 — Strouhal number for rectangular cross-sections 37

Table NA.F.4 — Stability values for galloping vibration in the bending mode 38

Table NA.F.5 — Stability values for galloping vibration in the torsional mode 39

Table NA.G.1 — Dimensions of bridge decks with longitudinal stiffeners and crossbeams 55

Table NA.G.2 — Dimensions of bridge decks with only transverse stiffeners 56

Table NA.G.3 — Semi-finished product tolerances 61

Table NA.G.4 — Fabrication 62

Table NA.G.5 — Additional conditions to supplement DIN EN ISO 5817, quality level B 73