

DIN EN 1993-2/NA:2022-02 (E)

National Annex - Nationally determined parameters - Eurocode 3: Design of steel structures - Part 2: Steel bridges

Contents	Page
Foreword	7
NA.1 Scope	8
NA.2 National provisions for the application of DIN EN 1993-2:2010-12	8
NA.2.1 General	8
NA.2.2 National provisions	9
NCI re 1.2 Normative references	9
NDP re 2.1.3.2(1), Note 1	11
NDP re 2.1.3.3(5), Note	11
NDP re 2.1.3.4(1), Note	11
NDP re 2.1.3.4(2), Note 2	12
NDP re 2.3.1(1), Note 2	12
NCI re 3.1 General	12
NDP re 3.2.3(2), Note 2	12
NDP re 3.2.3(3), Note	16
NDP re 3.2.4(1), Note	16
NDP re 3.4(1), Note	16
NDP re 3.5(1), Note	16
NDP re 3.6(1), Note	16
NDP re 3.6(2), Note	16
NDP re 4(1), Note	17
NDP re 4(4), Note	17
NDP re 5.2.1(4), Note	17
NDP re 5.4.1(1), Note	17
NCI re 5.4.2	17
NDP re 6.1(1)P, Note 2	17
NDP re 6.2.2.3(1), Note	17
NCI re 6.2.2.4(1)	17
NDP re 6.2.2.5(1), Note	17
NCI re 6.2.5(2)	18
NDP re 6.3.2.3(1), Note	18
NDP re 6.3.4.2(1), Note	18
NDP re 6.3.4.2(7), Note	18
NDP re 7.1(3), Note	18
NDP re 7.3(1), Note 2	18
NDP re 7.4(1), Note	18
NCI re 7.4(3) Equation 7.7	18
NDP re 8.1.3.2.1(1), Note	18
NDP re 8.1.6.3(1), Note	18
NDP re 8.2.1.4(1), Note	19
NDP re 8.2.1.5(1), Note	19
NDP re 8.2.1.6(1), Note	19
NDP re 8.2.10(1), Note	19
NCI re 8.2.12(1), Rules for welding in cold-formed zones	19
NDP re 8.2.13(1), Note	19
NDP re 8.2.14(1), Note	20
NDP re 9.1.2(1), Note	20
NDP re 9.1.3(1), Note	20

NDP re 9.3(1)P, Note	20
NDP re 9.3(2)P, Note	20
NDP re 9.4.1(6), Note	20
NDP re 9.5.2(2), Note	21
NCI re 9.5.2(2)	21
NDP re 9.5.2(3), Note	22
NDP re 9.5.2(2), Note	22
NDP re 9.5.2(6), Note	22
NDP re 9.5.2(7), Note	22
NCI re 9.5.2(7)	22
NDP re 9.5.3(2), Note 1	22
NDP re 9.5.3(2), Note 3	22
NCI re 9.5.3(4)	22
NDP re 9.6(1), Note 1	23
NCI re 9.6(1), Note 1	23
NDP re 9.6(1), Note 2	25
NDP re 9.7(1), Note.....	25
NDP re Annex A (informative)	25
NDP re Annex B (informative)	25
NDP re Annex C (informative).....	25
NDP re Annex E.2 (1).....	25
NCI re Annex NA.F (normative)	25
Annex NA.F (normative) Design of hangers of tied-arch bridges	26
NA.F.1 General.....	26
NA.F.1.1 Scope.....	26
NA.F.1.2 Fatigue actions.....	26
NA.F.2 Design principles.....	26
NA.F.2.1 Material and cross-sections of tension members.....	26
NA.F.2.2 Design recommendations for welded round bar steel hangers	27
NA.F.2.3 Design recommendation for forged hangers.....	29
NA.F.2.4 Design recommendation for flat steel plate hangers	30
NA.F.2.5 Design recommendation for cable hangers	30
NA.F.2.6 Design measures to reduce restraint forces from the main structure	32
NA.F.3 Design rules for round bar steel hangers	32
NA.F.3.1 Application limits	32
NA.F.3.2 Transverse vibration due to vortex shedding.....	32
NA.F.3.3 Rain-wind-induced vibration	33
NA.F.3.4 Traffic-induced stresses.....	35
NA.F.3.5 Verification concepts.....	35
NA.F.4 Design rules for flat steel plate hangers.....	36
NA.F.4.1 Transverse vibration due to vortex shedding.....	36
NA.F.4.2 Galloping	38
NA.F.4.3 Traffic-induced stresses.....	39
NA.F.4.4 Verification concept.....	39
NA.F.5 Design rules for cable hangers	40
NA.F.6 Additional verifications.....	40
NA.F.6.1 General.....	40
NA.F.6.2 Planning measures.....	40
NA.F.6.3 Emergency measures	40
NA.F.6.4 Increasing the level of damping.....	40
NA.F.6.5 Measurements	41
Annex NA.G (normative) Recommendations for the structural detailing of steel bridge decks	42
NA.G.1 Road bridges	42
NA.G.1.1 General.....	42

NA.G.1.2 Deck plate	44
NA.G.1.3 Longitudinal carriageway stiffeners	48
NA.G.1.4 Crossbeams.....	53
NA.G.2 Railway bridges.....	54
NA.G.2.1 General.....	54
NA.G.2.2 Plate thicknesses and dimensions	55
NA.G.2.3 Design of longitudinal stiffener to crossbeam connections.....	56
NA.G.2.4 Weld preparation and inspection	57
NA.G.2.5 Analyses.....	58
NA.G.2.6 Flame-cut surfaces	60
NA.G.3 Tolerances for semi-finished products and fabrication	60
NA.G.3.1 Semi-finished product tolerances.....	60
NA.G.3.2 Tolerances for fabrication	60
NA.G.3.3 Particular requirements for welded connections.....	60
Bibliography	74

Figures

Figure NA.F.1 — Recommendations for the geometry of hanger connection plates and the hanger diameter for welded designs	28
Figure NA.F.2 — Recommendations for the geometry of hanger connecting plates and the hanger diameter for forged designs.....	29
Figure NA.F.3 — Recommendations for the application of tolerance values for forged hangers	30
Figure NA.F.4 — Recommendations for the geometry of hanger connection plates for cable hangers with bolted connection	31
Figure NA.F.5 — Load assumptions.....	33
Figure NA.F.6 — Exciting coefficient c	34
Figure NA.F.7 — Dimension ratios for transverse vibration due to vortex shedding.....	36
Figure NA.F.8 — Ratio of dimensions for galloping vibration in the bending mode	38
Figure NA.G.1 — Structural details in the standard design of a steel bridge deck.....	43
Figure NA.G.2 — Bending of the deck plate	44
Figure NA.G.3 — Potential locations for fatigue cracks in deck plates	45
Figure NA.G.4 — Minimum stiffness of longitudinal stiffeners	46
Figure NA.G.5 — Deck plate weld transverse to traffic lane without backing strip	47
Figure NA.G.6 — Deck plate weld transverse to traffic lane with backing strip.....	47
Figure NA.G.7 — Deck plate welds in the direction of traffic lane with steel backing strip.....	47
Figure NA.G.8 — Connection between the deck plate and web of main girder	48

Figure NA.G.9 — Stresses at the connection of stiffeners to the web of the crossbeam	50
Figure NA.G.10 — Connections of flat steel stiffeners to the webs of crossbeams	50
Figure NA.G.11 — Various designs of crossbeam web cut-outs	51
Figure NA.G.12 — Welded connections at deck plate without cut-outs	51
Figure NA.G.13 — Minimum requirements for cope hole design	52
Figure NA.G.14 — Minimum dimensions of cope holes	52
Figure NA.G.15 — Example of a connection of crossbeams to transverse stiffeners of web of main girders	54
Figure NA.G.16 — Notation of dimensions for bridge decks with longitudinal stiffeners and crossbeams	55
Figure NA.G.17 — Connection between open section (flat steel) longitudinal stiffeners and crossbeam	56
Figure NA.G.18 — Connection between trapezoidal hollow longitudinal stiffeners and crossbeams	57
Figure NA.G.19 — Preparation of weld between stiffener and deck plate	58
Figure NA.G.20 — Static model of the crossbeam	58
Figure NA.G.21 — Stress determination in critical section A-A	59

Tables

Table NA.1 — Limits of thickness of steel components for road bridges for flat and long products as in DIN EN 10025-2, DIN EN 10025-3, DIN EN 10025-4, DIN EN 10025-5, DIN EN 10025-6	12
Table NA.2 Limits of thickness of steel components for road bridges for hollow sections according to DIN EN 10210-1	14
Table NA.3 — Limits of thickness of steel components for railway bridges for flat and long steel products according to DIN EN 10025-2, DIN EN 10025-3 and DIN EN 10025-4	14
Table NA.4 — Limits of thickness of steel components for railway bridges for hollow sections according to DIN EN 10210-1	15
Table NA.5 — Conditions for welding in and near cold-formed zones	19
Table NA.6 — Significant lengths for determining λ_1	21

Table NA.F.1 — Reference values for the maximum diameter of round bar steel hangers 27

Table NA.F.2 — Stress values 29

Table NA.F.3 — Strouhal number for rectangular cross-sections 37

Table NA.F.4 — Stability values for galloping vibration in the bending mode..... 38

Table NA.F.5 — Stability values for galloping vibration in the torsional mode..... 39

Table NA.G.1 — Dimensions of bridge decks with longitudinal stiffeners and crossbeams 55

Table NA.G.2 — Dimensions of bridge decks with only transverse stiffeners 56

Table NA.G.3 — Semi-finished product tolerances 61

Table NA.G.4 — Fabrication..... 62

Table NA.G.5 — Additional conditions to supplement DIN EN ISO 5817, quality level B..... 73