

# DIN EN 1999-1-1:2024-11 (E)

## Eurocode 9 - Design of aluminium structures - Part 1-1: General rules

---

<b>Contents</b>	<b>Page</b>
European foreword .....	8
0 Introduction.....	10
1 Scope.....	13
2 Normative references.....	14
3 Terms, definitions and symbols .....	15
3.1 Terms and definitions.....	15
3.2 Symbols .....	17
3.3 Conventions for member axes.....	32
4 Basis of design.....	34
4.1 General rules .....	34
4.1.1 Basic requirements .....	34
4.1.2 Structural reliability.....	34
4.1.3 Design service life, durability and robustness.....	34
4.2 Principles of limit state design.....	35
4.3 Basic variables .....	35
4.3.1 Actions and environmental influences .....	35
4.3.2 Material and product properties.....	35
4.4 Verification by the partial factor method .....	35
4.4.1 Design value of material properties .....	35
4.4.2 Design value of geometrical data .....	35
4.4.3 Design resistances .....	35
4.5 Design assisted by testing.....	36
4.6 Execution requirements.....	36
5 Materials .....	37
5.1 General.....	37
5.2 Structural aluminium.....	37
5.2.1 Range of materials.....	37
5.2.2 Material properties for wrought and casting alloys.....	39
5.2.3 Material properties for cast aluminium alloys .....	46
5.2.4 Dimensions, mass and tolerances.....	47
5.2.5 Design values of material constants .....	47
5.3 Connecting devices.....	48
5.3.1 General.....	48
5.3.2 Bolts, nuts, washers and self-tapping and self-drilling screws .....	48
5.3.3 Rivets.....	50
5.3.4 Welding consumables .....	50
5.3.5 Adhesives.....	51
6 Durability.....	51
7 Structural analysis.....	52
7.1 Structural modelling for analysis .....	52
7.1.1 Structural modelling and basic assumptions .....	52
7.1.2 Joint modelling.....	52
7.1.3 Ground-structure interaction.....	52
7.2 Global analysis .....	52
7.2.1 Effects of deformed geometry of the structure .....	52

7.2.2	Structural stability of frames.....	53
7.3	Imperfections .....	54
7.3.1	General.....	54
7.3.2	Imperfections for global analysis of frames.....	54
7.3.3	Imperfection for analysis of bracing systems .....	61
7.3.4	Member imperfections .....	63
7.4	Methods of analysis.....	63
7.4.1	General .....	63
7.4.2	Elastic global analysis .....	64
7.4.3	Plastic global analysis .....	64
8	Ultimate limit states for members.....	64
8.1	Basis.....	64
8.1.1	General .....	64
8.1.2	Characteristic value of strength .....	64
8.1.3	Partial factors.....	65
8.1.4	Classification of cross-sections .....	65
8.1.5	Local buckling resistance in class 4 members .....	73
8.1.6	HAZ softening adjacent to welds .....	74
8.2	Resistance of cross-sections .....	77
8.2.1	General .....	77
8.2.2	Section properties.....	78
8.2.3	Tension.....	79
8.2.4	Compression.....	80
8.2.5	Bending moment.....	81
8.2.6	Shear.....	84
8.2.7	Torsion .....	85
8.2.8	Bending and shear.....	86
8.2.9	Bending and axial force .....	87
8.2.10	Bending, shear and axial force.....	88
8.2.11	Web bearing.....	88
8.3	Buckling resistance of members .....	89
8.3.1	Members in compression.....	89
8.3.2	Members in bending.....	95
8.3.3	Members in bending and axial compression .....	98
8.4	Simplified analysis of resistance.....	103
8.5	Uniform built-up members .....	104
8.5.1	General .....	104
8.5.2	Laced compression members.....	106
8.5.3	Battened compression members .....	108
8.5.4	Closely spaced built-up members.....	109
8.6	Un-stiffened plates under in-plane loading .....	110
8.6.1	General .....	110
8.6.2	Resistance under uniform compression .....	111
8.6.3	Resistance under in-plane moment.....	112
8.6.4	Resistance under transverse or longitudinal stress gradient.....	113
8.6.5	Shear resistance .....	113
8.6.6	Resistance under out-of-plane loading.....	114
8.6.7	Resistance under combined action .....	115
8.7	Stiffened plates under in-plane loading .....	116
8.7.1	General .....	116
8.7.2	Stiffened plates under uniform compression.....	117
8.7.3	Stiffened plates under in-plane moment .....	119
8.7.4	Longitudinal stress gradient on multi-stiffened plates .....	120
8.7.5	Multi-stiffened plate in shear .....	120
8.7.6	Buckling load for orthotropic plates .....	121
8.7.7	Out-of-plane loading.....	124
8.7.8	Resistance under combined loading.....	126

8.8	Plate girders.....	128
8.8.1	General.....	128
8.8.2	Resistance of plate girders under in-plane bending.....	128
8.8.3	Plate girders with longitudinal web stiffeners .....	129
8.8.4	Shear resistance .....	131
8.8.5	Resistance to transverse forces.....	136
8.8.6	Interaction.....	140
8.8.7	Flange induced buckling .....	141
8.8.8	Web stiffeners .....	142
8.9	Members with corrugated webs.....	143
8.9.1	General.....	143
8.9.2	Bending moment resistance .....	143
8.9.3	Shear force resistance.....	144
9	Serviceability limit states .....	146
9.1	General.....	146
9.2	Deformations and dynamic effects for buildings .....	146
10	Design of joints .....	147
10.1	Basis of design.....	147
10.1.1	Introduction.....	147
10.1.2	Applied forces and moments .....	147
10.1.3	Resistance of joints.....	148
10.1.4	Design assumptions .....	148
10.1.5	Fabrication and execution.....	148
10.2	Intersections for bolted, riveted and welded joints.....	149
10.3	Joints loaded in shear subject to impact, vibration and/or load reversal .....	149
10.4	Classification of joints .....	149
10.5	Connections made with bolts, rivets and pins.....	149
10.5.1	Positioning of holes for bolts and rivets.....	149
10.5.2	Deductions for fastener holes .....	152
10.5.3	Categories of bolted connections .....	155
10.5.4	Design resistances of bolts .....	157
10.5.5	Design resistance of rivets.....	159
10.5.6	Countersunk bolts and rivets .....	160
10.5.7	Self-tapping and self-drilling screws and blind rivets.....	160
10.5.8	Bolts in slip-resistant connections .....	161
10.5.9	Long joints .....	163
10.5.10	Single lap joints of flats with only one row of fasteners .....	163
10.5.11	Fasteners through packings .....	164
10.5.12	Pin connections .....	164
10.5.13	Aluminium connecting devices .....	166
10.6	Welded connections.....	167
10.6.1	General.....	167
10.6.2	Design of welded connections.....	168
10.7	Design of friction stir welds .....	183
10.8	Hybrid connections .....	184
10.9	Special joints.....	184
10.9.1	General.....	184
10.9.2	Bolt-channel joints .....	185
10.9.3	Screw grooves and screw ports .....	188
10.10	Equivalent T-stub in tension.....	188
10.10.1	General .....	188
10.10.2	Prying Forces in typical T-Stub Stand-alone Connection .....	189
10.10.3	General rules for resistance evaluation .....	191
10.10.4	Geometrical limitations.....	199

10.11	Column web in transverse tension and transverse compression .....	199
10.11.1	General.....	199
10.11.2	Column web in transverse tension .....	200
10.11.3	Column web in transverse compression.....	204
10.12	Adhesive bonded joints .....	206
10.13	Other joining methods.....	206
<b>Annex A (normative) Quality requirements for execution.....</b>		<b>207</b>
A.1	Use of this annex .....	207
A.2	Scope and field of application .....	207
A.3	General .....	207
A.4	Selection process for execution class .....	208
A.5	Evaluation of utilization grades .....	210
<b>Annex B (informative) Finite Element Methods of analysis (FEM).....</b>		<b>211</b>
B.1	Use of this Annex.....	211
B.2	Scope and field of application .....	211
B.3	Use of FEM for design .....	211
B.4	Modelling.....	212
B.5	Choice of software and documentation .....	212
B.6	Use of imperfections.....	212
B.7	Material properties.....	214
B.8	Loads .....	214
B.9	Limit state criteria.....	214
B.10	Partial factors.....	215
<b>Annex C (informative) Materials selection.....</b>		<b>218</b>
C.1	Use of this Annex.....	218
C.2	Scope and field of application .....	218
C.3	General .....	218
C.4	Wrought products .....	218
C.5	Cast products.....	222
<b>Annex D (informative) Corrosion and surface protection .....</b>		<b>224</b>
D.1	Use of this Annex.....	224
D.2	Scope and field of application .....	224
D.3	Corrosion of aluminium under various exposure conditions .....	224
D.4	Durability ratings of aluminium alloys.....	226
D.5	Corrosion protection.....	227
<b>Annex E (normative) Castings .....</b>		<b>233</b>
E.1	Use of this Annex.....	233
E.2	Scope and field of application .....	233
E.3	General design provisions for castings.....	233
<b>Annex F (informative) Analytical models for stress-strain relationship .....</b>		<b>236</b>
F.1	Use of this Annex.....	236
F.2	Scope and field of application .....	236
F.3	Analytical models .....	236
F.4	Approximate evaluation of $\epsilon_{uni,max}$ .....	244
<b>Annex G (informative) Geometrical properties of cross-sections.....</b>		<b>245</b>
G.1	Use of this Annex.....	245
G.2	Scope and field of application .....	245
G.3	Torsion constant $I_t$ .....	245
G.4	Torsion modulus $W_t$ .....	246
G.5	Position of shear centre S .....	246
G.6	Warping constant $I_w$ .....	246

G.7	Cross-section constants for open thin-walled cross-sections.....	249
G.8	Torsion constant of cross-section with closed part.....	252
G.9	Shear area.....	253
G.10	Plastic section modulus and interaction formula.....	254
Annex H (informative)	Behaviour of cross-sections beyond elastic limit.....	256
H.1	Use of this Annex.....	256
H.2	Scope and field of application.....	256
H.3	Definition of cross-section limit states.....	256
H.4	Classification of cross-sections to limit states.....	257
H.5	Boundary values of ultimate axial load.....	258
H.6	Boundary values of ultimate moment.....	259
H.7	Ultimate resistance.....	260
Annex I (informative)	Lateral-torsional buckling of beams and torsional or torsional- flexural buckling of compressed members.....	261
I.1	Use of this Annex.....	261
I.2	Scope and field of application.....	261
I.3	Elastic critical moment and slenderness.....	261
I.4	Slenderness for lateral-torsional buckling.....	271
I.5	Elastic critical axial force for torsional and torsional-flexural buckling.....	272
I.6	Slenderness for torsional and torsional-flexural buckling.....	275
Annex J (informative)	Shear lag effects in member design.....	279
J.1	Use of this Annex.....	279
J.2	Scope and field of application.....	279
J.3	Effective width for elastic shear lag.....	279
J.4	Shear lag at ultimate limit states.....	283
Annex K (informative)	Plastic hinge method for continuous beams.....	284
K.1	Use of this Annex.....	284
K.2	Scope and field of application.....	284
K.3	Determination of ultimate bending moment $M_u$ .....	285
Annex L (informative)	Cross-sectional ductility and rotation capacity.....	287
L.1	Use of this Annex.....	287
L.2	Scope and field of application.....	287
L.3	Moment-curvature analysis of cross-section.....	288
L.4	Evaluation of rotation capacity.....	293
L.5	Empirical relations for ultimate resistance.....	294
L.6	Empirical relations for rotation capacity.....	295
Annex M (informative)	Classification of joints.....	297
M.1	Use of this Annex.....	297
M.2	Scope and field of application.....	297
M.3	General.....	297
M.4	Fully restoring joints.....	298
M.5	Partially restoring joints.....	298
M.6	Classification according to rigidity.....	298
M.7	Classification according to strength.....	298
M.8	Classification according to ductility.....	299
M.9	General design requirements for joints.....	301
M.10	Requirements for framing joints.....	301
Annex N (informative)	The use of the component method for joints.....	305
N.1	Use of this Annex.....	305
N.2	Scope and field of application.....	305
Annex O (informative)	Screw grooves and screw ports.....	306

<b>O.1</b>	<b>Use of this Annex.....</b>	<b>306</b>
<b>O.2</b>	<b>Scope and field of application .....</b>	<b>306</b>
<b>O.3</b>	<b>Tensile resistance.....</b>	<b>307</b>
<b>O.4</b>	<b>Shear resistance .....</b>	<b>309</b>
<b>Annex P (informative)</b>	<b>Adhesive bonded joints.....</b>	<b>312</b>
<b>P.1</b>	<b>Use of this Annex.....</b>	<b>312</b>
<b>P.2</b>	<b>Scope and field of application .....</b>	<b>312</b>
<b>P.3</b>	<b>General .....</b>	<b>312</b>
<b>P.4</b>	<b>Adhesives.....</b>	<b>312</b>
<b>P.5</b>	<b>Design of adhesive bonded joints .....</b>	<b>313</b>
<b>P.6</b>	<b>Tests .....</b>	<b>315</b>
<b>Annex Q (informative)</b>	<b>Determining the extent of HAZ from hardness tests.....</b>	<b>316</b>
<b>Q.1</b>	<b>Use of this Annex.....</b>	<b>316</b>
<b>Q.2</b>	<b>Scope and field of application .....</b>	<b>316</b>
<b>Q.3</b>	<b>Determining the extent of HAZ from hardness tests .....</b>	<b>316</b>
<b>Annex R (informative)</b>	<b>Weld studs connected by arc stud welding with tip ignition .....</b>	<b>318</b>
<b>R.1</b>	<b>Use of this Annex.....</b>	<b>318</b>
<b>R.2</b>	<b>Scope and field of application .....</b>	<b>318</b>
<b>R.3</b>	<b>Construction .....</b>	<b>318</b>
<b>R.4</b>	<b>Design .....</b>	<b>319</b>
<b>Annex S (normative)</b>	<b>Aluminium bridges .....</b>	<b>321</b>
<b>S.1</b>	<b>Use of this Annex.....</b>	<b>321</b>
<b>S.2</b>	<b>Scope and field of application .....</b>	<b>321</b>
<b>S.3</b>	<b>Terms, definitions and symbols .....</b>	<b>321</b>
<b>S.4</b>	<b>Basis of design .....</b>	<b>321</b>
<b>S.5</b>	<b>Materials .....</b>	<b>322</b>
<b>S.6</b>	<b>Durability .....</b>	<b>322</b>
<b>S.7</b>	<b>Structural Analysis.....</b>	<b>323</b>
<b>S.8</b>	<b>Ultimate limit states .....</b>	<b>324</b>
<b>S.9</b>	<b>Serviceability limit states .....</b>	<b>325</b>
<b>S.10</b>	<b>Fatigue .....</b>	<b>326</b>
<b>S.11</b>	<b>Detailing.....</b>	<b>327</b>
<b>Annex T (informative)</b>	<b>Lattice spatial roof structures .....</b>	<b>340</b>
<b>T.1</b>	<b>Use of this Annex.....</b>	<b>340</b>
<b>T.2</b>	<b>Scope and field of application .....</b>	<b>340</b>
<b>T.3</b>	<b>General requirements.....</b>	<b>340</b>
<b>T.4</b>	<b>Double layer reticulated structures.....</b>	<b>340</b>
<b>T.5</b>	<b>Single-layer reticulated structures .....</b>	<b>348</b>
<b>Annex U (informative)</b>	<b>Composite Aluminium Concrete Beams.....</b>	<b>356</b>
<b>U.1</b>	<b>Use of this Annex.....</b>	<b>356</b>
<b>U.2</b>	<b>Scope and field of application .....</b>	<b>356</b>
<b>U.3</b>	<b>General and main problems .....</b>	<b>356</b>
<b>U.4</b>	<b>Calculation of Internal Forces .....</b>	<b>357</b>
<b>U.5</b>	<b>Ultimate limit states .....</b>	<b>358</b>
<b>U.6</b>	<b>Shear Connectors.....</b>	<b>364</b>
<b>Annex V (normative)</b>	<b>Modified Buckling Conditions .....</b>	<b>367</b>
<b>V.1</b>	<b>Use of this Annex.....</b>	<b>367</b>
<b>V.2</b>	<b>Scope and field of application .....</b>	<b>367</b>
<b>V.3</b>	<b>Design of flexural buckling for bow imperfections <math>L/500</math>.....</b>	<b>367</b>
	<b>Bibliography .....</b>	<b>369</b>