

DIN EN 12697-26:2022-12 (E)

Bituminous mixtures - Test methods - Part 26: Stiffness (includes Amendment A1:2022)

Contents		Page
European foreword		5
1	Scope	6
2	Normative references	6
3	Terms, definitions and symbols	6
3.1	Terms and definitions	6
3.2	Symbols	8
4	Principle	9
5	Sample preparation	9
5.1	Age of the specimens	9
5.2	Drying of the specimens	9
5.3	Dimensions and bulk density of the specimens	9
5.4	Number of test specimens	10
6	Checking of the testing equipment	10
7	Test methods	10
7.1	General	10
7.2	Codification of tests	10
7.2.1	Sinusoidal bending tests	10
7.2.2	Indirect tensile test (pulse or cyclic)	11
7.2.3	Cyclic or monotonous uniaxial tests	11
7.2.4	Loading conditions	11
7.2.5	Load amplitudes	11
7.2.6	Loading frequencies	11
7.3	Controlled strain rate loading	12
7.3.1	Test method	12
7.3.2	Loading conditions	12
7.3.3	Strain amplitudes for direct tensile tests	12
8	Temperatures	13
9	Expression of results	13
10	Test report	15
10.1	Introduction	15
10.2	General	15
10.3	Information on specimens	15
10.4	Information on test method	15
10.5	Information on the test and results	16
10.6	Optional information	16
11	Precision	16
Annex A (normative) Two point bending test on trapezoidal specimens (2PB-TR) or on prismatic specimens (2PB-PR)		17

A.1	Principle	17
A.2	Equipment	17
A.3	Specimen preparation	18
A.4	Procedure	19
Annex B (normative) Three point bending test on prismatic specimens (3PB-PR) and four point bending test on prismatic specimens (4PB-PR)		20
B.1	Principle	20
B.2	Equipment	21
B.3	Specimen preparation	22
B.3.1	Dimensions	22
B.3.2	Sample manufacture	22
B.4	Procedure	23
Annex C (normative) Test applying indirect tension to cylindrical specimens (IT-CY)		24
C.1	Principle	24
C.2	Equipment	24
C.2.1	General devices	24
C.2.2	Test equipment	24
C.3	Specimen preparation	29
C.4	Mode of operation	30
C.4.1	Mounting the specimen	30
C.4.2	Stiffness measurement	30
C.4.2.1	Conditioning load pulses	30
C.4.2.2	Deformation measuring	30
C.4.2.3	Calculation of the stiffness modulus	30
C.4.2.4	Stiffness modulus of the specimen	31
Annex D (normative) Direct tension-compression test on cylindrical specimens (DTC-CY)		32
D.1	Principle	32
D.2	Equipment	32
D.3	Specimen preparation	32
D.4	Mode of operation	34
D.4.1	Stabilizing the specimen	34
D.4.2	Procedure	34
Annex E (normative) Test applying direct tension to cylindrical specimens (DT-CY) or to prismatic specimens (DT-PR)		35
E.1	Principle	35
E.2	Equipment	35
E.3	Specimen preparation	35
E.3.1	Cylindrical specimen	35
E.3.2	Prismatic specimen	36
E.4	Mode of operation	36
E.4.1	Stabilization of the specimen	36
E.4.1.1	Temperature stabilization	36
E.4.1.2	Preliminary mechanical stabilization	36
E.4.1.3	Mechanical stabilization between tests	37
E.4.2	Procedure	37
E.5	Derivation of the master-curve - Isotherms	38
Annex F (normative) Test applying cyclic indirect tension to cylindrical specimens (CIT-CY)		39
F.1	Principle	39
F.2	Equipment	39
F.2.1	Test machine	39
F.2.2	Loading	39
F.2.3	Displacement	39

F.2.4	Thermostatic chamber	41
F.2.5	Recording and measuring system	41
F.2.6	Loading strips	41
F.3	Specimen preparation	41
F.3.1	Test specimen	41
F.3.2	Specimen dimensions	42
F.4	Mode of operation	42
F.4.1	Test temperature	42
F.4.2	Mounting the specimen	42
F.4.3	Procedure	42
F.4.3.1	General	42
F.4.3.2	Load frequency	43
F.4.3.3	Definition of the lower load level	43
F.4.3.4	Definition of the upper load level	43
F.4.4	Checking of specimen deterioration	43
Annex G (informative) Derivation of the master curve		44
G.1	Principle	44
G.2	Theoretical background	45
G.3	Experimental data	46
G.4	Test report	47