

DIN EN 1993-1-5:2025-04 (E)

Eurocode 3 - Design of steel structures - Part 1-5: Plated structural elements

Contents		Page
	European foreword	5
0	Introduction	7
1	Scope	10
2	Normative references	11
3	Terms and definitions	11
3.1	Terms	11
3.2	Sign convention	13
3.3	Symbols	13
4	Basis of design	14
4.1	General rules	14
4.1.1	Basic requirement	14
4.2	Partial factors	14
4.3	Effective width models for global analysis	15
4.4	Plate buckling effects on uniform members	16
4.5	Reduced stress method	17
4.6	Design assisted by finite element analysis	17
4.7	Non-uniform members	17
4.8	Members with corrugated webs	17
5	Shear lag in member design	17
5.1	General	17
5.2	Elastic shear lag	17
5.2.1	Effectives width	17
5.2.2	Stress distribution due to shear lag	20
5.2.3	In-plane load effects	20
5.3	Shear lag at the ultimate limit state	21
5.3.1	Shear lag consideration	21
5.3.2	Interaction between shear lag and plate buckling	22
6	Plate buckling effects due to direct stresses at the ultimate limit state	22
6.1	General	22
6.2	Resistance to direct stresses	23
6.3	Effective cross-section	23
6.4	Plate elements without longitudinal stiffeners	25
6.4.1	Plate buckling behaviour	25
6.4.2	Column buckling behaviour	29
6.5	Stiffened plate elements with longitudinal stiffeners	30
6.5.1	General	30
6.5.2	Plate buckling behaviour	32
6.5.3	Column buckling behaviour	33
6.6	Interpolation between plate and column buckling	35
6.6.1	General	35
6.6.2	Alternative methods for evaluating the weighting factor	37
6.6.3	Alternative simplified method for longitudinally stiffened panels in bending	40
6.7	Verification	42
7	Resistance to shear	43

7.1	General	43
7.2	Design resistance	44
7.3	Contribution from the web	45
7.4	Contribution from flanges	48
7.5	Verification	49
8	Resistance to patch loading	49
8.1	General	49
8.2	Design resistance	50
8.3	Length of stiff bearing	50
8.4	Reduction factor F	50
8.5	Effective loaded length	51
8.6	Verification	52
9	Interaction	52
9.1	Interaction between shear force, bending moment and axial force	52
9.2	Interaction between transverse force, bending moment and axial force	53
9.3	Interaction between transverse force, bending moment and shear force	53
10	Flange induced buckling	54
11	Stiffeners and detailing	55
11.1	General	55
11.2	Direct stresses	55
11.2.1	Minimum requirements for transverse stiffeners	55
11.2.2	Minimum requirements for longitudinal stiffeners	59
11.2.3	Welded plates	59
11.2.4	Cut outs in stiffeners	60
11.3	Shear	62
11.3.1	Rigid end post	62
11.3.2	Stiffeners acting as non-rigid end post	62
11.3.3	Intermediate transverse stiffeners	63
11.3.4	Longitudinal stiffeners	63
11.3.5	Welds	63
11.4	Transverse loads	63
12	Reduced stress method	64
12.1	General	64
12.2	Verification of the buckling resistance	64
12.3	Plate slenderness	66
12.4	Reduction factors	67
13	Plate girders with corrugated webs	71
13.1	General	71
13.2	Ultimate limit state	71
13.2.1	Moment of resistance	71
13.2.2	Shear resistance	73
13.2.3	Resistance to transverse forces	74
13.2.4	Interaction between shear force and bending moment	76
13.2.5	Interaction between transverse force, bending moment and shear force	76
13.2.6	Requirements for end stiffeners	76
Annex A (informative)	Calculation of critical stresses for stiffened plates	77
A.1	Use of this informative annex	77
A.2	Scope and field of application	77
A.3	Equivalent orthotropic plate for plates with at least three longitudinal stiffeners	77
A.4	Equivalent orthotropic plate for plates with one or two longitudinal stiffeners	78
A.5	Shear buckling coefficients	79
A.6	Buckling coefficient for patch loading	79
Annex B (informative)	Non-uniform members	81

B.1	Use of this informative annex	81
B.2	Scope and field of application	81
B.3	General	81
B.4	Interaction of plate buckling and lateral torsional buckling	81
	Bibliography	82