

# DIN EN 1993-1-8:2025-04 (E)

## Eurocode 3 - Design of steel structures - Part 1-8: Joints

---

| <b>Contents</b> |  | <b>Page</b> |
|-----------------|--|-------------|
|                 | European foreword .....  | 6           |
| 0               | Introduction .....   | 8           |
| 1               | Scope .....  | 11          |
| 2               | Normative references .....   | 11          |
| 3               | Terms, definitions and symbols .....   | 11          |
| 3.1             | Terms and definitions .....  | 11          |
| 3.2             | Symbols and abbreviations .....  | 13          |
| 4               | Basis of design .....  | 33          |
| 4.1             | General rules .....  | 33          |
| 4.1.1           | Basic requirements .....   | 33          |
| 4.1.2           | Additional requirements .....  | 33          |
| 4.2             | Design assumptions .....   | 33          |
| 4.3             | Structural properties of joints .....  | 34          |
| 4.3.1           | General .....  | 34          |
| 4.3.2           | Partial factors .....  | 34          |
| 4.4             | Hybrid connections .....   | 35          |
| 4.5             | Joints loaded in shear subject to impact, vibration and/or load reversal .....           | 35          |
| 4.6             | Eccentricity at intersections .....  | 35          |
| 5               | Connections using bolts, rivets or pins .....  | 36          |
| 5.1             | Bolts, nuts and washers .....  | 36          |
| 5.1.1           | Property classes .....   | 36          |
| 5.1.2           | Preloaded bolts .....  | 36          |
| 5.2             | Rivets .....   | 37          |
| 5.3             | Anchor bolts and fasteners between steel and concrete .....                              | 37          |
| 5.4             | Bolted connections .....   | 37          |
| 5.4.1           | Categories of bolted connections .....   | 37          |
| 5.4.2           | Injection bolts .....  | 38          |
| 5.4.3           | Hybrid connections .....   | 38          |
| 5.4.4           | Connections with lug angles .....  | 38          |
| 5.5             | Pin connections .....  | 40          |
| 5.6             | Riveted connections .....  | 41          |
| 5.7             | Design criteria .....  | 41          |
| 5.7.1           | Design criteria for bolted connections .....   | 41          |
| 5.7.2           | Design criteria for connections with injection bolts .....                               | 43          |
| 5.7.3           | Design criteria for pin connections .....  | 44          |
| 5.7.4           | Design criteria for riveted connections .....  | 46          |
| 5.8             | Positioning of holes for bolts and rivets .....  | 47          |
| 5.9             | Design resistance of individual fasteners subject to shear, bearing and/or tension ..... | 49          |
| 5.9.1           | Rivets, and bolts in normal round or slotted holes .....                                 | 49          |
| 5.9.2           | Fit bolts .....  | 53          |
| 5.9.3           | Bolts in tapped holes .....  | 54          |
| 5.9.4           | Injection bolts .....  | 55          |
| 5.9.5           | Prying forces .....  | 56          |
| 5.9.6           | Fasteners between steel and concrete .....   | 56          |
| 5.10            | Design slip resistance of individual preloaded bolts .....                               | 56          |
| 5.10.1          | General .....  | 56          |

|        |  |    |
|--------|--|----|
| 5.10.2 | Combined tension and shear .....   | 57 |
| 5.11   | Design resistance of a group of fasteners loaded in bearing type connections subject to axial force .....    | 58 |
| 5.12   | Design resistance of a group of fasteners in slip-resistant connections subject to axial force .....         | 59 |
| 5.13   | Design resistance of Category A, B, and C connections subject to bending and axial force .....               | 59 |
| 5.14   | Design block tearing resistance .....  | 60 |
| 5.15   | Design resistance of angles connected by one leg and other asymmetrically connected members in tension ..... | 62 |
| 6      | Welded connections .....   | 63 |
| 6.1    | General .....  | 63 |
| 6.2    | Welding consumables .....  | 63 |
| 6.3    | Geometry and dimensions .....  | 63 |
| 6.3.1  | Type of weld .....   | 63 |
| 6.3.2  | Fillet welds .....   | 64 |
| 6.3.3  | Fillet welds all round .....   | 66 |
| 6.3.4  | Butt welds .....   | 66 |
| 6.3.5  | Plug welds .....   | 66 |
| 6.3.6  | Flare groove welds .....   | 66 |
| 6.4    | Welds with packings .....  | 67 |
| 6.5    | Design resistance of fillet welds .....  | 68 |
| 6.5.1  | Length of welds .....  | 68 |
| 6.5.2  | Design throat thickness .....  | 68 |
| 6.5.3  | Design resistance of fillet welds .....  | 69 |
| 6.6    | Design resistance of fillet welds all round .....  | 72 |
| 6.7    | Design resistance of butt welds .....  | 72 |
| 6.7.1  | Full penetration butt welds .....  | 72 |
| 6.7.2  | Partial penetration butt welds .....   | 72 |
| 6.7.3  | T-butt joints .....  | 73 |
| 6.8    | Design resistance of plug welds .....  | 73 |
| 6.9    | Distribution of forces .....   | 73 |
| 6.10   | Connections to unstiffened flanges .....   | 74 |
| 6.11   | Design resistance of long joints .....   | 76 |
| 6.12   | Eccentrically loaded single-sided fillet or single-sided partial penetration butt welds .....                | 76 |
| 6.13   | Angles connected by one leg .....  | 77 |
| 6.14   | Welding in cold-formed zones .....   | 77 |
| 7      | Structural analysis .....  | 78 |
| 7.1    | Global analysis .....  | 78 |
| 7.1.1  | General .....  | 78 |
| 7.1.2  | Elastic global analysis .....  | 78 |
| 7.1.3  | Rigid-plastic global analysis .....  | 79 |
| 7.1.4  | Elastic-plastic global analysis .....  | 80 |
| 7.1.5  | Global analysis of hollow section lattice girders .....  | 80 |
| 7.2    | Modelling of beam-to-column joints .....   | 82 |
| 7.2.1  | Scope of application .....   | 82 |
| 7.2.2  | General approach .....   | 83 |
| 7.2.3  | Simplified approach .....  | 84 |
| 7.2.4  | Design moment-rotation curve .....   | 86 |
| 7.2.5  | Moment resistance .....  | 87 |
| 7.2.6  | Rotational stiffness .....   | 87 |
| 7.2.7  | Rotation capacity .....  | 88 |
| 7.3    | Classification of joints .....   | 88 |
| 7.3.1  | General .....  | 88 |
| 7.3.2  | Classification by rotational stiffness .....   | 88 |
| 7.3.3  | Classification by moment resistance .....  | 90 |
| 8      | Structural joints connecting H or I sections .....   | 92 |
| 8.1    | General .....  | 92 |
| 8.2    | Structural properties .....  | 97 |

|  |   |     |
|--|---|-----|
| 8.3  | Equivalent T-stub in tension .....  | 98  |
| 8.3.1  | Application .....   | 98  |
| 8.3.2  | Modes of failure .....  | 98  |
| 8.3.3  | Total effective length .....  | 98  |
| 8.3.4  | Design tension resistance .....   | 98  |
| 8.3.5  | Stiffness coefficient .....   | 101 |
| 8.3.6  | Individual bolt rows, bolt groups and groups of bolt rows .....   | 101 |
| 8.4  | Equivalent T-stub in compression .....  | 101 |
| 8.4.1  | Application .....   | 101 |
| 8.4.2  | Total effective length and width .....  | 101 |
| 8.4.3  | Design compression resistance .....   | 102 |
| 8.4.4  | Stiffness coefficient .....   | 103 |
| 9  | Hollow section joints .....   | 104 |
| 9.1  | General .....   | 104 |
| 9.2  | Parameters for hollow section joints .....  | 104 |
| 9.3  | Specific requirements .....   | 107 |
| 9.4  | Design .....  | 108 |
| 9.4.1  | General .....   | 108 |
| 9.4.2  | Failure modes for hollow section joints .....   | 112 |
| 9.5  | Design resistance of welds .....  | 116 |
| 9.6  | Welded joints between brace members and CHS chords .....  | 116 |
| 9.6.1  | General .....   | 116 |
| 9.6.2  | Uniplanar joint configurations .....  | 117 |
| 9.6.3  | Multiplanar joint configurations .....  | 123 |
| 9.7  | Welded joints between plates, CHS or RHS brace members, and RHS chord members ...                                 | 124 |
| 9.7.1  | General .....   | 124 |
| 9.7.2  | Uniplanar joint configurations .....  | 125 |
| 9.7.3  | Multiplanar joint configurations .....  | 136 |
| 9.8  | Welded joints between CHS or RHS brace members, and I or H section chords .....                                   | 137 |
| 9.9  | Welded overlap joints between CHS or RHS brace members, and CHS, RHS, I, H or channel section chord members ..... | 141 |
| Annex A (normative) Structural properties of basic components .....                    |   | 146 |
| A.1  | Use of this annex .....   | 146 |
| A.2  | Scope and field of application .....  | 146 |
| A.3  | General .....   | 146 |
| A.4  | Column web panel in shear .....   | 146 |
| A.5  | Column web in transverse compression .....  | 152 |
| A.6  | Column web in transverse tension .....  | 156 |
| A.7  | Column flange in bending .....  | 158 |
| A.8  | End plate in bending .....  | 163 |
| A.9  | Flange cleat in bending .....   | 167 |
| A.10   | Beam or column flange and web in compression .....  | 169 |
| A.11   | Beam or column web in tension .....   | 169 |
| A.12   | Plate in tension or compression .....   | 170 |
| A.13   | Bolts in tension .....  | 170 |
| A.14   | Bolts in shear .....  | 170 |
| A.15   | Bearing at bolt holes .....   | 171 |
| A.16   | Concrete and base plate in compression .....  | 173 |
| A.17   | Base plate in bending under tension .....   | 173 |
| A.18   | Anchor bolt in tension .....  | 174 |
| A.19   | Fasteners between steel and concrete in tension .....   | 175 |
| A.20   | Anchor bolts in shear .....   | 176 |
| A.21   | Fasteners between steel and concrete in shear .....   | 176 |
| A.22   | Welds .....   | 176 |
| A.23   | Beam haunch in compression .....  | 177 |
| Annex B (normative) Design of moment-resisting beam-to-column joints and splices ..... |   | 178 |
| B.1  | Use of this annex .....   | 178 |

|   |  |            |
|---|--|------------|
| <b>B.2</b>  | <b>Scope and field of application .....</b>  | <b>178</b> |
| <b>B.3</b>  | <b>Design resistance .....</b>   | <b>178</b> |
| <b>B.4</b>  | <b>Rotational stiffness .....</b>  | <b>185</b> |
| <b>B.5</b>  | <b>Rotation capacity .....</b>   | <b>189</b> |
| <b>Annex C (normative) Design of nominally pinned connections .....</b> |  | <b>192</b> |
| <b>C.1</b>  | <b>Use of this annex .....</b>   | <b>192</b> |
| <b>C.2</b>  | <b>Scope and field of application .....</b>  | <b>192</b> |
| <b>C.3</b>  | <b>Ductility and rotation capacity requirements .....</b>                                | <b>193</b> |
| <b>C.4</b>  | <b>Design resistances .....</b>  | <b>196</b> |
| <b>Annex D (normative) Design of column bases .....</b>                 |  | <b>208</b> |
| <b>D.1</b>  | <b>Use of this annex .....</b>   | <b>208</b> |
| <b>D.2</b>  | <b>Scope and field of application .....</b>  | <b>208</b> |
| <b>D.3</b>  | <b>Design of column bases with anchor bolts .....</b>                                    | <b>209</b> |
| <b>D.4</b>  | <b>Design resistance of column bases with fasteners between steel and concrete .....</b> | <b>213</b> |
| <b>Bibliography .....</b>   |  | <b>215</b> |