

# DIN EN 12209:2025-12 (E)

## Building hardware - Mechanically operated locks and locking plates - Characteristics and test methods

---

<b>Contents</b>		<b>Page</b>
European foreword .....		5
Introduction .....		7
<b>1</b>	<b>Scope .....</b>	<b>8</b>
<b>2</b>	<b>Normative references .....</b>	<b>8</b>
<b>3</b>	<b>Terms and definitions, symbols and abbreviations .....</b>	<b>8</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>8</b>
<b>3.2</b>	<b>Symbols and abbreviations .....</b>	<b>11</b>
<b>4</b>	<b>Product characteristics .....</b>	<b>11</b>
<b>4.1</b>	<b>General .....</b>	<b>11</b>
<b>4.1.1</b>	<b>Essential characteristics .....</b>	<b>11</b>
<b>4.1.2</b>	<b>Dangerous substances .....</b>	<b>12</b>
<b>4.1.3</b>	<b>Return force of latch bolt .....</b>	<b>12</b>
<b>4.1.4</b>	<b>Strength of lever lock key .....</b>	<b>12</b>
<b>4.1.5</b>	<b>Strength of bolt actions .....</b>	<b>13</b>
<b>4.1.6</b>	<b>Minimum follower restoring torque .....</b>	<b>13</b>
<b>4.2</b>	<b>Category of use (first digit) .....</b>	<b>13</b>
<b>4.2.1</b>	<b>Resistance to side force on latch bolt .....</b>	<b>13</b>
<b>4.2.2</b>	<b>Torque to operate the lock .....</b>	<b>13</b>
<b>4.2.3</b>	<b>Strength of follower stops .....</b>	<b>14</b>
<b>4.2.4</b>	<b>Torque resistance for lockable deadbolt operation by handle/knob .....</b>	<b>15</b>
<b>4.3</b>	<b>Durability characteristics (second digit) .....</b>	<b>17</b>
<b>4.3.1</b>	<b>Durability of latch operation .....</b>	<b>17</b>
<b>4.3.2</b>	<b>Durability of deadbolt mechanism .....</b>	<b>17</b>
<b>4.3.3</b>	<b>Durability of locking snib mechanism .....</b>	<b>17</b>
<b>4.4</b>	<b>Door mass and door closing force (third digit) .....</b>	<b>18</b>
<b>4.4.1</b>	<b>Door mass .....</b>	<b>18</b>
<b>4.4.2</b>	<b>Door closing force .....</b>	<b>18</b>
<b>4.5</b>	<b>Suitability for use on fire resistance and/or smoke control door set (fourth digit) .....</b>	<b>18</b>
<b>4.5.1</b>	<b>General .....</b>	<b>18</b>
<b>4.5.2</b>	<b>Grade 0 .....</b>	<b>18</b>
<b>4.5.3</b>	<b>Grade A .....</b>	<b>19</b>
<b>4.5.4</b>	<b>Grade B .....</b>	<b>19</b>
<b>4.5.5</b>	<b>Grade N .....</b>	<b>19</b>
<b>4.6</b>	<b>Safety (fifth digit) .....</b>	<b>19</b>
<b>4.7</b>	<b>Corrosion resistance and temperature (sixth digit) .....</b>	<b>19</b>
<b>4.7.1</b>	<b>Corrosion resistance .....</b>	<b>19</b>
<b>4.7.2</b>	<b>Operation at extreme temperatures .....</b>	<b>20</b>
<b>4.8</b>	<b>Security (seventh digit) .....</b>	<b>20</b>
<b>4.8.1</b>	<b>General .....</b>	<b>20</b>
<b>4.8.2</b>	<b>Locking .....</b>	<b>20</b>
<b>4.8.3</b>	<b>Deadlocking .....</b>	<b>20</b>
<b>4.8.4</b>	<b>Torque resistance of knob of tubular lock .....</b>	<b>21</b>
<b>4.8.5</b>	<b>Characteristics for side force .....</b>	<b>21</b>
<b>4.8.6</b>	<b>Locking point projection .....</b>	<b>22</b>
<b>4.8.7</b>	<b>Resistance to force in the unlocking direction (disengaging force) .....</b>	<b>23</b>
<b>4.8.8</b>	<b>Characteristics for pulling of anti-separation bolt .....</b>	<b>24</b>

4.8.9	Characteristics for anti-lifting devices in sliding door locks .....	25
4.8.10	Requirement for torque resistance of lockable followers .....	26
4.8.11	Strong key attack on lever locks .....	27
4.8.12	Resistance to force on box protected locking plates .....	27
4.8.13	Resistance to side force on locking plates .....	28
4.8.14	Resistance to pulling on locking plates .....	28
4.8.15	Resistance to lifting force on locking plates .....	28
4.8.16	Protection against removal from door .....	28
4.9	Key identification characteristics of lever locks (eight digit) .....	34
4.9.1	Minimum number of detaining elements .....	34
4.9.2	Minimum number of effective differs .....	34
4.9.3	Differing steps height on key .....	34
4.9.4	Non-interpassing of keys with just one interval differ .....	34
4.9.5	Coding protection .....	34
5	Test, assessment and sampling methods .....	35
5.1	General .....	35
5.2	Test apparatus .....	37
5.2.1	Test door .....	37
5.2.2	Drill machine .....	37
5.2.3	Test fixtures .....	37
5.3	Test procedure - Drilling procedure .....	37
5.4	Test methods - general .....	38
5.4.1	Dangerous substances verification .....	38
5.4.2	Return force of latch bolt .....	38
5.4.3	Strength of lever lock key .....	38
5.4.4	Strength of bolt actions .....	38
5.4.5	Minimum follower restoring torque .....	39
5.4.6	Protection against removal from door .....	39
5.5	Test methods - Category of use .....	39
5.5.1	Resistance to side force on latch bolt .....	39
5.5.2	Torque to operate the lock .....	41
5.5.3	Strength of follower stops .....	42
5.5.4	Torque resistance for lockable deadbolt operation by handle/knob .....	42
5.6	Test methods - durability .....	42
5.6.1	Durability of latch action without force applied .....	42
5.6.2	Durability of latch action with force applied .....	44
5.6.3	Durability of deadbolt mechanism .....	45
5.6.4	Durability of locking snib mechanism .....	47
5.7	Door mass and closing force .....	47
5.7.1	Door mass verification .....	47
5.7.2	Door closing force .....	47
5.8	Suitability for use on fire resistance and/or smoke control door set .....	48
5.8.1	Grade A .....	48
5.8.2	Grade B .....	48
5.8.3	Grade N .....	48
5.9	Safety .....	49
5.10	Corrosion resistance and temperature .....	49
5.10.1	Corrosion resistance .....	49
5.10.2	Operation at extreme temperatures .....	49
5.11	Security .....	49
5.11.1	Locking .....	49
5.11.2	Torque resistance of knob of tubular lock .....	50
5.11.3	Resistance to side force .....	51
5.11.4	Deadbolt projection .....	54
5.11.5	Resistance to forcing in the unlocking direction (disengaging force) .....	55
5.11.6	Resistance to pulling of anti-separation bolt .....	58
5.11.7	Resistance to forcing of anti-lifting device in sliding door locks .....	59
5.11.8	Torque resistance of lockable followersN1 .....	60
5.11.9	Strong key attack on lever locks .....	60
5.11.10	Resistance to force on box protected locking plate .....	60
5.11.11	Resistance to side force on locking plate .....	63

5.11.12	Resistance to pulling on locking plate .....	64
5.11.13	Resistance to lifting force on locking plate .....	65
5.12	Key related security for lever locks .....	65
5.12.1	Detaining elements verification .....	65
5.12.2	Effective differs verification .....	65
5.12.3	Differing step heights on key .....	65
5.12.4	Non-interpassing of keys with just one interval differ .....	66
5.12.5	Coding protection .....	66
6	Classification .....	66
6.1	Coding system .....	66
6.2	Classification for mechanically operated locks and locking plates .....	67
6.2.1	Category of use (first digit) .....	67
6.2.2	Durability (second digit) .....	67
6.2.3	Door mass and closing force (third digit) .....	67
6.2.4	Suitability for use on fire resisting and/or smoke control door set (fourth digit) .....	68
6.2.5	Safety (fifth digit) .....	68
6.2.6	Corrosion resistance and temperature (sixth digit) .....	68
6.2.7	Security and drill resistance (seventh digit) .....	69
6.2.8	Key identification of lever locks (eight digit) .....	69
6.3	Example for classification of locks, latches and locking plates .....	70
7	Marking, labelling and packaging .....	70
7.1	On the product .....	70
7.2	On the packaging and literature .....	70
Annex A (normative) Test sampling and sequencing for locks and latches .....		71
Annex B (informative) Product information .....		76
Bibliography .....		78