

# DIN 4150-2:2025-08 (E)

## Vibrations in buildings - Part 2: Effects on persons in buildings

---

<b>Contents</b>		<b>Page</b>
Foreword .....		6
1	Scope .....	7
2	Normative references .....	7
3	Terms and definitions .....	8
4	Principle for evaluating the discomfort of humans in buildings caused by vibration immissions .....	11
4.1	General .....	11
4.2	Determination of the parameters to be evaluated .....	12
4.2.1	General .....	12
4.2.2	Weighted vibration severity KBF(t) .....	12
4.2.3	Maximum cycle KBF value KBFTi .....	13
4.2.4	Maximum weighted vibration severity KBFmax .....	13
4.2.5	Root-mean-square value of KBFTi KBFTm .....	13
4.2.6	Evaluation vibration severity KBFTr .....	14
5	Vibration measurement .....	14
5.1	Measuring instruments .....	14
5.2	Measurement directions and points of measurement .....	14
5.3	Measurement period .....	14
5.4	Monitoring .....	14
5.5	Uncertainty of measurement .....	15
6	Evaluation of vibration immissions .....	15
6.1	Parameters to be evaluated .....	15
6.2	Guideline values .....	15
6.3	Procedure .....	16
6.4	Determining KBFTr .....	18
6.4.1	Evaluation period Tr .....	18
6.4.2	Effects outside of rest periods .....	18
6.4.3	Effects during rest periods .....	19
6.4.4	Vibration immissions in commercial establishments .....	19
6.5	Source-specific requirements .....	19
6.5.1	Infrequent, short-term vibration .....	19
6.5.2	Vibration generated by road traffic .....	20
6.5.3	Vibration generated by rail traffic .....	21
6.5.4	Vibration generated by construction work .....	27
7	Approximating evaluation parameters from direct vibration recordings .....	28
8	Test report .....	30
Annex A (informative)	Flow chart showing the procedure for evaluating vibration generated by construction work .....	32
Annex B (informative)	Examples explaining the evaluation procedure .....	33
B.1	EXAMPLE 1 -- Sinusoidal long-term vibration; evaluation according to Table 1, line 2 .....	33
B.1.1	Type of vibration immissions to be evaluated .....	33

B.1.2	Assumptions .....	33
B.1.3	Evaluation procedure .....	33
B.1.4	Conclusion .....	33
B.2	<b>EXAMPLE 2 -- Sinusoidal long-term vibration; evaluation according to Table 1, line 4</b> .....	<b>33</b>
B.2.1	Type of vibration immissions to be evaluated .....	33
B.2.2	Assumptions .....	34
B.2.3	Evaluation procedure .....	34
B.2.4	Conclusion .....	35
B.3	<b>EXAMPLE 3 -- Steady-state long-term vibration</b> .....	<b>35</b>
B.3.1	Type of vibration immissions to be evaluated .....	35
B.3.2	Assumptions .....	36
B.3.3	Evaluation procedure .....	36
B.3.4	Conclusion .....	37
B.4	<b>EXAMPLE 4 -- Shocks outside of the rest period</b> .....	<b>37</b>
B.4.1	Type of vibration immissions to be evaluated .....	37
B.4.2	Assumptions .....	38
B.4.3	Evaluation procedure .....	38
B.4.4	Conclusion .....	40
B.5	<b>EXAMPLE 5 -- Shocks during the rest period</b> .....	<b>40</b>
B.5.1	Type of vibration immissions to be evaluated .....	40
B.5.2	Assumptions .....	40
B.5.3	Evaluation procedure .....	40
B.5.4	Conclusion .....	40
B.6	<b>EXAMPLE 6 -- Shocks; exposure period of 16 h daily</b> .....	<b>40</b>
B.6.1	Type of vibration immissions to be evaluated .....	40
B.6.2	Assumptions .....	40
B.6.3	Evaluation procedure .....	40
B.6.4	Conclusion .....	41
B.7	<b>EXAMPLE 7 -- Vibration effects generated by blasting</b> .....	<b>41</b>
B.7.1	Type of vibration immissions to be evaluated .....	41
B.7.2	Assumptions .....	41
B.7.3	Evaluation procedure .....	41
B.7.4	Conclusion .....	41
B.8	<b>EXAMPLE 8 -- Vibration effects generated by tram and subway traffic</b> .....	<b>42</b>
B.8.1	Type of vibration immissions to be evaluated .....	42
B.8.2	Assumptions .....	43
B.8.3	Evaluation procedure .....	43
B.8.4	Conclusions .....	45
B.9	<b>EXAMPLE 9 -- Vibration effects generated by rail traffic</b> .....	<b>46</b>
B.9.1	Type of vibration immissions to be evaluated .....	46
B.9.2	Assumptions .....	48
B.9.3	Evaluation procedure .....	48
B.9.4	Conclusion .....	50
<b>Annex C (informative) Explanatory notes</b> .....		<b>51</b>
C.1	Explanatory notes re 3.4 .....	51
C.2	Explanatory notes re 4.2.3 .....	51
C.3	Explanatory notes re 5.2 .....	51
C.4	Explanatory notes re 6.4.3 .....	51
C.5	Explanatory notes re 6.5.1.2 .....	51
C.6	Explanatory notes re 6.5.2 .....	52
C.7	Explanatory notes re 6.5.3.1 .....	52
C.8	Explanatory notes re 6.5.3.2 .....	53
C.9	Explanatory notes re 6.5.3.3 .....	53
C.10	Explanatory notes re 6.5.3.6 .....	53
C.11	Explanatory notes re 6.5.4 .....	54
<b>Annex D (informative) Prognosis and spectral calculation of KB values</b> .....		<b>55</b>
<b>Bibliography</b> .....		<b>56</b>

## Figures

Figure 1 — Time history of the weighted vibration severity $KB_F(t)$ with representation of the maximum cycle $KB_F$ values $KB_{FTi}$ .....	13
Figure 2 — Flow chart for the evaluation procedure .....	17
Figure A.1 — Flow chart for evaluation according to 6.5.4 .....	32
Figure B.1 — Time history of the weighted vibration severity $KB_F(t)$ for vibration immissions according to Example 1 (Clause B.1) and Example 2 (Clause B.2) .....	35
Figure B.2 — Time history of the weighted vibration severity $KB_F(t)$ for vibration immissions according to Example 3 (Clause B.3) .....	36
Figure B.3 — Time history of the weighted vibration severity $KB_F(t)$ for vibration immissions according to Examples 4 (Clause B.4) to Example 6 (Clause B.6) .....	38
Figure B.4 — Time histories for vibration immissions as in Example 7 (Clause B.7) .....	42
Figure B.5 — Measured time history of the vibration velocity at the centre of a floor of the residential building being investigated .....	43
Figure B.6 — Sketch showing the existing track, the planned track and the residential building to be investigated .....	46
Figure B.7 — Measured time history of the vibration velocity and the weighted vibration severity at the centre of a floor of the building being investigated.....	47
Figure C.1 — Relationship between evaluation vibration severity $KB_{FTi}$ , the root-mean-square value of $KB_{FTi}$ for trains $KB_{FTm,Zug}$ and train frequency.....	52

## Tables

Table 1 — Guideline values $A$ for evaluating vibration immissions occurring in rooms requiring protection.....	16
Table 2 — Evaluation factors $\alpha_{Zug}$ for taking account of the different characteristics of train passages and track location .....	23
Table 3 — $A_0$ values at night for new railways to be constructed .....	25
Table 4 — Guideline values $A$ for effects of vibration generated by construction work (other than blasting).....	27
Table 5 — Empirical values for constant $c_F$ for different types of vibration effects .....	30
Table B.1 — $KB_{FTi,Zug}$ values determined.....	44
Table B.2 — Maximum root-mean-square values for $KB_{FTi}$ for train categories.....	48
Table B.3 — Operating programme for the zero scenario and plan scenario .....	49