DIN 4150-2:2025-08 (E)

Vibrations in buildings - Part 2: Effects on persons in buildings

Contents

Page

Foreword 6

1 Scope 7

2 Normative references 7

3 Terms and definitions 8

4 Principle for evaluating the discomfort of humans in buildings caused by vibration immissions 11
4.1 General 11
4.2 Determination of the parameters to be evaluated 12
4.2.1 General 12
4.2.2 Weighted vibration severity KBF(t) 12
4.2.3 Maximum cycle KBF value KBFTi 13
4.2.4 Maximum weighted vibration severity KBFmax 13
4.2.5 Root-mean-square value of KBFTi KBFTm 13
4.2.6 Evaluation vibration severity KBFTr 14

5 Vibration measurement 14
5.1 Measuring instruments 14
5.2 Measurement directions and points of measurement 14
5.3 Measurement period 14
5.4 Monitoring 14
5.5 Uncertainty of measurement 15

6 Evaluation of vibration immissions 15
6.1 Parameters to be evaluated 15
6.2 Guideline values 15
6.3 Procedure 16
6.4 Determining KBFTr 18
6.4.1 Evaluation period Tr 18
6.4.2 Effects outside of rest periods 18
6.4.3 Effects during rest periods 19
6.4.4 Vibration immissions in commercial establishments 19
6.5 Source-specific requirements 19
6.5.1 Infrequent, short-term vibration 19
6.5.2 Vibration generated by road traffic 20
6.5.3 Vibration generated by rail traffic 21
6.5.4 Vibration generated by construction work 27

7 Approximating evaluation parameters from direct vibration recordings 28

8 Test report 30

Annex A (informative) Flow chart showing the procedure for evaluating vibration generated by construction work 32

Annex B (informative) Examples explaining the evaluation procedure 33

B.1 EXAMPLE 1 -- Sinusoidal long-term vibration; evaluation according to Table 1, line 2 33
B.1.1 Type of vibration immissions to be evaluated 33

B.1.2 Assumptions ... 33
B.1.3 Evaluation procedure ... 33
B.1.4 Conclusion ... 33
B.2 EXAMPLE 2 -- Sinusoidal long-term vibration; evaluation according to Table 1, line 4 ... 33
B.2.1 Type of vibration immissions to be evaluated ... 33
B.2.2 Assumptions ... 34
B.2.3 Evaluation procedure ... 34
B.2.4 Conclusion ... 35
B.3 EXAMPLE 3 -- Steady-state long-term vibration ... 35
B.3.1 Type of vibration immissions to be evaluated ... 35
B.3.2 Assumptions ... 36
B.3.3 Evaluation procedure ... 36
B.3.4 Conclusion ... 37
B.4 EXAMPLE 4 -- Shocks outside of the rest period ... 37
B.4.1 Type of vibration immissions to be evaluated ... 37
B.4.2 Assumptions ... 38
B.4.3 Evaluation procedure ... 38
B.4.4 Conclusion ... 40
B.5 EXAMPLE 5 -- Shocks during the rest period ... 40
B.5.1 Type of vibration immissions to be evaluated ... 40
B.5.2 Assumptions ... 40
B.5.3 Evaluation procedure ... 40
B.5.4 Conclusion ... 40
B.6 EXAMPLE 6 -- Shocks; exposure period of 16 h daily ... 40
B.6.1 Type of vibration immissions to be evaluated ... 40
B.6.2 Assumptions ... 40
B.6.3 Evaluation procedure ... 40
B.6.4 Conclusion ... 41
B.7 EXAMPLE 7 -- Vibration effects generated by blasting ... 41
B.7.1 Type of vibration immissions to be evaluated ... 41
B.7.2 Assumptions ... 41
B.7.3 Evaluation procedure ... 41
B.7.4 Conclusion ... 41
B.8 EXAMPLE 8 -- Vibration effects generated by tram and subway traffic ... 42
B.8.1 Type of vibration immissions to be evaluated ... 42
B.8.2 Assumptions ... 43
B.8.3 Evaluation procedure ... 43
B.8.4 Conclusions ... 45
B.9 EXAMPLE 9 -- Vibration effects generated by rail traffic ... 46
B.9.1 Type of vibration immissions to be evaluated ... 46
B.9.2 Assumptions ... 48
B.9.3 Evaluation procedure ... 48
B.9.4 Conclusion ... 50

Annex C (informative) Explanatory notes ... 51

C.1 Explanatory notes re 3.4 ... 51
C.2 Explanatory notes re 4.2.3 ... 51
C.3 Explanatory notes re 5.2 ... 51
C.4 Explanatory notes re 6.4.3 ... 51
C.5 Explanatory notes re 6.5.1.2 ... 51
C.6 Explanatory notes re 6.5.2 ... 52
C.7 Explanatory notes re 6.5.3.1 ... 52
C.8 Explanatory notes re 6.5.3.2 ... 53
C.9 Explanatory notes re 6.5.3.3 ... 53
C.10 Explanatory notes re 6.5.3.6 ... 53
C.11 Explanatory notes re 6.5.4 ... 54

Annex D (informative) Prognosis and spectral calculation of KB values ... 55

Bibliography ... 56

Figures

Figure 1 — Time history of the weighted vibration severity $KB_{\mathrm{F}}(t)$ with representation of the maximum cycle KB_{F} values KB_{FTi} 13

Figure 2 — Flow chart for the evaluation procedure 17

Figure A.1 — Flow chart for evaluation according to 6.5.4 32

Figure B.1 — Time history of the weighted vibration severity $KB_{\mathrm{F}}(t)$ for vibration immissions according to Example 1 (Clause B.1) and Example 2 (Clause B.2) 35

Figure B.2 — Time history of the weighted vibration severity $KB_{\mathrm{F}}(t)$ for vibration immissions according to Example 3 (Clause B.3) 36

Figure B.3 — Time history of the weighted vibration severity $KB_{\mathrm{F}}(t)$ for vibration immissions according to Examples 4 (Clause B.4) to Example 6 (Clause B.6) 38

Figure B.4 — Time histories for vibration immissions as in Example 7 (Clause B.7) 42

Figure B.5 — Measured time history of the vibration velocity at the centre of a floor of the residential building being investigated 43

Figure B.6 — Sketch showing the existing track, the planned track and the residential building to be investigated 46

Figure B.7 — Measured time history of the vibration velocity and the weighted vibration severity at the centre of a floor of the building being investigated 47

Figure C.1 — Relationship between evaluation vibration severity KB_{FTr}, the root-mean-square value of KB_{FTi} for trains $KB_{\mathrm{FTm,Zug}}$ and train frequency 52

Tables

Table 1 — Guideline values A for evaluating vibration immissions occurring in rooms requiring protection 16

Table 2 — Evaluation factors α_{Zug} for taking account of the different characteristics of train passages and track location 23

Table 3 — A_O values at night for new railways to be constructed 25

Table 4 — Guideline values A for effects of vibration generated by construction work (other than blasting) 27

Table 5 — Empirical values for constant c_{F} for different types of vibration effects 30

Table B.1 — $KB_{\mathrm{FTi,Zug}}$ values determined 44

Table B.2 — Maximum root-mean-square values for KB_{FTi} for train categories 48

Table B.3 — Operating programme for the zero scenario and plan scenario 49