DIN EN 1995-1-2:2026-10 (E)

Eurocode 5 - Design of timber structures - Part 1-2: Structural fire design

Contents

Page

European foreword 7

0 Introduction 9

1 Scope 11
1.2 Assumptions 11

2 Normative references 11

3 Terms, definitions and symbols 13
3.1 Terms and definitions 13
3.2 Symbols and abbreviations 16
3.2.1 Latin upper case letters 16
3.2.2 Latin lower case letters 17
3.2.3 Greek upper case letters 22
3.2.4 Greek lower case letters 22
3.2.5 Abbreviations 23

4 Basis of design 25
4.1 General 25
4.2 Nominal fire exposure 25
4.3 Physically based fire exposure 26
4.4 Actions 26
4.5 Design values of material properties 26
4.6 Verification methods 27
4.7 Member analysis 28
4.8 Analysis of parts of the structure 28
4.9 Global structural analysis 28

5 Material properties 29
5.1 General 29
5.2 Thermal properties 32
5.3 Mechanical properties 32
5.4 Charring 32
5.4.1 General 32
5.4.2 The European charring model 33
5.5 Adhesives 42
5.5.1 General 42
5.5.2 Bond line integrity in fire of face bonds 43

6 Tabulated design data 44
6.1 General 44
6.2 Time limits for charring phases 44
6.3 Initially protected timber members 47
6.4 Plane timber members made of CLT 49
6.4.1 General 49
6.4.2 CLT with bond line integrity maintained 49
6.4.3 CLT with bond line integrity not maintained 51

7 Simplified design methods 54
7.1 General 54
7.1.1 Materials and products covered 54

7.1.2 Timber members ... 54
7.1.3 Mechanically jointed members ... 55
7.2 Effective cross-section method ... 56
7.2.1 General ... 56
7.2.2 Design of linear timber members ... 58
7.2.3 Design of plane timber members ... 61
7.2.4 Design of timber frame assemblies ... 65
7.2.5 Design of timber-concrete-composite members ... 74
7.3 Separating function method ... 75
7.3.1 General ... 75
7.3.2 Protection time ... 77
7.3.3 Insulation time ... 80
7.3.4 Position coefficients ... 81
7.3.5 Joint coefficients ... 84
7.3.6 Correction times ... 85

8 Advanced design methods ... 87
8.1 General ... 87
8.2 Thermal analysis ... 87
8.3 Mechanical analysis ... 87
8.4 Validation of advanced design methods ... 88
8.5 Thermal properties ... 88
8.5.1 General ... 88
8.5.2 Timber and wood-based materials ... 89
8.5.3 Gypsum plasterboard and gypsum fibreboard ... 92
8.5.4 Insulation materials ... 93
8.6 Mechanical properties ... 94

9 Connections ... 96
9.1 General ... 96
9.2 Initially unprotected connections with timber side members ... 96
9.2.1 General ... 96
9.2.2 Minimum fire resistance ... 97
9.2.3 Geometric requirements for a specific fire resistance ... 97
9.2.4 Exponential reduction method for connections with dowels or bolts ... 103
9.2.5 Exponential reduction method for connections with nails or screws ... 105
9.3 Connections with axially loaded mechanical fasteners ... 108
9.4 Protected connections ... 109
9.5 Connections with external steel plates ... 111
9.5.1 Unprotected connections ... 111
9.5.2 Protected connections ... 111
9.6 Carpentry connections ... 111

10 Detailing ... 112
10.1 General ... 112
10.2 Panels ... 113
10.2.1 Dimensions and spacings ... 113
10.2.2 Fixing and joints of panels ... 114
10.3 Insulation ... 117
10.4 Joints in and between elements and to other adjacent components ... 118
10.5 Penetrations and openings ... 121

Annex A (informative) Design of timber structures exposed to physically based design fires ... 124

A.1 Use of this annex ... 124
A.2 Scope and field of application ... 124
A.3 Structural fire load by the timber members ... 124
A.4 Design models ... 125
A.4.1 General ... 125
A.4.2 Encapsulation provided by fire protection systems ... 126
A.4.3 Design model for general temperature-time curves ... 126
A.4.3.1 General ... 126

A.4.3.2 Cumulative temperature charring model 126
A.4.3.3 Effective cross-section 127
A.4.4 Design model for parametric temperature-time curves 129
A.4.4.1 General 129
A.4.4.2 Structural fire load 129
A.4.4.3 Effective cross-section 131

Annex B (normative) Assessment of the bond line integrity in fire 133

B.1 Use of this Annex 133
B.2 Scope and field of application 133
B.3 Bond line integrity of face bonds 133
B.3.1 General 133
B.3.2 Test equipment 134
B.3.3 Test conditions 134
B.3.4 Test specimen and reference specimen 135
B.3.5 Installation of the test specimen 135
B.3.6 Application of instrumentation 135
B.3.7 Test procedure 135
B.3.8 Test results 136
B.3.9 Assessment 137
B.3.10 Presentation of test results 137
B.3.11 Application range of results 137
B.4 Bond line integrity of finger joints in I-shaped timber members 138
B.4.1 General 138
B.4.2 Test equipment 138
B.4.3 Test specimen 138
B.4.4 Test procedure 139
B.4.5 Test results 140
B.4.6 Assessment 140
B.4.7 Application range of results 140

Annex C (normative) Determination of the basic design charring rate 142

C.1 Use of this Annex 142
C.2 Scope and field of application 142
C.3 Test equipment 142
C.4 Test conditions 142
C.5 Test specimen 142
C.5.1 General 142
C.5.2 Test specimen for timber members 143
C.5.3 Test specimen for wood-based panels 144
C.6 Installation of the test specimen 144
C.7 Application of instrumentation 144
C.7.1 General 144
C.7.2 Test specimen for timber members 145
C.7.3 Test specimen with wood-based panels 146
C.8 Test procedure 147
C.9 Test results 147
C.10 Assessment 148
C.10.1 General 148
C.10.2 Determination of the charring rate for timber member 148
C.10.3 Determination of the basic design charring rate for wood-based panel 149
C.11 Application range of results 149

Annex D (normative) Assessment of Protection Level (PL) of the cavity insulation 151

D.1 Use of this Annex 151
D.2 Scope and field of application 151
D.3 Test equipment 151
D.4 Test conditions 151
D.5 Test specimen 151

D.6 Installation of the test specimen 153
D.7 Application of instrumentation 153
D.8 Test procedure 154
D.9 Test results 154
D.10 Assessment 154

Annex E (informative) Assessment of external flaming 155

E.1 Use of this annex 155
E.2 Scope and field of application 155
E.3 External flaming 155

Annex F (informative) Assessment of the failure time of fire protection systems 157

F.1 Use of this annex 157
F.2 Scope and field of application 157
F.3 Failure times 157

Annex G (normative) Implementation rules for the Separating Function Method 159

G.1 Use of this Annex 159
G.2 Scope and field of application 159
G.3 General 159
G.4 Fire testing 159
G.5 Basis for the development of the design equations 162
G.6 Development of the design equations 162
G.7 Verification of the developed design equations 166

Annex I (normative) Design model for timber frame assemblies with I-shaped linear timber members 167

I.1 Use of this annex 167
I.2 Scope and field of application 168
I.3 Design model 168

Annex T (informative) Determination of temperature in timber members 178

T.1 Use of this Annex 178
T.2 Temperature determination 178

Bibliography 180