

ISO 21927-6:2026-01 (E)

Smoke and heat control systems - Part 6: Specification for pressure differential systems

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms, definitions, symbols and abbreviated terms	1
3.1	Terms, definitions and abbreviated terms	1
3.2	Symbols	2
4	Characteristics	3
4.1	General	3
4.2	Nominal activation conditions/sensitivity	4
4.2.1	Kit	4
4.2.2	Components	4
4.3	Response delay (response time)	5
4.3.1	Kit	5
4.3.2	Components	6
4.4	Operational reliability	6
4.4.1	Kit	6
4.4.2	Components	7
4.5	Effectiveness of smoke/hot gas extraction (air release/powered air release)	7
4.5.1	Kit	7
4.5.2	Components	7
4.6	Performance parameters under fire conditions	8
4.6.1	Kit	8
4.6.2	Components	8
4.7	Pressurization performance	9
4.7.1	Kit	9
4.7.2	Components	9
4.8	Fire resistance - Integrity (E)	10
4.8.1	Kit	10
4.8.2	Components	10
4.9	Fire resistance - Insulation (I)	11
4.9.1	Kit	11
4.9.2	Components	11
4.10	Fire resistance - Smoke leakage (S)	11
4.10.1	Kit	11
4.10.2	Components	12
4.11	Fire resistance - Mechanical stability	12
4.11.1	Kit	12
4.11.2	Components	12
4.12	Fire resistance - Maintenance of cross section	13
4.12.1	Kit	13
4.12.2	Components	13
4.13	Durability	14
4.13.1	Kit	14
4.13.2	Components	14

5	Test methods	15
5.1	General	15
5.1.1	Kits	15
5.1.2	Families	15
5.1.3	Substitution of components from different families	16
5.2	Nominal activation conditions/sensitivity	16
5.2.1	Kit	16
5.2.2	Components	16
5.3	Response delay (response time)	17
5.3.1	Kit	17
5.3.2	Components	17
5.4	Operational reliability	17
5.4.1	Kit	17
5.4.2	Components	29
5.5	Effectiveness of smoke/hot gas extraction	29
5.5.1	Kit	29
5.5.2	Components	29
5.6	Performance parameters under fire conditions	30
5.6.1	Kit	30
5.6.2	Components	30
5.7	Pressurization performance	31
5.7.1	Kit	31
5.7.2	Components	31
5.8	Fire resistance - Integrity (E)	31
5.8.1	Kit	31
5.8.2	Components	32
5.9	Fire resistance - Insulation (I)	32
5.9.1	Kit	32
5.9.2	Components	32
5.10	Fire resistance - Smoke leakage (S)	33
5.10.1	Kit	33
5.10.2	Components	33
5.11	Fire resistance - Mechanical stability	34
5.11.1	Kit	34
5.11.2	Components	34
5.12	Fire resistance - Maintenance of cross section	34
5.12.1	Kit	34
5.12.2	Components	34
5.13	Durability	35
5.13.1	Kit	35
5.13.2	Components	35
6	Verification of performance	36
6.1	Type testing	36
6.1.1	General	36
6.1.2	Test samples, testing and compliance criteria	37
6.1.3	Test reports	37
6.2	Factory production control (FPC)	37
6.2.1	General	37
6.2.2	Requirements	38
6.2.3	Product specific requirements	40
7	Marking, labelling and packaging	40
	Annex A (normative) Pressure differential kit types (pressurization)	42
	Annex B (normative) Test method for hot gas control damper at elevated temperature	53
	Annex C (normative) Test required for powered smoke and heat exhaust ventilators with frequency inverter and operated with variable speed at elevated temperature	57

Annex D (normative) Installation and maintenance document59
Bibliography 60