

ISO 19118:2005-07 (E)

Geographic information - Encoding

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Conformance	1
3	Normative references	1
4	Terms and definitions	2
5	Symbols and abbreviated terms	5
6	Fundamental concepts and assumptions	6
6.1	Concepts	6
6.2	Data interchange	6
6.3	Application schema	7
6.4	Encoding rule	8
6.5	Encoding service	9
6.6	Transfer service	9
7	Character repertoire	10
8	Encoding rules	10
8.1	Introduction	10
8.2	General encoding requirements	11
8.3	Input data structure	13
8.4	Output data structure	13
8.5	Conversion rules	14
8.6	Examples	14
9	Encoding service	14
Annex A (informative) XML based encoding rule		16
A.1	Introduction	16
A.2	General encoding requirements	17
A.3	Input data structure	19
A.4	Output data structure	23
A.5	Schema conversion rules	23
A.6	Instance conversion rules	52
A.7	Abstract test suite	54
A.8	Level 2 conformance	55
Annex B (normative) Abstract test suite		56
B.1	Introduction	56
B.2	Level 1 conformance General encoding requirements	56
B.3	Level 2 conformance Interface	56
Annex C (informative) Extensible Markup Language (XML)		57

C.1	Introduction	57
C.2	Extensible Markup Language	57
Annex D (informative) Character repertoire		66
Annex E (informative) Examples		69
E.1	Introduction	69
E.2	Standard types	69
E.3	Simple-Road-Map	79
E.4	Property-Building-Loan	80
E.5	Property-Building-Updating	88
Bibliography		103
Figures Figure 1 -- Overview of data interchange between two systems		6
Figure 2 -- The encoding rule defines conversion rules from input concepts to output concepts		8
Figure 3 -- Overview of the encoding process		9
Figure 4 -- Example of exchange metadata		12
Figure 5 -- Conversion rules		14
Figure 6 -- Example encoding service interface		15
Figure A.1 -- XML based conversion rules		16
Figure A.2 -- Instance model: Dataset, object and property		20
Figure A.3 -- Instance model: Value types		20
Figure A.4 -- Example application schema		22
Figure A.5 -- Example data		23
Figure A.6 -- Units of Measure		28
Figure A.7 -- Measure types		29
Figure A.8 -- Example of <<Enumeration>>		30
Figure A.9 -- Example of <<CodeList>>		31
Figure A.10 -- Example of <<Union>>		31
Figure A.11 -- Record types		32
Figure A.12 -- Example of bounded template type		33
Figure A.13 -- Example of single inheritance		34
Figure A.14 -- Example of multiple inheritance		35
Figure A.15 -- Example attribute of a supertype		36
Figure A.16 -- Example attribute		39
Figure A.17 -- Example association		40

Figure A.18 -- Example aggregation	40
Figure A.19 -- Example composition	41
Figure A.20 -- Document structure	42
Figure A.21 -- Dataset contains objects	43
Figure A.22 -- Exchange metadata	44
Figure A.23 -- Update primitives	45
Figure A.24 -- Configuration file: top elements	48
Figure A.25 -- Configuration file: structured types	49
Figure A.26 -- Configuration file: bounded template types	49
Figure A.27 -- Configuration file: codelist, enumeration and external type	49
Figure D.1 -- UCS-4 structure	66
Figure E.1 -- Geometric primitives	70
Figure E.2 -- Coordinate geometry	71
Figure E.3 -- Geometric complexes	71
Figure E.4 -- Topology	72
Figure E.5 -- SRM application schema	79
Figure E.6 -- Simple map according to the SRM application schema	79
Figure E.7 -- PBL Application schema	81
Figure E.8 -- PBL example data	81
Figure E.9 -- Property-Building-Updating application schema	88
Figure E.10 -- Feature types by inheritance	88
Figure E.11 -- Example data	89
Tables Table A.1 -- Stereotypes on classes	18
Table A.2 -- Summary of relationship between UML and the instance model	21
Table A.3 -- Mapping of attributes with multiplicity and collection type	22
Table A.4 -- Multiplicity mapping for attributes	38
Table A.5 -- Multiplicity mapping for content elements	39
Table C.1 -- DTD attribute types	61
Table C.2 -- Two special purpose XML attributes	61
Table C.3 -- XLink attributes	62
Table D.1 -- UTF8 byte sequences to represent a character	67