

ISO 19118:2005-07 (E)

Geographic information - Encoding

| Contents | | Page |
|--|---|-------------|
| Foreword | | vi |
| Introduction | | vii |
| 1 | Scope | 1 |
| 2 | Conformance | 1 |
| 3 | Normative references | 1 |
| 4 | Terms and definitions | 2 |
| 5 | Symbols and abbreviated terms | 5 |
| 6 | Fundamental concepts and assumptions | 6 |
| 6.1 | Concepts | 6 |
| 6.2 | Data interchange | 6 |
| 6.3 | Application schema | 7 |
| 6.4 | Encoding rule | 8 |
| 6.5 | Encoding service | 9 |
| 6.6 | Transfer service | 9 |
| 7 | Character repertoire | 10 |
| 8 | Encoding rules | 10 |
| 8.1 | Introduction | 10 |
| 8.2 | General encoding requirements | 11 |
| 8.3 | Input data structure | 13 |
| 8.4 | Output data structure | 13 |
| 8.5 | Conversion rules | 14 |
| 8.6 | Examples | 14 |
| 9 | Encoding service | 14 |
| Annex A (informative) XML based encoding rule | | 16 |
| A.1 | Introduction | 16 |
| A.2 | General encoding requirements | 17 |
| A.3 | Input data structure | 19 |
| A.4 | Output data structure | 23 |
| A.5 | Schema conversion rules | 23 |
| A.6 | Instance conversion rules | 52 |
| A.7 | Abstract test suite | 54 |
| A.8 | Level 2 conformance | 55 |
| Annex B (normative) Abstract test suite | | 56 |
| B.1 | Introduction | 56 |
| B.2 | Level 1 conformance General encoding requirements | 56 |
| B.3 | Level 2 conformance Interface | 56 |
| Annex C (informative) Extensible Markup Language (XML) | | 57 |

| | | |
|---|----------------------------------|-----|
| C.1 | Introduction | 57 |
| C.2 | Extensible Markup Language | 57 |
| Annex D (informative) Character repertoire | | 66 |
| Annex E (informative) Examples | | 69 |
| E.1 | Introduction | 69 |
| E.2 | Standard types | 69 |
| E.3 | Simple-Road-Map | 79 |
| E.4 | Property-Building-Loan | 80 |
| E.5 | Property-Building-Updating | 88 |
| Bibliography | | 103 |
| Figures Figure 1 -- Overview of data interchange between two systems | | 6 |
| Figure 2 -- The encoding rule defines conversion rules from input concepts to output concepts | | 8 |
| Figure 3 -- Overview of the encoding process | | 9 |
| Figure 4 -- Example of exchange metadata | | 12 |
| Figure 5 -- Conversion rules | | 14 |
| Figure 6 -- Example encoding service interface | | 15 |
| Figure A.1 -- XML based conversion rules | | 16 |
| Figure A.2 -- Instance model: Dataset, object and property | | 20 |
| Figure A.3 -- Instance model: Value types | | 20 |
| Figure A.4 -- Example application schema | | 22 |
| Figure A.5 -- Example data | | 23 |
| Figure A.6 -- Units of Measure | | 28 |
| Figure A.7 -- Measure types | | 29 |
| Figure A.8 -- Example of <<Enumeration>> | | 30 |
| Figure A.9 -- Example of <<CodeList>> | | 31 |
| Figure A.10 -- Example of <<Union>> | | 31 |
| Figure A.11 -- Record types | | 32 |
| Figure A.12 -- Example of bounded template type | | 33 |
| Figure A.13 -- Example of single inheritance | | 34 |
| Figure A.14 -- Example of multiple inheritance | | 35 |
| Figure A.15 -- Example attribute of a supertype | | 36 |
| Figure A.16 -- Example attribute | | 39 |
| Figure A.17 -- Example association | | 40 |

| | |
|--|----|
| Figure A.18 -- Example aggregation | 40 |
| Figure A.19 -- Example composition | 41 |
| Figure A.20 -- Document structure | 42 |
| Figure A.21 -- Dataset contains objects | 43 |
| Figure A.22 -- Exchange metadata | 44 |
| Figure A.23 -- Update primitives | 45 |
| Figure A.24 -- Configuration file: top elements | 48 |
| Figure A.25 -- Configuration file: structured types | 49 |
| Figure A.26 -- Configuration file: bounded template types | 49 |
| Figure A.27 -- Configuration file: codelist, enumeration and external type | 49 |
| Figure D.1 -- UCS-4 structure | 66 |
| Figure E.1 -- Geometric primitives | 70 |
| Figure E.2 -- Coordinate geometry | 71 |
| Figure E.3 -- Geometric complexes | 71 |
| Figure E.4 -- Topology | 72 |
| Figure E.5 -- SRM application schema | 79 |
| Figure E.6 -- Simple map according to the SRM application schema | 79 |
| Figure E.7 -- PBL Application schema | 81 |
| Figure E.8 -- PBL example data | 81 |
| Figure E.9 -- Property-Building-Updating application schema | 88 |
| Figure E.10 -- Feature types by inheritance | 88 |
| Figure E.11 -- Example data | 89 |
| Tables Table A.1 -- Stereotypes on classes | 18 |
| Table A.2 -- Summary of relationship between UML and the instance model | 21 |
| Table A.3 -- Mapping of attributes with multiplicity and collection type | 22 |
| Table A.4 -- Multiplicity mapping for attributes | 38 |
| Table A.5 -- Multiplicity mapping for content elements | 39 |
| Table C.1 -- DTD attribute types | 61 |
| Table C.2 -- Two special purpose XML attributes | 61 |
| Table C.3 -- XLink attributes | 62 |
| Table D.1 -- UTF8 byte sequences to represent a character | 67 |